



Louisiana

pegcetacoplan (Syfovre™)

Policy # 00850

Original Effective Date: 09/11/2023

Current Effective Date: 09/11/2023

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

Note: pegcetacoplan (Empaveli™) is addressed separately in medical policy 00768.

When Services May Be Eligible for Coverage

Coverage for eligible medical treatments or procedures, drugs, devices or biological products may be provided only if:

- *Benefits are available in the member's contract/certificate, and*
- *Medical necessity criteria and guidelines are met.*

Based on review of available data, the Company may consider pegcetacoplan (Syfovre™)† for the treatment of geographic atrophy to be **eligible for coverage.****

Patient Selection Criteria

Coverage eligibility for pegcetacoplan (Syfovre) will be considered when the following criteria are met:

- Patient has a diagnosis of geographic atrophy of the macula secondary to dry age-related macular degeneration; AND
- The geographic atrophy lesion area is $\geq 2.5 \text{ mm}^2$ and $\leq 17.5 \text{ mm}^2$; AND
*(Note: This specific patient selection criterion is an additional Company requirement for coverage eligibility and will be denied as not medically necessary** if not met.)*
- Patient does not have a history of or active choroidal neovascularization or wet age-related macular degeneration; AND
*(Note: This specific patient selection criterion is an additional Company requirement for coverage eligibility and will be denied as not medically necessary** if not met.)*
- Patient does not have any ocular or periocular infections or active intraocular inflammation; AND
*(Note: This specific patient selection criterion is an additional Company requirement for coverage eligibility and will be denied as not medically necessary** if not met.)*
- Dose will not exceed 15 mg per eye every 25 days.

©2023 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

pegcetacoplan (Syfovre™)

Policy # 00850

Original Effective Date: 09/11/2023

Current Effective Date: 09/11/2023

When Services Are Considered Not Medically Necessary

Based on review of available data, the Company considers the use of pegcetacoplan (Syfovre) when the geographic atrophy lesion is smaller than 2.5 mm² or larger than 17.5 mm², the patient has a history of or active choroidal neovascularization or wet age-related macular degeneration, or the patient has ocular or periocular infections or active intraocular inflammation to be **not medically necessary**.**

When Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

Based on review of available data, the Company considers the use of pegcetacoplan (Syfovre) for any indication other than geographic atrophy secondary to dry age-related macular degeneration or for any dose greater than 15 mg per eye every 25 days to be **investigational**.*

Background/Overview

Syfovre is the first drug therapy to be approved for the treatment of geographic atrophy (GA) secondary to age-related macular degeneration (AMD). It is administered via intravitreal injection to each affected eye once every 25 to 60 days. Syfovre contains the active ingredient, pegcetacoplan, a complement C3 inhibitor that is the same ingredient in Empaveli™†, but the indication, dosage form, dose, and route of administration are different than Empaveli. Both drugs work by blocking C3 and downregulating the complement system. For Syfovre, this is thought to decrease the pathogenesis and progression of GA. Clinical trials found an increased incidence of neovascular AMD in the Syfovre group compared to the sham group, so the FDA labeling suggests monitoring of patients for signs of neovascular AMD. Additionally, patients with ocular history of or active choroidal neovascularization were excluded from the pivotal trials of Syfovre.

AMD is a chronic, multifactorial, progressive central retinal disease that is the leading cause of irreversible blindness in the elderly population. It is divided into two types: exudative or neovascular (“wet”) and nonexudative (“dry”). GA is caused by the gradual breakdown of light-sensitive cells in the macula, resulting in the growth of irreversible lesions in the retinal pigment epithelium that can lead to impaired vision or blindness. It has several potential causes, but can be caused by dry age

©2023 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

pegcetacoplan (Syfovre™)

Policy # 00850

Original Effective Date: 09/11/2023

Current Effective Date: 09/11/2023

AMD (intermediate and advanced stages of disease). At this time, there are no other medical therapies for GA.

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

Syfovre was approved in February 2023 for the treatment of geographic atrophy secondary to age-related macular degeneration.

Rationale/Source

This medical policy was developed through consideration of peer-reviewed medical literature generally recognized by the relevant medical community, U.S. Food and Drug Administration approval status, nationally accepted standards of medical practice and accepted standards of medical practice in this community, technology evaluation centers, reference to federal regulations, other plan medical policies, and accredited national guidelines.

The safety and efficacy of Syfovre were assessed in two multi-center, randomized, sham-controlled studies (OAKS and DERBY) in patients with GA (atrophic nonexudative age-related macular degeneration), with or without subfoveal involvement, secondary to AMD in a total of 1258 randomized patients. Both studies were 24 months in duration with patients randomly assigned in a 2:2:1:1 ratio to 1 of 4 dosing regimens:

- 1.) Syfovre administered at 15 mg/0.1 mL monthly;
- 2.) Syfovre administered at 15 mg/0.1 mL every other month;
- 3.) Sham administered monthly;
- 4.) Sham administered every other month.

In OAKS, 31% of patients in the monthly group, 21% of patients in the every other month group, and 25% of patients in the sham groups discontinued treatment prior to Month 24. In DERBY, 29% of patients in the monthly group, 22% of patients in the every other month group, and 21% of the patients in the sham groups discontinued treatment prior to Month 24.

There was a reduction in the mean rate of GA lesion growth observed in both studies. In OAKS, there was a decrease of 0.87 in the slope of the rate of GA lesion growth in the monthly group compared to the pooled sham group (95% CI -1.27 to -0.47) and a decrease of 0.72 in the every

©2023 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

pegcetacoplan (Syfovre™)

Policy # 00850

Original Effective Date: 09/11/2023

Current Effective Date: 09/11/2023

other month group compared to the pooled sham group (95% CI -1.10 to -0.33). In DERBY, there was a slope decrease of 0.73 in the monthly Syfovre group compared to the pooled sham group (95% CI: -1.14 to -0.31) and a decrease of 0.70 in the every other month Syfovre group (95% CI: -1.11 to -0.28).

References

1. Syfovre [package insert]. Apellis Pharmaceuticals, Inc. Waltham, MA. Updated Feb 2023.
2. Syfovre Drug Evaluation. Express Scripts. Updated March 2023.

Policy History

Original Effective Date: 09/11/2023

Current Effective Date: 09/11/2023

08/03/2023 Medical Policy Committee review

08/09/2023 Medical Policy Implementation Committee approval. New policy.

09/19/2023 Coding update

Next Scheduled Review Date: 08/2024

Coding

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2022 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not

©2023 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

pegcetacoplan (Syfovre™)

Policy # 00850

Original Effective Date: 09/11/2023

Current Effective Date: 09/11/2023

contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	67028
HCPCS	J3490, C9399 Add code effective 10/01/2023: J2781 Delete code effective 10/01/2023: C9151
ICD-10 Diagnosis	All related diagnoses

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:
 - 1. Consultation with technology evaluation center(s);
 - 2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
 - 3. Reference to federal regulations.

©2023 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

pegcetacoplan (Syfovre™)

Policy # 00850

Original Effective Date: 09/11/2023

Current Effective Date: 09/11/2023

****Medically Necessary (or “Medical Necessity”)** - Health care services, treatment, procedures, equipment, drugs, devices, items or supplies that a Provider, exercising prudent clinical judgment, would provide to a patient for the purpose of preventing, evaluating, diagnosing or treating an illness, injury, disease or its symptoms, and that are:

- A. In accordance with nationally accepted standards of medical practice;
- B. Clinically appropriate, in terms of type, frequency, extent, level of care, site and duration, and considered effective for the patient's illness, injury or disease; and
- C. Not primarily for the personal comfort or convenience of the patient, physician or other health care provider, and not more costly than an alternative service or sequence of services at least as likely to produce equivalent therapeutic or diagnostic results as to the diagnosis or treatment of that patient's illness, injury or disease.

For these purposes, “nationally accepted standards of medical practice” means standards that are based on credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community, Physician Specialty Society recommendations and the views of Physicians practicing in relevant clinical areas and any other relevant factors.

‡ Indicated trademarks are the registered trademarks of their respective owners.

NOTICE: If the Patient’s health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2023 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.