



# Louisiana

## **Prolotherapy**

**Policy #** 00106

**Original Effective Date:** 10/21/2002

**Current Effective Date:** 08/09/2021

*Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.*

*Note: Recombinant and Autologous Platelet Derived Growth Factors for Wound Healing and Other Non Orthopedic Conditions is addressed separately in medical policy 00262.*

## **Services Are Considered Investigational**

*Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.*

Based on review of available data, the Company considers prolotherapy as a treatment of musculoskeletal pain to be **investigational**.\*

## **Background/Overview**

The goal of prolotherapy is to promote tissue repair or growth by prompting the release of growth factors, such as cytokines, or by increasing the effectiveness of existing circulating growth factors. The mechanism of action is not well understood but may involve local irritation and/or cell lysis. Agents used with prolotherapy have included zinc sulfate, psyllium seed oil, combinations of dextrose, glycerin, and phenol, or dextrose alone, often combined with a local anesthetic. Polidocanol, sodium morrhuate, and vascular sclerosants have also been used to sclerose areas of high intratendinous blood flow associated with tendinopathies. Prolotherapy typically involves multiple injections per session conducted over a series of treatment sessions.

A similar approach involves the injection of autologous platelet-rich plasma, which contains a high concentration of platelet-derived growth factors.

## **FDA or Other Governmental Regulatory Approval**

### **U.S. Food and Drug Administration (FDA)**

Sclerosing agents have been approved by the U.S. FDA for use in treating spider and varicose veins. These sclerosing agents include Asclera<sup>®</sup>‡ (polidocanol), Varithena<sup>®</sup>‡ (an injectable polidocanol

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

foam), Sotradecol<sup>®</sup>‡ (sodium tetradecyl sulfate), Ethamolin<sup>®</sup>‡ (ethanolamine oleate), and Scleromate<sup>®</sup>‡ (sodium morrhuate). These agents are not currently approved as joint and ligamentous sclerosing agents.

## **Rationale/Source**

Prolotherapy describes a procedure intended for healing and strengthening ligaments and tendons by injecting an agent that induces inflammation and stimulates endogenous repair mechanisms. Prolotherapy may also be referred to as proliferant injection, prolo, joint sclerotherapy, regenerative injection therapy, growth factor stimulation injection, or nonsurgical tendon, ligament, and joint reconstruction.

For individuals who have musculoskeletal pain (eg, chronic neck, back pain), osteoarthritic pain, or tendinopathies of the upper or lower limbs who receive prolotherapy, the evidence includes small randomized trials with inconsistent results. The relevant outcomes are symptoms, functional outcomes, and quality of life. The strongest evidence evaluates the use of prolotherapy for the treatment of osteoarthritis, but the clinical significance of the therapeutic results is uncertain. The evidence is insufficient to determine the effects of the technology on health outcomes.

## **Supplemental Information**

### **Practice Guidelines and Position Statements**

#### **American Association of Orthopedic Medicine**

The American Association of Orthopedic Medicine currently has a recommendation posted online for the use of prolotherapy for back pain. The Association has indicated that "...prolotherapy should be considered a valid treatment option in a selected group of chronic low back pain patients."

#### **American College of Rheumatology/Arthritis Foundation**

The 2019 American College of Rheumatology/Arthritis Foundation guideline for osteoarthritis of the hand, hip, and knee conditionally recommends against the use of prolotherapy in patients with knee and/or hip osteoarthritis, given limited number of trials involving small sample sizes showing limited effect. The guideline does not make any recommendation regarding hand osteoarthritis, given lack of trials.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

## U.S. Preventive Services Task Force Recommendations

Not applicable.

## Medicare National Coverage

The Centers for Medicare & Medicaid currently do not cover prolotherapy, joint sclerotherapy, and ligamentous injections with sclerosing agents.

## Ongoing and Unpublished Clinical Trials

Some currently ongoing and unpublished trials that might influence this review are listed in Table 1.

**Table 1. Summary of Key Trials**

NCT No.	Trial Name	Planned Enrollment	Completion Date
<i>Ongoing</i>			
NCT01934868	A Comparison of the Long Term Outcomes of Prolotherapy Versus Interlaminar Epidural Steroid Injections (ESI) for Lumbar Pain Radiating to the Leg	160	Dec 2022
<i>Unpublished</i>			
NCT01897259	Comparison of Conservative Methods for the Treatment of Lateral Epicondylitis: A Randomized, Prospective Study	200	Jun 2019 (unknown status)

NCT: national clinical trial.

## References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “Prolotherapy”, 2.01.26, 12:2020.
2. Dagenais S, Yelland MJ, Del Mar C, et al. Prolotherapy injections for chronic low-back pain. *Cochrane Database Syst Rev.* Apr 18 2007; (2): CD004059. PMID 17443537
3. Dagenais S, Mayer J, Haldeman S, et al. Evidence-informed management of chronic low back pain with prolotherapy. *Spine J.* Jan-Feb 2008; 8(1): 203-12. PMID 18164468

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

4. Chou R, Atlas SJ, Stanos SP, et al. Nonsurgical interventional therapies for low back pain: a review of the evidence for an American Pain Society clinical practice guideline. *Spine (Phila Pa 1976)*. May 01 2009; 34(10): 1078-93. PMID 19363456
5. Dagenais S, Haldeman S, Wooley JR. Intraligamentous injection of sclerosing solutions (prolotherapy) for spinal pain: a critical review of the literature. *Spine J*. May-Jun 2005; 5(3): 310-28. PMID 15863087
6. Rabago D, Best TM, Beamsley M, et al. A systematic review of prolotherapy for chronic musculoskeletal pain. *Clin J Sport Med*. Sep 2005; 15(5): 376-80. PMID 16162983
7. Yelland MJ, Mar C, Pirozzo S, et al. Prolotherapy injections for chronic low-back pain. *Cochrane Database Syst Rev*. 2004; (2): CD004059. PMID 15106234
8. Yelland MJ, Glasziou PP, Bogduk N, et al. Prolotherapy injections, saline injections, and exercises for chronic low-back pain: a randomized trial. *Spine (Phila Pa 1976)*. Jan 01 2004; 29(1): 9-16; discussion 16. PMID 14699269
9. Klein RG, Eek BC, DeLong WB, et al. A randomized double-blind trial of dextrose-glycerine-phenol injections for chronic, low back pain. *J Spinal Disord*. Feb 1993; 6(1): 23-33. PMID 8439713
10. Ongley MJ, Klein RG, Dorman TA, et al. A new approach to the treatment of chronic low back pain. *Lancet*. Jul 18 1987; 2(8551): 143-6. PMID 2439856
11. Dagenais S, Ogunseitian O, Haldeman S, et al. Side effects and adverse events related to intraligamentous injection of sclerosing solutions (prolotherapy) for back and neck pain: A survey of practitioners. *Arch Phys Med Rehabil*. Jul 2006; 87(7): 909-13. PMID 16813776
12. Kim WM, Lee HG, Jeong CW, et al. A randomized controlled trial of intra-articular prolotherapy versus steroid injection for sacroiliac joint pain. *J Altern Complement Med*. Dec 2010; 16(12): 1285-90. PMID 21138388
13. Reeves KD, Hassanein KM. Long-term effects of dextrose prolotherapy for anterior cruciate ligament laxity. *Altern Ther Health Med*. May-Jun 2003; 9(3): 58-62. PMID 12776476
14. Jahangiri A, Moghaddam FR, Najafi S. Hypertonic dextrose versus corticosteroid local injection for the treatment of osteoarthritis in the first carpometacarpal joint: a double-blind randomized clinical trial. *J Orthop Sci*. Sep 2014; 19(5): 737-43. PMID 25158896
15. Sert AT, Sen EI, Esmaeilzadeh S, et al. The Effects of Dextrose Prolotherapy in Symptomatic Knee Osteoarthritis: A Randomized Controlled Study. *J Altern Complement Med*. May 2020; 26(5): 409-417. PMID 32223554
16. Rabago D, Patterson JJ, Mundt M, et al. Dextrose prolotherapy for knee osteoarthritis: a randomized controlled trial. *Ann Fam Med*. May-Jun 2013; 11(3): 229-37. PMID 23690322

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

17. Rabago D, Mundt M, Zgierska A, et al. Hypertonic dextrose injection (prolotherapy) for knee osteoarthritis: Long term outcomes. *Complement Ther Med*. Jun 2015; 23(3): 388-95. PMID 26051574
18. Reeves KD, Hassanein K. Randomized prospective double-blind placebo-controlled study of dextrose prolotherapy for knee osteoarthritis with or without ACL laxity. *Altern Ther Health Med*. Mar 2000; 6(2): 68-74, 77-80. PMID 10710805
19. Reeves KD, Hassanein K. Randomized, prospective, placebo-controlled double-blind study of dextrose prolotherapy for osteoarthritic thumb and finger (DIP, PIP, and trapeziometacarpal) joints: evidence of clinical efficacy. *J Altern Complement Med*. Aug 2000; 6(4): 311-20. PMID 10976977
20. Rabago D, Best TM, Zgierska AE, et al. A systematic review of four injection therapies for lateral epicondylitis: prolotherapy, polidocanol, whole blood and platelet-rich plasma. *Br J Sports Med*. Jul 2009; 43(7): 471-81. PMID 19028733
21. Scarpone M, Rabago DP, Zgierska A, et al. The efficacy of prolotherapy for lateral epicondylitis: a pilot study. *Clin J Sport Med*. May 2008; 18(3): 248-54. PMID 18469566
22. Bayat M, Raeissadat SA, Mortazavian Babaki M, et al. Is Dextrose Prolotherapy Superior To Corticosteroid Injection In Patients With Chronic Lateral Epicondylitis?: A Randomized Clinical Trial. *Orthop Res Rev*. 2019; 11: 167-175. PMID 31819675
23. Carayannopoulos A, Borg-Stein J, Sokolof J, et al. Prolotherapy versus corticosteroid injections for the treatment of lateral epicondylitis: a randomized controlled trial. *PM R*. Aug 2011; 3(8): 706-15. PMID 21871414
24. Yelland MJ, Sweeting KR, Lyftogt JA, et al. Prolotherapy injections and eccentric loading exercises for painful Achilles tendinosis: a randomised trial. *Br J Sports Med*. Apr 2011; 45(5): 421-8. PMID 19549615
25. Bertrand H, Reeves KD, Bennett CJ, et al. Dextrose Prolotherapy Versus Control Injections in Painful Rotator Cuff Tendinopathy. *Arch Phys Med Rehabil*. Jan 2016; 97(1): 17-25. PMID 26301385
26. American Association of Orthopedic Medicine, Klein RG, Patterson J, et al. Prolotherapy for Back Pain Treatment. n.d.; <http://www.aaomed.org/prolotherapy-back-pain>.
27. Kolasinski SL, Neogi T, Hochberg MC, et al. 2019 American College of Rheumatology/Arthritis Foundation Guideline for the Management of Osteoarthritis of the Hand, Hip, and Knee. *Arthritis Rheumatol*. Feb 2020; 72(2): 220-233. PMID 31908163
28. Centers for Medicare and Medicaid Services. National Coverage Determination (NCD) for PROLOThERAPY, Joint ScleroTherapy, and Ligamentous Injections with Sclerosing Agents

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

(150.7). 1999; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=15&ncdver=1&bc=AAAAQAAAAAAA&>.

## **Policy History**

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

09/18/2002 Medical Policy Committee review  
10/21/2002 Managed Care Advisory Council approval  
12/07/2004 Medical Director review  
12/14/2004 Medical Policy Committee review. Format revision. Coverage eligibility unchanged.  
01/31/2005 Managed Care Advisory Council approval  
07/07/2006 Format revision, including addition of FDA and or other governmental regulatory approval and rationale/source. Coverage eligibility unchanged.  
07/10/2007 Medical Director review  
07/18/2007 Medical Policy Committee approval. No change to coverage eligibility.  
07/02/2009 Medical Director review  
07/22/2009 Medical Policy Committee approval. Updated Background, Rationale and References. No change to coverage eligibility.  
07/01/2010 Medical Policy Committee approval  
07/21/2010 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.  
07/07/2011 Medical Policy Committee review  
07/20/2011 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.  
06/28/2012 Medical Policy Committee review  
07/27/2012 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.  
06/27/2013 Medical Policy Committee review and approval.  
07/17/2013 Medical Policy Implementation Committee review and approval. Coverage eligibility unchanged.  
07/10/2014 Medical Policy Committee review and approval.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

07/16/2014 Medical Policy Implementation Committee review and approval. Coverage eligibility unchanged.

06/25/2015 Medical Policy Committee review and approval.

07/15/2015 Medical Policy Implementation Committee review and approval. Coverage eligibility unchanged.

06/30/2016 Medical Policy Committee review and approval.

07/20/2016 Medical Policy Implementation Committee review and approval. Coverage unchanged.

01/01/2017 Coding update: Removing ICD-9 Diagnosis codes

07/06/2017 Medical Policy Committee review.

07/19/2017 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

07/05/2018 Medical Policy Committee review.

07/11/2018 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

07/03/2019 Medical Policy Committee review.

07/18/2019 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

07/02/2020 Medical Policy Committee review.

07/08/2020 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

07/01/2021 Medical Policy Committee review.

07/14/2021 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

Next Scheduled Review Date: 07/2022

## **Coding**

*The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2020 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.*

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



# Louisiana

## Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

*The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.*

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	No codes
HCPCS	M0076
ICD-10 Diagnosis	All related diagnoses

\*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.





# Louisiana

Prolotherapy

Policy # 00106

Original Effective Date: 10/21/2002

Current Effective Date: 08/09/2021

diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:

1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
3. Reference to federal regulations.

‡ Indicated trademarks are the registered trademarks of their respective owners.

**NOTICE:** If the Patient's health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

**NOTICE:** Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.