



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

When Services Are Eligible for Coverage

Coverage for eligible medical treatments or procedures, drugs, devices or biological products may be provided only if:

- *Benefits are available in the member's contract/certificate, and*
- *Medical necessity criteria and guidelines are met.*

Based on review of available data, the Company may consider transcatheter pulmonary valve implantation with a Food and Drug Administration-approved valve for patients with congenital heart disease and current right ventricular outflow tract obstruction (RVOT) or regurgitation including the following indications to be **eligible for coverage****:

- Individuals with right ventricle-to-pulmonary artery conduit with or without bioprosthetic valve with at least moderate pulmonic regurgitation;
- Individuals with native or patched RVOT with at least moderate pulmonic regurgitation;
- Individuals with right ventricle-to-pulmonary artery conduit with or without bioprosthetic valve with pulmonic stenosis (mean RVOT gradient at least 35 mm Hg); or
- Individuals with native or patched RVOT with pulmonic stenosis (mean RVOT gradient at least 35 mm Hg).

When Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

Based on review of available data, the Company considers transcatheter pulmonary valve implantation for all other indications to be **investigational**.*

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

Background/Overview

Congenital heart disease

Congenital heart disease, including tetralogy of Fallot, pulmonary atresia, and transposition of the great arteries, is generally treated by surgical repair at an early age. This involves reconstruction of the RVOT and pulmonary valve using a surgical homograft or a bovine-derived valved conduit. These repairs are prone to development of pulmonary stenosis or regurgitation over long periods of follow-up.

Because individuals with surgically corrected congenital heart disease repair are living into adulthood, RVOT dysfunction following initial repair has become more common. Calcification of the RVOT conduit can lead to pulmonary stenosis, while aneurysmal dilatation can result in pulmonary regurgitation. RVOT dysfunction can lead to decreased exercise tolerance, potentially fatal arrhythmias, and/or irreversible right ventricular dysfunction.

Treatment

Treatment options for pulmonary stenosis are open surgery with valve replacement, balloon dilatation, or percutaneous stenting. The established interventions for pulmonary regurgitation are primarily surgical, either reconstruction of the RVOT conduit or replacement of the pulmonary valve. The optimal timing of these interventions is not well understood.

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

Devices for transcatheter pulmonary valve implantation were initially cleared from marketing by the U.S. FDA through the humanitarian device exemption (HDE) process or used off-label until approved by FDA through the premarket approval (PMA) (see Table 1).

Table 1. Regulatory Status of Transcatheter Pulmonary Valve Implantation Devices

Device	Manufacturer	Date Approved	PMA No.	Indications
Melody [®] ‡ Transcatheter	Medtronic	Jan 2010	H080002 (HDE)	Pulmonary valve replacement for pediatric and adult patients with a

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

Pulmonary Valve (TPV)				dysfunctional, noncompliant RVOT conduit
Melody [®] ‡ TPV	Medtronic	Jan 2015	P140017	Pulmonary valve replacement for pediatric and adult patients with a dysfunctional, noncompliant RVOT conduit
Melody [®] ‡ TPV	Medtronic	Feb 2017	P140017/S005	Valve-in-valve for patients with a dysfunctional surgical bioprosthetic pulmonary valve
SAPIEN XT [™] ‡ Transcatheter Heart Valve (pulmonic)	Edwards Lifesciences	Feb 2016	P130009/S037	Pulmonary valve replacement for pediatric and adult patients with a dysfunctional, noncompliant RVOT conduit
Harmony [™] ‡ TPV	Medtronic	Mar 2021	P200046	Pulmonary valve for pediatric and adult patients with severe pulmonary regurgitation

HDE: humanitarian device exemption; PMA: premarket approval; RVOT: right ventricular outflow tract.

In January 2010, the Melody[®] ‡ TPV and the Ensemble[®] ‡ Transcatheter Valve Delivery System (Medtronic) were approved by FDA under the HDE program for use as an adjunct to surgery in the management of pediatric and adult patients with the following clinical conditions:

- Existence of a full (circumferential) RVOT conduit that is 16 mm or greater in diameter when originally implanted, and
- Dysfunctional RVOT conduits with clinical indication for intervention, and either:
 - regurgitation: moderate-to-severe regurgitation, or
 - stenosis: mean RVOT gradient \geq 35 mm Hg.

On January 27, 2015, approval of the Melody system was amended to a PMA because FDA determined that the device represented a breakthrough technology. The PMA was based, in part, on

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

2 prospective clinical studies, the Melody TPV Long-term Follow-up Post Approval Study and the Melody TPV New Enrollment Post Approval Study.

On February 24, 2017, approval of the Melody system was expanded to include patients with a dysfunctional surgical bioprosthetic valve (valve-in-valve).

The Edwards SAPIEN XT™‡ Transcatheter Heart Valve (Pulmonic) (Edwards Lifesciences) was approved by FDA in 2016 "for use in pediatric and adult patients with a dysfunctional, noncompliant RVOT conduit with a clinical indication for intervention and:

- pulmonary regurgitation \geq moderate and/or
- mean RVOT gradient \geq 35 mmHg."

The approval for the pulmonic valve indication is a supplement to the 2014 PMA for use of the Edwards SAPIEN XT Transcatheter Heart Valve System for relief of aortic stenosis in patients with symptomatic heart disease due to severe native calcific aortic stenosis and who are judged by a heart team, including a cardiac surgeon, to be at high or greater risk for open surgical therapy (ie, Society of Thoracic Surgeons operative risk score \geq 8% or at a \geq 15% risk of mortality at 30 days).

The Harmony™‡ Transcatheter Pulmonary Valve (Medtronic) received breakthrough technology status in 2019 and PMA in 2021. This device is indicated "for use in pediatric and adult patients with severe pulmonary regurgitation (determined by echocardiography and/or pulmonary regurgitant fraction \geq 30% by cardiac magnetic resonance imaging) who have a native or surgically-repaired right ventricular outflow tract and are clinically indicated for surgical pulmonary valve replacement."

FDA product code: NPV

Rationale/Source

Transcatheter pulmonary valve implantation (TPVI) is a less invasive alternative to open surgical pulmonary valve replacement or reconstruction for RVOT obstruction. Percutaneous pulmonary valve replacement may be indicated for congenital pulmonary stenosis. Pulmonary stenosis or regurgitation in a patient with congenital heart disease (CHD) who has previously undergone RVOT

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

surgery are additional indications. Patients with prior CHD repair are at risk of needing repeated reconstruction procedures.

Summary of Evidence

For individuals who have a history of CHD and current RVOT obstruction who receive TPVI with a U.S. FDA approved device and indication, the evidence includes a systematic review of retrospective comparative studies and prospective, interventional, noncomparative studies. Relevant outcomes are overall survival, symptoms, functional outcomes, quality of life, hospitalizations, and treatment-related mortality and morbidity. Results of the case series have indicated that there is a high rate of procedural success and low procedural mortality, although the rates of serious procedural adverse events reported ranged from 3.0% to 7.4%. Most valves have demonstrated competent functioning by Doppler echocardiography at 6- to 12-month follow-ups. Publications with longer follow-up have reported stent fractures in up to 26% of patients; however, most stent fractures did not require reintervention. Studies with follow-up extending to a maximum of 7 years post procedure have suggested that the functional and hemodynamic improvements are durable, but a relatively high proportion of patients (20%-30%) have required reintervention on the pulmonary valve. Retrospective comparative studies have been reported, but are limited by differences in patient characteristics between those who are treated with percutaneous and open heart procedures. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

For individuals who have a history of CHD and current RVOT obstruction who receive TPVI with a non-FDA-approved device or indication, the evidence includes case series. Relevant outcomes are overall survival, symptoms, functional outcomes, quality of life, hospitalizations, and treatment-related mortality and morbidity. There is limited evidence on the off-label use of TPVI including the use of a non-FDA-approved valve or use of an approved valve for a non-FDA-approved indication. The published case series enrolled relatively few patients and are heterogeneous regarding devices used and indications for TPVI. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

Additional Information

2018 Input

Clinical input was sought to help determine whether the use of transcatheter pulmonary valve implantation for individuals with CHD and current RVOT obstruction or regurgitation would

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

provide a clinically meaningful improvement in the net health outcome and whether its use is consistent with generally accepted medical practice. In response to requests, clinical input on the use of TPVI was received from 2 specialty society-level respondents while this policy was under review in 2018. The combined clinical input response incorporated input from a panel including physicians affiliated with academic medical centers.

The clinical input supports that the following indications provide a clinically meaningful improvement in the net health outcome and are consistent with generally accepted medical practice:

- Use of TPVI for individuals with right ventricle-to-pulmonary artery conduit with or without bioprosthetic valve with at least moderate pulmonic regurgitation;
- Use of TPVI for individuals with native or patched RVOT with at least moderate pulmonic regurgitation;
- Use of TPVI for individuals with right ventricle-to-pulmonary artery conduit with or without bioprosthetic valve with pulmonic stenosis (mean RVOT gradient at least 35 mm Hg); or
- Use of TPVI for individuals with native or patched RVOT with pulmonic stenosis (mean RVOT gradient at least 35 mm Hg).

Supplemental Information

Clinical Input From Physician Specialty Societies and Academic Medical Centers

While the various physician specialty societies and academic medical centers may collaborate with and make recommendations during this process, through the provision of appropriate reviewers, input received does not represent an endorsement or position statement by the physician specialty societies or academic medical centers, unless otherwise noted.

2018 Input

Clinical input was sought to help determine whether the use of transcatheter pulmonary valve implantation for individuals with congenital heart disease and current RVOT obstruction or regurgitation would provide a clinically meaningful improvement in the net health outcome and whether its use is consistent with generally accepted medical practice. In response to requests, clinical input on the use of TPVI was received from 2 specialty society-level respondents while this policy was under review in 2018. The combined clinical input response incorporated input from a panel including physicians affiliated with academic medical centers.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

Clinical input was provided by the following specialty societies:

- American College of Cardiology (ACC) and Society for Cardiovascular Angiography and Interventions (SCAI)^a

^a Indicates that conflicts of interest related to the topic where clinical input is being sought were identified by this respondent.

The clinical input supports that the following indications provide a clinically meaningful improvement in the net health outcome and are consistent with generally accepted medical practice:

- Use of TPVI for individuals with right ventricle-to-pulmonary artery conduit with or without bioprosthetic valve with at least moderate pulmonic regurgitation;
- Use of TPVI for individuals with native or patched RVOT with at least moderate pulmonic regurgitation;
- Use of TPVI for individuals with right ventricle-to-pulmonary artery conduit with or without bioprosthetic valve with pulmonic stenosis (mean RVOT gradient at least 35 mm Hg); or
- Use of TPVI for individuals with native or patched RVOT with pulmonic stenosis (mean RVOT gradient at least 35 mm Hg).

Practice Guidelines and Position Statements

Guidelines or position statements will be considered for inclusion in 'Supplemental Information' if they were issued by, or jointly by, a US professional society, an international society with US representation, or National Institute for Health and Care Excellence (NICE). Priority will be given to guidelines that are informed by a systematic review, include strength of evidence ratings, and include a description of management of conflict of interest.

Society for Cardiovascular Angiography and Interventions and the Adult Congenital Heart Association

In 2020, the Society for Cardiovascular Angiography and Interventions and the Adult Congenital Heart Association published a position statement on operator and institutional recommendations for TPVI. Included were recommendations for interventional training, practicing physician competency, ongoing education and training, and institutional and team requirements.

American College of Cardiology, American Heart Association, et al

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

In 2018, the American College of Cardiology and American Heart Association and 6 other societies published comprehensive guidelines on the management of patients with congenital heart disease. Included are recommendations for treatment of pulmonary stenosis, pulmonary regurgitation and tetralogy of Fallot (Table 2).

Table 2. ACC/AHA Guidelines on the Management of Patients with Tetralogy of Fallot

Recommendation	SOR	LOE
"Pulmonary valve replacement (surgical or percutaneous) for relief of symptoms is recommended for patients with repaired TOF and moderate or greater PR with cardiovascular symptoms not otherwise explained."	Strong	B-NR
"Pulmonary valve replacement (surgical or percutaneous) is reasonable for preservation of ventricular size and function in asymptomatic patients with repaired TOF and ventricular enlargement or dysfunction and moderate or greater PR."	Moderate	B-NR
"Surgical pulmonary valve replacement may be reasonable for adults with repaired TOF and moderate or greater PR with other lesions requiring surgical interventions."	Weak	C-EO
"Pulmonary valve replacement, in addition to arrhythmia management, may be considered for adults with repaired TOF and moderate or greater PR and ventricular tachyarrhythmia."	Weak	C-EO

ACC/AHA: American College of Cardiology/American Heart Association; B-NR: Non-randomized (moderate quality evidence); C-EO: consensus of expert opinion; LOE: level of evidence, SOR: strength of recommendation; TOF: tetralogy of Fallot; PR: pulmonary regurgitation

U.S. Preventive Services Task Force Recommendations

Not applicable.

Medicare National Coverage

There is no national coverage determination. In the absence of a national coverage determination, coverage decisions are left to the discretion of local Medicare carriers.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

Ongoing and Unpublished Clinical Trials

Some currently unpublished trials that might influence this review are listed in Table 3.

Table 3. Summary of Key Trials

NCT No.	Trial Name	Planned Enrollment	Completion Date
<i>Ongoing</i>			
NCT02744677 ^a	COngenital Multicenter Trial of Pulmonic vAlve Dysfunction Studying the SAPIEN 3 interventIOnal THV (COMPASSION S3)	108	Dec 2027
NCT02979587	The Medtronic Harmony™‡ Transcatheter Pulmonary Valve Clinical Study	86	Jan 2031
NCT02987387 ^a	New Enrollment SAPIEN XT Post-Approval Study (COMPASSION XT PAS)	57	Sep 2025
NCT04860765 ^a	Congenital Multicenter Trial of Pulmonic Valve Dysfunction Studying the SAPIEN 3 Interventional THV Post-Approval Study	150	Aug 2030
<i>Unpublished</i>			
NCT00740870 ^a	Implantation of the Medtronic Melody Transcatheter Pulmonary Valve in Patients With Dysfunctional RVOT Conduits: A Feasibility Study	171	Aug 2020

NCT: national clinical trial.

^a Denotes industry-sponsored or cosponsored trial.

References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “Transcatheter Pulmonary Valve Implantation”, 7.01.131, July 2021.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

2. Khambadkone S, Nordmeyer J, Bonhoeffer P. Percutaneous implantation of the pulmonary and aortic valves: indications and limitations. *J Cardiovasc Med (Hagerstown)*. Jan 2007; 8(1): 57-61. PMID 17255818
3. McElhinney DB, Hellenbrand WE, Zahn EM, et al. Short- and medium-term outcomes after transcatheter pulmonary valve placement in the expanded multicenter US melody valve trial. *Circulation*. Aug 03 2010; 122(5): 507-16. PMID 20644013
4. Ribeiro JM, Teixeira R, Lopes J, et al. Transcatheter Versus Surgical Pulmonary Valve Replacement: A Systemic Review and Meta-Analysis. *Ann Thorac Surg*. Nov 2020; 110(5): 1751-1761. PMID 32268142
5. Food and Drug Administration. Summary of Safety and Probable Benefit: Melody Transcatheter Pulmonary Valve and Ensemble Transcatheter Valve Delivery System. 2010; https://www.accessdata.fda.gov/cdrh_docs/pdf8/H080002b.pdf.
6. Zahn EM, Hellenbrand WE, Lock JE, et al. Implantation of the melody transcatheter pulmonary valve in patients with a dysfunctional right ventricular outflow tract conduit early results from the u.s. Clinical trial. *J Am Coll Cardiol*. Oct 27 2009; 54(18): 1722-9. PMID 19850214
7. Cheatham JP, Hellenbrand WE, Zahn EM, et al. Clinical and hemodynamic outcomes up to 7 years after transcatheter pulmonary valve replacement in the US melody valve investigational device exemption trial. *Circulation*. Jun 02 2015; 131(22): 1960-70. PMID 25944758
8. Batra AS, McElhinney DB, Wang W, et al. Cardiopulmonary exercise function among patients undergoing transcatheter pulmonary valve implantation in the US Melody valve investigational trial. *Am Heart J*. Feb 2012; 163(2): 280-7. PMID 22305848
9. Food and Drug Administration. Summary of Safety and Effectiveness Data: Melody™ Transcatheter Pulmonary Valve. 2015; https://www.accessdata.fda.gov/cdrh_docs/pdf14/p140017b.pdf.
10. Armstrong AK, Balzer DT, Cabalka AK, et al. One-year follow-up of the Melody transcatheter pulmonary valve multicenter post-approval study. *JACC Cardiovasc Interv*. Nov 2014; 7(11): 1254-62. PMID 25459038
11. Gillespie MJ, McElhinney DB, Kreutzer J, et al. Transcatheter Pulmonary Valve Replacement for Right Ventricular Outflow Tract Conduit Dysfunction After the Ross Procedure. *Ann Thorac Surg*. Sep 2015; 100(3): 996-1002; discussion 1002-3. PMID 26190388
12. Food and Drug Administration. Conditions for Approval for an HDE: Medtronic Melody Transcatheter Pulmonary Valve (Model PB 10) and Medtronic Ensemble Transcatheter Valve Delivery System (NU10) (H080002). 2010; https://www.accessdata.fda.gov/cdrh_docs/pdf8/H080002A.pdf.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

13. Food and Drug Administration. Summary of Safety and Effectiveness Data: Melody™ Transcatheter Pulmonary Valve, models PB1016 and PB1018; Ensemble™ Transcatheter Valve Delivery System 2017; https://www.accessdata.fda.gov/cdrh_docs/pdf14/p140017s005b.pdf.
14. Georgiev S, Ewert P, Eicken A, et al. Munich Comparative Study: Prospective Long-Term Outcome of the Transcatheter Melody Valve Versus Surgical Pulmonary Bioprosthesis With Up to 12 Years of Follow-Up. *Circ Cardiovasc Interv.* Jul 2020; 13(7): e008963. PMID 32600110
15. Food and Drug Administration. Summary of Safety and Effectiveness: Harmony Transcatheter Pulmonary Valve. 2021. https://www.accessdata.fda.gov/cdrh_docs/pdf20/P200046B.pdf.
16. McElhinney DB, Cabalka AK, Aboulhosn JA, et al. Transcatheter Tricuspid Valve-in-Valve Implantation for the Treatment of Dysfunctional Surgical Bioprosthetic Valves: An International, Multicenter Registry Study. *Circulation.* Apr 19 2016; 133(16): 1582-93. PMID 26994123
17. Boshoff DE, Cools BL, Heying R, et al. Off-label use of percutaneous pulmonary valved stents in the right ventricular outflow tract: time to rewrite the label?. *Catheter Cardiovasc Interv.* May 2013; 81(6): 987-95. PMID 22887796
18. Cheatham SL, Holzer RJ, Chisolm JL, et al. The Medtronic Melody(R) transcatheter pulmonary valve implanted at 24-mm diameter--it works. *Catheter Cardiovasc Interv.* Nov 01 2013; 82(5): 816-23. PMID 23359563
19. Meadows JJ, Moore PM, Berman DP, et al. Use and performance of the Melody Transcatheter Pulmonary Valve in native and postsurgical, nonconduit right ventricular outflow tracts. *Circ Cardiovasc Interv.* Jun 2014; 7(3): 374-80. PMID 24867892
20. Malekzadeh-Milani S, Ladouceur M, Cohen S, et al. Results of transcatheter pulmonary valvulation in native or patched right ventricular outflow tracts. *Arch Cardiovasc Dis.* Nov 2014; 107(11): 592-8. PMID 25218009
21. McElhinney DB, Cheatham JP, Jones TK, et al. Stent fracture, valve dysfunction, and right ventricular outflow tract reintervention after transcatheter pulmonary valve implantation: patient-related and procedural risk factors in the US Melody Valve Trial. *Circ Cardiovasc Interv.* Dec 01 2011; 4(6): 602-14. PMID 22075927
22. Boudjemline Y, Malekzadeh-Milani S, Patel M, et al. Predictors and outcomes of right ventricular outflow tract conduit rupture during percutaneous pulmonary valve implantation: a multicentre study. *EuroIntervention.* Jan 22 2016; 11(9): 1053-62. PMID 25244126

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

23. Morray BH, McElhinney DB, Cheatham JP, et al. Risk of coronary artery compression among patients referred for transcatheter pulmonary valve implantation: a multicenter experience. *Circ Cardiovasc Interv.* Oct 01 2013; 6(5): 535-42. PMID 24065444
24. Fraisse A, Assaidi A, Mauri L, et al. Coronary artery compression during intention to treat right ventricle outflow with percutaneous pulmonary valve implantation: incidence, diagnosis, and outcome. *Catheter Cardiovasc Interv.* Jun 01 2014; 83(7): E260-8. PMID 24619978
25. Aboulhosn JA, Hijazi ZM, Kavinsky CJ, et al. SCAI position statement on adult congenital cardiac interventional training, competencies and organizational recommendations. *Catheter Cardiovasc Interv.* Sep 01 2020; 96(3): 643-650. PMID 32272495
26. Stout KK, Daniels CJ, Aboulhosn JA, et al. 2018 AHA/ACC Guideline for the Management of Adults With Congenital Heart Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol.* Apr 02 2019; 73(12): 1494-1563. PMID 30121240

Policy History

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

- | | |
|------------|--|
| 10/05/2017 | Medical Policy Committee review |
| 10/18/2017 | Medical Policy Implementation Committee approval. New policy. |
| 08/09/2018 | Medical Policy Committee review |
| 08/15/2018 | Medical Policy Implementation Committee approval. Clinical input was obtained and the first policy statement changed to: Transcatheter pulmonary valve implantation is considered medically necessary for patients with congenital heart disease and current right ventricular outflow tract obstruction or regurgitation including the specified indications. |
| 01/01/2019 | Coding update |
| 08/01/2019 | Medical Policy Committee review |
| 08/14/2019 | Medical Policy Implementation Committee approval. Coverage eligibility unchanged. |
| 08/06/2020 | Medical Policy Committee review |
| 08/12/2020 | Medical Policy Implementation Committee approval. Coverage eligibility unchanged. |
| 09/02/2021 | Medical Policy Committee review |

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

09/08/2021 Medical Policy Implementation Committee approval. Policy statements minor revision to specify FDA-approved devices.

Next Scheduled Review Date: 09/2022

Coding

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)†, copyright 2020 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	33440, 33477
HCPCS	No codes

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

ICD-10 Diagnosis	I97.0, I97.110, I97.130, I97.190, Q20.5, Q21.3, Q22.0-Q22.3, T82.01XA-T82.09XS, T82.221A-T82.228S, Z95.2-Z95.4
------------------	--

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:
 - 1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
 - 2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
 - 3. Reference to federal regulations.

**Medically Necessary (or “Medical Necessity”) - Health care services, treatment, procedures, equipment, drugs, devices, items or supplies that a Provider, exercising prudent clinical judgment, would provide to a patient for the purpose of preventing, evaluating, diagnosing or treating an illness, injury, disease or its symptoms, and that are:

- A. In accordance with nationally accepted standards of medical practice;
- B. Clinically appropriate, in terms of type, frequency, extent, level of care, site and duration, and considered effective for the patient's illness, injury or disease; and
- C. Not primarily for the personal comfort or convenience of the patient, physician or other health care provider, and not more costly than an alternative service or sequence of services at least as likely to produce equivalent therapeutic or diagnostic results as to the diagnosis or treatment of that patient's illness, injury or disease.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Transcatheter Pulmonary Valve Implantation

Policy # 00576

Original Effective Date: 10/18/2017

Current Effective Date: 10/11/2021

For these purposes, “nationally accepted standards of medical practice” means standards that are based on credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community, Physician Specialty Society recommendations and the views of Physicians practicing in relevant clinical areas and any other relevant factors.

‡ Indicated trademarks are the registered trademarks of their respective owners.

NOTICE: If the Patient’s health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.