



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

Note: Amniotic Membrane and Amniotic Fluid is addressed separately in medical policy 00458.

Note: This MP is not applicable to injection laryngoplasty for the treatment of vocal fold paralysis or paresis.

When Services Are Eligible for Coverage

Coverage for eligible medical treatments or procedures, drugs, devices or biological products may be provided only if:

- Benefits are available in the member's contract/certificate, and
- Medical necessity criteria and guidelines are met.

Based on review of available data, the Company may consider breast reconstructive surgery using allogeneic acellular dermal matrix products* (including each of the following: AlloDerm^{®‡}, AlloMend^{®‡}, Cortiva^{®‡} [AlloMax^{™‡}], DermACELL^{™‡}, DermaMatrix^{™‡}, FlexHD^{®‡}, FlexHD^{®‡} Pliable^{™‡}, Graftjacket^{®‡}; to be **eligible for coverage.****

- When there is insufficient tissue expander or implant coverage by the pectoralis major muscle and additional coverage is required,
- When there is viable but compromised or thin postmastectomy skin flaps that are at risk of dehiscence or necrosis, or
- The inframammary fold and lateral mammary folds have been undermined during mastectomy and reestablishment of these landmarks is needed.

Based on review of available data, the Company may consider treatment of chronic, noninfected, full-thickness diabetic lower-extremity ulcers using the following tissue-engineered skin substitutes to be **eligible for coverage.****

- AlloPatch^{®‡} *
- Apligraf^{®‡} **
- Dermagraft^{®‡} **

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

- Integra^{®†} Omnigraft Dermal Regeneration Matrix (also known as Omnigraft) and Integra Flowable Wound Matrix.

Based on review of available data, the Company may consider treatment of chronic, noninfected, partial- or full-thickness lower-extremity skin ulcers due to venous insufficiency, which have not adequately responded following a 1-month period of conventional ulcer therapy, using the following tissue-engineered skin substitutes to be **eligible for coverage**.**

- Apligraf^{**}
- Oasis^{TM‡} Wound Matrix^{***}

Based on review of available data, the Company may consider treatment of dystrophic epidermolysis bullosa using the following tissue-engineered skin substitutes to be **eligible for coverage**.**

- OrCel^{TM‡} (for the treatment of mitten-hand deformity when standard wound therapy has failed and when provided in accordance with the humanitarian device exemption (HDE) specifications of the U.S. Food and Drug Administration [FDA])^{****}

Based on review of available data, the Company may consider treatment of second- and third-degree burns using the following tissue-engineered skin substitutes to be **eligible for coverage**.**

- Epicel^{®‡} (for the treatment of deep dermal or full-thickness burns comprising a total body surface area $\geq 30\%$ when provided in accordance with the HDE specifications of the FDA)^{****}
- Integra Dermal Regeneration Template^{TM**}

* Banked human tissue.

** FDA premarket approval.

*** FDA 510(k) cleared.

**** FDA-approved under an HDE.

When Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

Based on review of available data, the Company considers all other uses of the bioengineered skin and soft tissue substitutes listed above to be **investigational**.*

Based on review of available data, the Company considers all other skin and soft tissue substitutes not listed above to be **investigational*** including but not limited to:

- ACell[®] UBM Hydrated/Lyophilized Wound Dressing
- AlloSkin[™]
- AlloSkin[™] RT
- Aongen[™] Collagen Matrix
- Architect[®] ECM, PX, FX
- ArthroFlex[™] (Flex Graft)
- Atlas Wound Matrix
- Avagen Wound Dressing
- AxoGuard[®] Nerve Protector (AxoGen)
- Biobrane[®]/Biobrane-L
- Bio-ConneKt[®] Wound Matrix
- CollaCare[®]
- CollaCare[®] Dental
- Collagen Wound Dressing (Oasis Research)
- CollaGUARD[®]
- CollaMend[™]
- CollaWound[™]
- Coll-e-derm
- Collexa[®]
- Collieva[®]
- Conexa[™]
- Coreleader Colla-Pad
- CorMatrix[®]
- Cymetra[™] (Micronized AlloDerm[™])
- Cytal[™] (previously MatriStem[®])
- Dermadapt[™] Wound Dressing
- Derma-gide

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

- DermaPure™‡
- DermaSpan™‡
- DressSkin
- Durepair Regeneration Matrix®‡
- Endoform Dermal Template™‡
- *ENDURAGen*™‡
- Excellagen
- ExpressGraft™‡
- E-Z Derm™‡
- FlowerDerm™
- GammaGraft
- Geistlich Derma-Gide™
- Graftjacket®‡ Xpress, injectable
- Helicoll™‡
- Hyalomatrix®‡
- Hyalomatrix®‡ PA
- hMatrix®‡
- Integra™‡ Bilayer Wound Matrix
- Integra® Matrix Wound Dressing (previously Avagen)
- InteguPly®‡
- Keramatrix®‡
- Kerecis™ Omega 3
- Keroxx™
- MatriDerm®‡
- MatriStem
- Matrix HD™‡
- MicroMatrix®‡
- Miroderm®‡
- Mediskin®‡
- MemoDerm™‡
- Microderm®‡ biologic wound matrix
- MyOwn skin

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

- NeoForm^{TM‡}
- NuCel
- Oasis^{®‡} Burn Matrix
- Oasis^{®‡} Ultra
- Ologen^{TM‡} Collagen Matrix
- Omega3 Wound (originally Merigen wound dressing)
- Pelvicol[®]/PelviSoft^{®‡}
- Permacol^{TM‡}
- PriMatrix^{TM‡}
- PriMatrix^{TM‡} Dermal Repair Scaffold
- Progenamatrix
- Puracol^{®‡} and Puracol^{®‡} Plus Collagen Wound Dressings
- PuraPly^{TM‡} Wound Matrix (previously FortaDerm^{TM‡})
- PuraPly^{TM‡} AM (Antimicrobial Wound Matrix)
- Puros^{®‡} Dermis
- RegenePro^{TM‡}
- Repliform^{®‡}
- Repriza^{TM‡}
- SkinTETM
- StrataGraft^{®‡}
- Strattice^{TM‡} (xenograft)
- Suprathel^{®‡}
- SurgiMend^{®‡}
- Talymed^{®‡}
- TenoGlide^{TM‡}
- TenSIX^{TM‡} Acellular Dermal Matrix
- TissueMend
- TheraForm^{TM‡} Standard/Sheet
- TheraSkin^{®‡}
- TransCyte^{TM‡}
- TruSkin^{TM‡}
- Veritas^{®‡} Collagen Matrix

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

- XCM Biologic^{®†} Tissue Matrix
- XenMatrix^{™†} AB.

Policy Guidelines

Clinical input has indicated that the various acellular dermal matrix products used in breast reconstruction have similar efficacy. The products listed are those that have been identified for use in breast reconstruction. Additional acellular dermal matrix products may become available for this indication.

Background/Overview

Skin and Soft Tissue Substitutes

Bioengineered skin and soft tissue substitutes may be either acellular or cellular. Acellular products (eg, dermis with cellular material removed) contain a matrix or scaffold composed of materials such as collagen, hyaluronic acid, and fibronectin. Acellular dermal matrix (ADM) products can differ in a number of ways, including as species source (human, bovine, porcine), tissue source (eg dermis, pericardium, intestinal mucosa), additives (eg antibiotics, surfactants), hydration (wet, freeze-dried), and required preparation (multiple rinses, rehydration).

Cellular products contain living cells such as fibroblasts and keratinocytes within a matrix. The cells contained within the matrix may be autologous, allogeneic, or derived from other species (eg, bovine, porcine). Skin substitutes may also be composed of dermal cells, epidermal cells, or a combination of dermal and epidermal cells, and may provide growth factors to stimulate healing. Bioengineered skin substitutes can be used as either temporary or permanent wound coverings.

Applications

There are a large number of potential applications for artificial skin and soft tissue products. One large category is nonhealing wounds, which potentially encompasses diabetic neuropathic ulcers, vascular insufficiency ulcers, and pressure ulcers. A substantial minority of such wounds do not heal adequately with standard wound care, leading to prolonged morbidity and increased risk of mortality. For example, nonhealing lower-extremity wounds represent an ongoing risk for infection, sepsis, limb amputation, and death. Bioengineered skin and soft tissue substitutes have the potential to improve rates of healing and reduce secondary complications.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

Other situations in which bioengineered skin products might substitute for living skin grafts include certain postsurgical states (eg, breast reconstruction) in which skin coverage is inadequate for the procedure performed, or for surgical wounds in patients with compromised ability to heal. Second- and third-degree burns are another indication in which artificial skin products may substitute for auto- or allografts. Certain primary dermatologic conditions that involve large areas of skin breakdown (eg, bullous diseases) may also be conditions in which artificial skin products can be considered as substitutes for skin grafts. ADM products are also being evaluated in the repair of other soft tissues including rotator cuff repair, following oral and facial surgery, hernias, and other conditions.

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

A large number of artificial skin and soft-tissue products are commercially available or in development. The following section summarizes commercially available skin and soft-tissue substitutes that have substantial relevant evidence on efficacy. Information on additional products is available in a 2020 Technical Brief on skin substitutes for treating chronic wounds that was commissioned by the Agency for Healthcare Research and Quality.

Acellular Dermal Matrix Products

Allograft ADM products derived from donated cadaveric human skin tissue are supplied by tissue banks compliant with standards of the American Association of Tissue Banks and U.S. FDA guidelines. The processing removes the cellular components (ie, epidermis, all viable dermal cells) that can lead to rejection and infection. ADM products from human skin tissue are regarded as minimally processed and not significantly changed in structure from the natural material; FDA classifies ADM products as banked human tissue and, therefore, not requiring FDA approval for homologous use.

In 2017, FDA published clarification of what is considered minimal manipulation and homologous use for human cells, tissues, and cellular and tissue-based products (HCT/Ps)

HCT/Ps are defined as human cells or tissues that are intended for implantation, transplantation, infusion, or transfer into a human recipient. If an HCT/P does not meet the criteria below and does

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

not qualify for any of the stated exceptions, the HCT/P will be regulated as a drug, device, and/or biological product and applicable regulations and premarket review will be required.

An HCT/P is regulated solely under section 361 of the PHS Act and 21 CFR Part 1271 if it meets all of the following criteria:

1. "The HCT/P is minimally manipulated;
2. The HCT/P is intended for homologous use only, as reflected by the labeling, advertising, or other indications of the manufacturer's objective intent;
3. The manufacture of the HCT/P does not involve the combination of the cells or tissues with another article, except for water, crystalloids, or a sterilizing, preserving, or storage agent, provided that the addition of water, crystalloids, or the sterilizing, preserving, or storage agent does not raise new clinical safety concerns with respect to the HCT/P; and
4. Either:
 - i. The HCT/P does not have a systemic effect and is not dependent upon the metabolic activity of living cells for its primary function; or
 - ii. The HCT/P has a systemic effect or is dependent upon the metabolic activity of living cells for its primary function, and: a) Is for autologous use; b) Is for allogeneic use in a first-degree or second-degree blood relative; or c) Is for reproductive use."

Although frequently used by surgeons for breast reconstruction, FDA does not consider this homologous use and has not cleared or approved any surgical mesh device (synthetic, animal collagen-derived, or human collagen-derived) for use in breast surgery. The indication of surgical mesh for general use in "Plastic and reconstructive surgery" was cleared by the FDA before surgical mesh was described for breast reconstruction in 2005. FDA states that the specific use of surgical mesh in breast procedures represents a new intended use and that a substantial equivalence evaluation via 510(k) review is not appropriate and a pre-market approval evaluation is required.

- AlloDerm (LifeCell Corp.) is an ADM (allograft) tissue-replacement product created from native human skin and processed so that the basement membrane and cellular matrix remain intact. Originally, AlloDerm required refrigeration and rehydration before use. It is currently available in a ready-to-use product stored at room temperature. An injectable micronized form of AlloDerm (Cymetra) is available.
- Cortiva (previously marketed as AlloMax Surgical Graft and before that NeoForm) is an acellular non-cross-linked human dermis allograft.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

- AlloPatch (Musculoskeletal Transplant Foundation) is an acellular human dermis allograft derived from the reticular layer of the dermis and marketed for wound care. This product is also marketed as FlexHD for postmastectomy breast reconstruction.
- FlexHD and the newer formulation FlexHD Pliable (Musculoskeletal Transplant Foundation) are acellular hydrated reticular dermis allograft derived from donated human skin.
- DermACELL (LifeNet Health) is an allogeneic ADM processed with proprietary technologies MATRACELL and PRESERVON.
- DermaMatrix (Synthes) is a freeze-dried ADM derived from donated human skin tissue. DermaMatrix Acellular Dermis is processed by the Musculoskeletal Transplant Foundation.
- DermaPure (Tissue Regenix Wound Care) is a single-layer decellularized human dermal allograft for the treatment of acute and chronic wounds.
- GraftJacket Regenerative Tissue Matrix (also called GraftJacket Skin Substitute; KCI) is an acellular regenerative tissue matrix that has been processed from human skin supplied from U.S. tissue banks. The allograft is minimally processed to remove the epidermal and dermal cells while preserving dermal structure. GraftJacket Xpress is an injectable product.

FDA product codes: FTM, OXF.

Xenogenic Products

Cytal (previously called MatriStem) Wound Matrix, Multilayer Wound Matrix, Pelvic Floor Matrix, MicroMatrix, and Burn Matrix (all manufactured by ACell) are composed of porcine-derived urinary bladder matrix.

Helicoll (Encol) is an acellular collagen matrix derived from bovine dermis. In 2004, it was cleared for marketing by FDA through the 510(k) process for topical wound management that includes partial and full-thickness wounds, pressure ulcers, venous ulcers, chronic vascular ulcers, diabetic ulcers, trauma wounds (eg, abrasions, lacerations, second-degree burns, skin tears), and surgical wounds including donor sites/grafts.

Keramatrix (Keraplast Research) is an open-cell foam comprised of freeze-dried keratin that is derived from acellular animal protein. In 2009, it was cleared for marketing by FDA through the 510(k) process under the name of Keratec. The wound dressings are indicated in the management of the following types of dry, light, and moderately exudating partial and full-thickness wounds:

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

pressure (stage I-IV) and venous stasis ulcers, ulcers caused by mixed vascular etiologies, diabetic ulcers, donor sites, and grafts.

Kerecis Omega3 Wound (Kerecis) is an ADM derived from fish skin. It has a high content of omega 3 fatty acids and is intended for use in burn wounds, chronic wounds, and other applications.

Permacol (Covidien) is xenogeneic and composed of cross-linked porcine dermal collagen. Cross-linking improves tensile strength and long-term durability but decreases pliability.

PriMatrix (TEI Biosciences; a subsidiary of Integra Life Sciences) is a xenogeneic ADM processed from fetal bovine dermis. It was cleared for marketing by FDA through the 510(k) process for partial- and full-thickness wounds; diabetic, pressure, and venous stasis ulcers; surgical wounds; and tunneling, draining, and traumatic wounds. FDA product code: KGN.

SurgiMend PRS (TEI Biosciences, a subsidiary of Integra Life Sciences) is a xenogeneic ADM processed from fetal and neonatal bovine dermis.

Strattice Reconstructive Tissue Matrix (LifeCell Corp.) is a xenogenic non-cross-linked porcine-derived ADM. There are pliable and firm versions, which are stored at room temperature and come fully hydrated.

Oasis Wound Matrix (Cook Biotech) is a collagen scaffold (extracellular matrix) derived from porcine small intestinal submucosa. In 2000, it was cleared for marketing by FDA through the 510(k) process for the management of partial- and full-thickness wounds, including pressure ulcers, venous ulcers, diabetic ulcers, chronic vascular ulcers, tunneled undermined wounds, surgical wounds, trauma wounds, and draining wounds. FDA Product code: KGN.

Living Cell Therapy

Apligraf (Organogenesis) is a bilayered living cell therapy composed of an epidermal layer of living human keratinocytes and a dermal layer of living human fibroblasts. Apligraf is supplied as needed, in 1 size, with a shelf-life of 10 days. In 1998, it was approved by FDA for use in conjunction with compression therapy for the treatment of noninfected, partial- and full-thickness skin ulcers due to venous insufficiency and in 2001 for full-thickness neuropathic diabetic lower-extremity ulcers nonresponsive to standard wound therapy. FDA product code: FTM.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

Dermagraft (Organogenesis) is composed of cryopreserved human-derived fibroblasts and collagen derived from newborn human foreskin and cultured on a bioabsorbable polyglactin mesh scaffold. Dermagraft has been approved by the FDA for repair of diabetic foot ulcers. FDA product code: PFC.

TheraSkin (Soluble Systems) is a cryopreserved split-thickness human skin allograft composed of living fibroblasts and keratinocytes and an extracellular matrix in epidermal and dermal layers. TheraSkin is derived from human skin allograft supplied by tissue banks compliant with the American Association of Tissue Banks and FDA guidelines. It is considered a minimally processed human cell, tissue, and cellular- and tissue-based product by FDA.

Epicel (Genzyme Biosurgery) is an epithelial autograft composed of a patient's own keratinocytes cultured *ex vivo* and is FDA-approved under a humanitarian device exemption for the treatment of deep dermal or full-thickness burns comprising a total body surface area of 30% or more. It may be used in conjunction with split-thickness autografts or alone in patients for whom split-thickness autografts may not be an option due to the severity and extent of their burns. FDA product code: OCE.

OrCel (Forticell Bioscience; formerly Composite Cultured Skin) is an absorbable allogeneic bilayered cellular matrix, made of bovine collagen, in which human dermal cells have been cultured. It was approved by FDA premarket approval for healing donor site wounds in burn victims and under a humanitarian device exemption for use in patients with recessive dystrophic epidermolysis bullosa undergoing hand reconstruction surgery to close and heal wounds created by the surgery, including those at donor sites. FDA product code: ODS.

Biosynthetic Products

Biobrane/Biobrane-L (Smith & Nephew) is a biosynthetic wound dressing constructed of a silicon film with a nylon fabric partially embedded into the film. The fabric creates a complex 3-dimensional structure of trifilament thread, which chemically binds collagen. Blood/sera clot in the nylon matrix, adhering the dressing to the wound until epithelialization occurs. FDA product code: FRO.

Integra Dermal Regeneration Template (also marketed as Omnigraft Dermal Regeneration Matrix; Integra LifeSciences) is a bovine, collagen/glycosaminoglycan dermal replacement covered by a

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

silicone temporary epidermal substitute. It was approved by FDA for use in the postexcisional treatment of life-threatening full-thickness or deep partial-thickness thermal injury where sufficient autograft is not available at the time of excision or not desirable because of the physiologic condition of the patient and for certain diabetic foot ulcers. Integra Matrix Wound Dressing and Integra Meshed Bilayer Wound Matrix are substantially equivalent skin substitutes and were cleared for marketing by FDA through the 510(k) process for other indications. Integra Bilayer Matrix Wound Dressing (Integra LifeSciences) is designed to be used in conjunction with negative pressure wound therapy. The meshed bilayer provides a flexible wound covering and allows drainage of wound exudate. FDA product code: MDD.

TransCyte (Advanced Tissue Sciences) consists of human dermal fibroblasts grown on nylon mesh, combined with a synthetic epidermal layer and was approved by the FDA in 1997. TransCyte is intended as a temporary covering over burns until autografting is possible. It can also be used as a temporary covering for some burn wounds that heal without autografting.

Synthetic Products

Suprathel (PolyMedics Innovations) is a synthetic copolymer membrane fabricated from a tripolymer of polylactide, trimethylene carbonate, and s-caprolactone. It is used to provide temporary coverage of superficial dermal burns and wounds. Suprathel is covered with gauze and a dressing that is left in place until the wound has healed.

Rationale/Source

Bioengineered skin and soft tissue substitutes may be derived from human tissue (autologous or allogeneic), nonhuman tissue (xenographic), synthetic materials, or a composite of these materials. Bioengineered skin and soft tissue substitutes are being evaluated for a variety of conditions, including breast reconstruction and healing lower-extremity ulcers and severe burns. Acellular dermal matrix (ADM) products are also being evaluated for soft tissue repair.

Breast Reconstruction

For individuals who are undergoing breast reconstruction who receive allogeneic ADM products, the evidence includes RCTs and systematic reviews. Relevant outcomes are symptoms, morbid events, functional outcomes, quality of life (QOL), and treatment-related morbidity. A systematic review found no difference in overall complication rates with ADM allograft compared with

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

standard procedures for breast reconstruction. Reconstructions with ADM have been reported to have higher seroma, infection, and necrosis rates than reconstructions without ADM. However, capsular contracture and malposition of implants may be reduced. Thus, in cases where there is limited tissue coverage, the available evidence may inform patient decision making about reconstruction options. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

Tendon Repair

For individuals who are undergoing tendon repair who receive Graftjacket, the evidence includes an RCT. Relevant outcomes are symptoms, morbid events, functional outcomes, QOL, and treatment-related morbidity. The RCT identified found improved outcomes with the Graftjacket ADM allograft for rotator cuff repair. Although these results were positive, additional study with a larger number of patients is needed to evaluate the consistency of the effect. The evidence is insufficient to determine the effects of the technology on health outcomes.

Surgical Repair of Hernias or Parastomal Reinforcement

For individuals who are undergoing surgical repair of hernias or parastomal reinforcement who receive acellular collagen-based scaffolds, the evidence includes RCTs. Relevant outcomes are symptoms, morbid events, functional outcomes, QOL, and treatment-related morbidity. Several comparative studies including RCTs have shown no difference in outcomes between tissue-engineered skin substitutes and either standard synthetic mesh or no reinforcement. The evidence is sufficient to determine that the technology is unlikely to improve the net health outcome.

Diabetic Lower-Extremity Ulcers

For individuals who have diabetic lower-extremity ulcers who receive AlloPatch, Apligraf, Dermagraft, or Integra, the evidence includes RCTs. Relevant outcomes are symptoms, change in disease status, morbid events, and QOL. RCTs have demonstrated the efficacy of AlloPatch (reticular ADM), Apligraf and Dermagraft (living cell therapy), and Integra (biosynthetic) over the standard of care (SOC). The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have diabetic lower-extremity ulcers who receive ADM products other than AlloPatch, Apligraf, Dermagraft, or Integra, the evidence includes RCTs. Relevant outcomes are symptoms, change in disease status, morbid events, and QOL. Results from a multicenter RCT

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

showed some benefit of DermACELL that was primarily for the subgroup of patients who only required a single application of the ADM. Studies are needed to further define the population who might benefit from this treatment. Additional study with a larger number of subjects is needed to evaluate the effect of GraftJacket, TheraSkin, DermACELL, Cytal, PriMatrix, and Oasis Wound Matrix, compared with current SOC or other advanced wound therapies. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

Lower-Extremity Ulcers due to Venous Insufficiency

For individuals who have lower-extremity ulcers due to venous insufficiency who receive Apligraf or Oasis Wound Matrix, the evidence includes RCTs. Relevant outcomes are symptoms, change in disease status, morbid events, and QOL. RCTs have demonstrated the efficacy of Apligraf living cell therapy and xenogenic Oasis Wound Matrix over the SOC. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have lower-extremity ulcers due to venous insufficiency who receive bioengineered skin substitutes other than Apligraf or Oasis Wound Matrix, the evidence includes RCTs. Relevant outcomes are disease-specific survival, symptoms, change in disease status, morbid events, and QOL. In a moderately large RCT, Dermagraft was not shown to be more effective than controls for the primary or secondary endpoints in the entire population and was only slightly more effective than controls (an 8%-15% increase in healing) in subgroups of patients with ulcer duration of 12 months or less or size of 10 cm or less. Additional study with a larger number of subjects is needed to evaluate the effect of the xenogenic PriMatrix skin substitute versus the current SOC. The evidence is insufficient to determine the effects of the technology on health outcomes.

Dystrophic Epidermolysis Bullosa

For individuals who have dystrophic epidermolysis bullosa who receive OrCel, the evidence includes case series. Relevant outcomes are symptoms, change in disease status, morbid events, and QOL. OrCel was approved under a humanitarian drug exemption for use in patients with dystrophic epidermolysis bullosa undergoing hand reconstruction surgery, to close and heal wounds created by the surgery, including those at donor sites. Outcomes have been reported in small series (eg, 5 patients). The evidence is insufficient to determine the effects of the technology on health outcomes.

Deep Dermal Burns

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

For individuals who have deep dermal burns who receive bioengineered skin substitutes (ie, Epicel, Integra Dermal Regeneration Template), the evidence includes RCTs. Relevant outcomes are symptoms, change in disease status, morbid events, functional outcomes, QOL, and treatment-related morbidity. Overall, few skin substitutes have been approved, and the evidence is limited for each product. Epicel (living cell therapy) has received FDA approval under a humanitarian device exemption for the treatment of deep dermal or full-thickness burns comprising a total body surface area of 30% or more. Comparative studies have demonstrated improved outcomes for biosynthetic skin substitute Integra Dermal Regeneration Template for the treatment of burns. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

Clinical Input

Clinical input has been obtained on several occasions. The input considered ADM products to be medically necessary for breast reconstruction under select conditions and for the various products to be similar in efficacy. Input was mixed on the efficacy of xenogenic products for other indications.

It was concluded that, based on the extensive data from case series and clinical input on the usefulness of this procedure in providing inferolateral support for breast reconstruction, this procedure was medically necessary for breast reconstruction when there is insufficient tissue expander or implant coverage by the pectoralis major muscle and additional coverage is required; when there is viable but compromised or thin post mastectomy skin flaps that are at risk of dehiscence or necrosis; or when the inframammary fold and lateral mammary folds have been undermined during mastectomy and reestablishment of these landmarks is needed.

Supplemental Information

Clinical Input From Physician Specialty Societies and Academic Medical Centers

While the various physician specialty societies and academic medical centers may collaborate with and make recommendations during this process, through the provision of appropriate reviewers, input received does not represent an endorsement or position statement by the physician specialty societies or academic medical centers, unless otherwise noted.

2016 Input

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

In response to requests, input was received from 2 physician specialty societies and 3 academic medical centers while this policy was under review in 2016. Input was requested on the equivalency of products within the categories of amniotic membrane, living cell therapies, and biosynthetic skin substitutes for the treatment of diabetic foot ulcers and nonocular burns (biosynthetic only). Input on the equivalency of products within these categories was mixed.

2014 Input

In response to requests, input was received from 3 physician specialty societies and 4 academic medical centers while this policy was under review in 2014. In addition to questions on medical necessity for different indications, input was specifically requested on the equivalency of products within the different categories (eg, acellular dermal matrix [ADM], living cell therapy, xenogeneic collagen scaffold, amniotic membrane). Five reviewers addressed the use of ADM products for breast reconstruction and most considered the various ADM products (AlloDerm, AlloMax, DermaMatrix, FlexHD, Graftjacket) to have similar outcomes when used for breast reconstructive surgery, although differences in firmness and stretch of the products were noted. Six reviewers addressed questions on bioengineered skin and soft tissue substitutes for diabetic and venous lower-extremity ulcers. Responses were mixed, although most reviewers considered living cell therapies to be equivalent for these indications. Most reviewers did not consider xenogeneic ADM products (eg, PriMatrix) or amniotic membrane (eg, EpiFix) to be medically necessary for any indication.

2012 Input

In response to requests, input was received from 3 physician specialty societies and 2 academic medical centers while this policy was under review in 2012. Most reviewers supported the indications and products described in this policy. Input was requested on the use of an interpositional spacer after parotidectomy. Support for this indication was mixed. Some reviewers suggested use of other products and/or additional indications; however, the input on these products/indications was not uniform. Reviewers provided references for the additional indications; these were subsequently reviewed.

2009 Input

In response to requests, input was received from 1 physician specialty society (2 physicians) and 1 academic medical center while this policy was under review in 2009. All reviewers indicated that on use of AlloDerm in breast reconstruction surgery should be available for use during breast reconstructive surgery.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

Practice Guidelines and Position Statements

National Institute for Health and Care Excellence

In 2019, the National Institute for Health and Care Excellence updated its guidance on the prevention and management of diabetic foot problems. The Institute recommended that clinicians “consider dermal or skin substitutes as an adjunct to standard care when treating diabetic foot ulcers, only when healing has not progressed and on the advice of the multidisciplinary foot care service.”

U.S. Preventive Services Task Force Recommendations

Not applicable.

Medicare National Coverage

The Centers for Medicare & Medicaid Services (CMS) issued the following national coverage determination: porcine (pig) skin dressings are covered, if reasonable and necessary for the individual patient as an occlusive dressing for burns, donor sites of a homograft, and decubiti and other ulcers—if the item is furnished on a different date of service as the primary service.

In 2019, CMS reported that it is finalizing the proposal to continue the policy established in CY 2018 to assign skin substitutes to the low cost or high-cost group. In addition, CMS presented several payment ideas to change how skin substitute products are paid and solicited comments on these ideas to be used for future rulemaking.

Ongoing and Unpublished Clinical Trials

Some currently unpublished trials that might influence this review are listed in Table 1.

Table 1. Summary of Key Trials

NCT No.	Trial Name	Planned Enrollment	Completion Date
<i>Ongoing</i>			
NCT03935386 ^a	A Prospective Randomized Clinical Trial Comparing Multi-layer Bandage Compression Therapy With and	100	Dec 2020

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

NCT No.	Trial Name	Planned Enrollment	Completion Date
	Without a Biologically Active Human Skin Allograft for the Treatment of Chronic Venous Leg Ulcers		
NCT04133493 ^a	A Multi-center, Randomized Controlled Clinical Trial Evaluating the Effect of Omega3 Wound Fish Skin Graft in the Treatment of Diabetic Foot Ulcers	100	Jan 2021
NCT04537520 ^a	Interventional Multi-Center Post Market Randomized Controlled Open-Label Clinical Trial Comparing Kerecis Omega3 Wound Versus SOC in Hard to Heal Diabetic Foot Wounds	229	Feb 2022
NCT04257370 ^a	An Open Label, Randomized Controlled Study to Compare Healing of Severe Diabetic Foot Ulcers and Forefoot Amputations in Diabetics With and Without Moderate Peripheral Arterial Disease Treated With Kerecis Omega3 Wound and SOC vs. SOC Alone	330	Oct 2022
Unpublished			
NCT01987700 ^a	Multi-Center Study To Examine The Use Of Flex HD [®] And Strattice In The Repair Of Large Abdominal Wall Hernias	120	Aug 2018 (completed)
NCT02322554	The Registry of Cellular and Tissue Based Therapies for Chronic Wounds and Ulcers	50,000	Jan 2020 (status unknown)
NCT03285698	A Randomized, Prospective Trial Comparing the Clinical Outcomes for DermACELL [®] Compared With Integra [®] Bilayer Wound Matrix	53	Oct 2020
NCT02587403 ^a	A Randomized, Prospective Study Comparing Fortiva [™] Porcine Dermis vs. Strattice [™] Reconstructive Tissue	120	Oct 2020

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

NCT No.	Trial Name	Planned Enrollment	Completion Date
	Matrix in Patients Undergoing Complex Open Primary Ventral Hernia Repair		

NCT: national clinical trial.

^a Denotes industry-sponsored or cosponsored trial.

References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “”Bioengineered Skin and Soft Tissue Substitutes. 7.01.113, 2:2021.
2. Whitelaw GP, DeMuth KA, Demos HA et al. The use of the Cryo/Cuff versus ice and elastic wrap in the postoperative care of knee arthroscopy patients. *Am J Knee Surg.* 1995 Winter;8(1). PMID 7866800
3. Healy WL, Seidman J, Pfeifer BA et al. Cold compressive dressing after total knee arthroplasty. *Clin. Orthop. Relat. Res.* 1994 Feb;143-6(299). PMID 7907012
4. U.S. Food and Drug Administration. Regulatory Considerations for Human Cells, Tissues, and Cellular and Tissue-Based Products: Minimal Manipulation and Homologous Use. December 2017. <https://www.fda.gov/media/124138/download>.
5. U.S. Food and Drug Administration. Executive Summary Breast Implant Special Topics. March 2019. <https://www.fda.gov/media/122956/download>.
6. Davila AA, Seth AK, Wang E, et al. Human acellular dermis versus submuscular tissue expander breast reconstruction: a multivariate analysis of short-term complications. *Arch Plast Surg.* Jan 2013;40(1):19-27. PMID 23362476
7. Lee KT, Mun GH. Updated evidence of acellular dermal matrix use for implant-based breast reconstruction: a meta-analysis. *Ann Surg Oncol.* Feb 2016;23(2):600-610. PMID 26438439
8. McCarthy CM, Lee CN, Halvorson EG, et al. The use of acellular dermal matrices in two-stage expander/implant reconstruction: a multicenter, blinded, randomized controlled trial. *Plast Reconstr Surg.* Nov 2012;130(5 Suppl 2):57S-66S. PMID 23096987
9. Hinchcliff KM, Orbay H, Busse BK, et al. Comparison of two cadaveric acellular dermal matrices for immediate breast reconstruction: A prospective randomized trial. *J Plast Reconstr Aesthet Surg.* May 2017;70(5):568-576. PMID 28341592

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

10. Mendenhall SD, Anderson LA, Ying J, et al. The BREASTrial Stage II: ADM breast reconstruction outcomes from definitive reconstruction to 3 months postoperative. *Plast Reconstr Surg Glob Open*. Jan 2017;5(1):e1209. PMID 28203509
11. Liu DZ, Mathes DW, Neligan PC, et al. Comparison of outcomes using AlloDerm versus FlexHD for implant-based breast reconstruction. *Ann Plast Surg*. May 2014;72(5):503-507. PMID 23636114
12. Chang EI, Liu J. Prospective unbiased experience with three acellular dermal matrices in breast reconstruction. *J Surg Oncol*. Sep 2017;116(3):365-370. PMID 28444764
13. Pittman TA, Fan KL, Knapp A, et al. Comparison of Different Acellular Dermal Matrices in Breast Reconstruction: The 50/50 Study. *Plast Reconstr Surg*. Mar 2017;139(3):521-528. PMID 28234811
14. Dikmans RE, Negenborn VL, Bouman MB, et al. Two-stage implant-based breast reconstruction compared with immediate one-stage implant-based breast reconstruction augmented with an acellular dermal matrix: an open-label, phase 4, multicentre, randomised, controlled trial. *Lancet Oncol*. Feb 2017;18(2):251-258. PMID 28012977
15. Barber FA, Burns JP, Deutsch A, et al. A prospective, randomized evaluation of acellular human dermal matrix augmentation for arthroscopic rotator cuff repair. *Arthroscopy*. Jan 2012;28(1):8-15. PMID 21978432
16. Bellows CF, Smith A, Malsbury J, et al. Repair of incisional hernias with biological prosthesis: a systematic review of current evidence. *Am J Surg*. Jan 2013;205(1):85-101. PMID 22867726
17. Espinosa-de-los-Monteros A, de la Torre JI, Marrero I, et al. Utilization of human cadaveric acellular dermis for abdominal hernia reconstruction. *Ann Plast Surg*. Mar 2007;58(3):264-267. PMID 17471129
18. Gupta A, Zahriya K, Mullens PL, et al. Ventral herniorrhaphy: experience with two different biosynthetic mesh materials, Surgisis and Alloderm. *Hernia*. Oct 2006;10(5):419-425. PMID 16924395
19. Bochicchio GV, De Castro GP, Bochicchio KM, et al. Comparison study of acellular dermal matrices in complicated hernia surgery. *J Am Coll Surg*. Oct 2013;217(4):606-613. PMID 23973102
20. Roth JS, Zachem A, Plymale MA, et al. Complex ventral hernia repair with acellular dermal matrices: clinical and quality of life outcomes. *Am Surg*. Feb 1 2017;83(2):141-147. PMID 28228200

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

21. Bellows CF, Shadduck P, Helton WS, et al. Early report of a randomized comparative clinical trial of Strattice reconstructive tissue matrix to lightweight synthetic mesh in the repair of inguinal hernias. *Hernia*. Apr 2014;18(2):221-230. PMID 23543334
22. Fleshman JW, Beck DE, Hyman N, et al. A prospective, multicenter, randomized, controlled study of non-cross-linked porcine acellular dermal matrix fascial sublay for parastomal reinforcement in patients undergoing surgery for permanent abdominal wall ostomies. *Dis Colon Rectum*. May 2014;57(5):623-631. PMID 24819103
23. Santema TB, Poyck PP, Ubbink DT. Skin grafting and tissue replacement for treating foot ulcers in people with diabetes. *Cochrane Database Syst Rev*. Feb 11 2016;2:CD011255. PMID 26866804
24. Martinson M, Martinson N. A comparative analysis of skin substitutes used in the management of diabetic foot ulcers. *J Wound Care*. Oct 2016;25(Sup10):S8-S17. PMID 27681811
25. Guo X, Mu D, Gao F. Efficacy and safety of acellular dermal matrix in diabetic foot ulcer treatment: A systematic review and meta-analysis. *Int J Surg*. Apr 2017;40:1-7. PMID 28232031
26. Veves A, Falanga V, Armstrong DG, et al. Graftskin, a human skin equivalent, is effective in the management of noninfected neuropathic diabetic foot ulcers: a prospective randomized multicenter clinical trial. *Diabetes Care*. Feb 2001;24(2):290-295. PMID 11213881
27. Blue Cross and Blue Shield Technology Evaluation Center (TEC). Graftskin for the treatment of skin ulcers. *TEC Assessments*. 2001;Volume 16:Tab 12.
28. Steinberg JS, Edmonds M, Hurley DP, Jr., et al. Confirmatory data from EU study supports Apligraf for the treatment of neuropathic diabetic foot ulcers. *J Am Podiatr Med Assoc*. Jan-Feb 2010;100(1):73-77. PMID 20093548
29. Kirsner RS, Warriner R, Michela M, et al. Advanced biological therapies for diabetic foot ulcers. *Arch Dermatol*. Aug 2010;146(8):857-862. PMID 20713816
30. Marston WA, Hanft J, Norwood P, et al. The efficacy and safety of Dermagraft in improving the healing of chronic diabetic foot ulcers: results of a prospective randomized trial. *Diabetes Care*. Jun 2003;26(6):1701-1705. PMID 12766097
31. Frykberg RG, Marston WA, Cardinal M. The incidence of lower-extremity amputation and bone resection in diabetic foot ulcer patients treated with a human fibroblast-derived dermal substitute. *Adv Skin Wound Care*. Jan 2015;28(1):17-20. PMID 25407083
32. Zelen CM, Orgill DP, Serena T, et al. A prospective, randomised, controlled, multicentre clinical trial examining healing rates, safety and cost to closure of an acellular reticular allogenic human dermis versus standard of care in the treatment of chronic diabetic foot ulcers. *Int Wound J*. Apr 2017;14(2):307-315. PMID 27073000

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

33. Zelen CM, Orgill DP, Serena TE, et al. An aseptically processed, acellular, reticular, allogenic human dermis improves healing in diabetic foot ulcers: A prospective, randomised, controlled, multicentre follow-up trial. *International wound journal*. Oct 2018;15(5):731-739. PMID 29682897
34. Driver VR, Lavery LA, Reyzelman AM, et al. A clinical trial of Integra Template for diabetic foot ulcer treatment. *Wound Repair Regen*. Nov 12 2015;23(6):891-900. PMID 26297933
35. Campitiello F, Mancone M, Della Corte A, et al. To evaluate the efficacy of an acellular Flowable matrix in comparison with a wet dressing for the treatment of patients with diabetic foot ulcers: a randomized clinical trial. *Updates Surg*. Dec 2017;69(4):523-529. PMID 28497218
36. Brigido SA, Boc SF, Lopez RC. Effective management of major lower extremity wounds using an acellular regenerative tissue matrix: a pilot study. *Orthopedics*. Jan 2004;27(1 Suppl):s145-149. PMID 14763548
37. Reyzelman A, Crews RT, Moore JC, et al. Clinical effectiveness of an acellular dermal regenerative tissue matrix compared to standard wound management in healing diabetic foot ulcers: a prospective, randomised, multicentre study. *Int Wound J*. Jun 2009;6(3):196-208. PMID 19368581
38. Reyzelman AM, Bazarov I. Human acellular dermal wound matrix for treatment of DFU: literature review and analysis. *J Wound Care*. Mar 2015;24(3):128; 129-134. PMID 25764957
39. Brigido SA. The use of an acellular dermal regenerative tissue matrix in the treatment of lower extremity wounds: a prospective 16-week pilot study. *Int Wound J*. Sep 2006;3(3):181-187. PMID 16984575
40. Walters J, Cazzell S, Pham H, et al. Healing rates in a multicenter assessment of a sterile, room temperature, acellular dermal matrix versus conventional care wound management and an active comparator in the treatment of full-thickness diabetic foot ulcers. *Eplasty*. Mar 2016;16:e10. PMID 26933467
41. Cazzell S, Vayser D, Pham H, et al. A randomized clinical trial of a human acellular dermal matrix demonstrated superior healing rates for chronic diabetic foot ulcers over conventional care and an active acellular dermal matrix comparator. *Wound Repair Regen*. May 2017;25(3):483-497. PMID 28544150
42. Sanders L, Landsman AS, Landsman A, et al. A prospective, multicenter, randomized, controlled clinical trial comparing a bioengineered skin substitute to a human skin allograft. *Ostomy Wound Manage*. Sep 2014;60(9):26-38. PMID 25211605

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

43. DiDomenico L, Landsman AR, Emch KJ, et al. A prospective comparison of diabetic foot ulcers treated with either a cryopreserved skin allograft or a bioengineered skin substitute. *Wounds*. Jul 2011;23(7):184-189. PMID 25879172
44. Frykberg RG, Cazzell SM, Arroyo-Rivera J, et al. Evaluation of tissue engineering products for the management of neuropathic diabetic foot ulcers: an interim analysis. *J Wound Care*. Jul 2016;25 Suppl 7:S18-25. PMID 27410467
45. Kavros SJ, Dutra T, Gonzalez-Cruz R, et al. The use of PriMatrix, a fetal bovine acellular dermal matrix, in healing chronic diabetic foot ulcers: a prospective multicenter study. *Adv Skin Wound Care*. Aug 2014;27(8):356- 362. PMID 25033310
46. Karr JC. Retrospective comparison of diabetic foot ulcer and venous stasis ulcer healing outcome between a dermal repair scaffold (PriMatrix) and a bilayered living cell therapy (Apligraf). *Adv Skin Wound Care*. Mar 2011;24(3):119-125. PMID 21326023
47. Niezgoda JA, Van Gils CC, Frykberg RG, et al. Randomized clinical trial comparing OASIS Wound Matrix to Regranex Gel for diabetic ulcers. *Adv Skin Wound Care*. Jun 2005;18(5 Pt 1):258-266. PMID 15942317
48. Uccioli L, Giurato L, Ruotolo V, et al. Two-step autologous grafting using HYAFF scaffolds in treating difficult diabetic foot ulcers: results of a multicenter, randomized controlled clinical trial with long-term follow-up. *The international journal of lower extremity wounds*. Jun 2011;10(2):80-85. PMID 21693443
49. O'Meara S, Cullum N, Nelson EA et al. Compression for venous leg ulcers.. *Cochrane Database Syst Rev*, 2012 Nov 16;11:CD000265. PMID 23152202
50. Falanga V, Margolis D, Alvarez O, et al. Rapid healing of venous ulcers and lack of clinical rejection with an allogeneic cultured human skin equivalent. *Human Skin Equivalent Investigators Group. Arch Dermatol*. Mar 1998;134(3):293-300. PMID 9521027
51. Mostow EN, Haraway GD, Dalsing M, et al. Effectiveness of an extracellular matrix graft (OASIS Wound Matrix) in the treatment of chronic leg ulcers: a randomized clinical trial. *J Vasc Surg*. May 2005;41(5):837-843. PMID 15886669
52. Romanelli M, Dini V, Bertone M, et al. OASIS wound matrix versus Hyaloskin in the treatment of difficult-to-heal wounds of mixed arterial/venous aetiology. *Int Wound J*. Mar 2007;4(1):3-7. PMID 17425543
53. Romanelli M, Dini V, Bertone MS. Randomized comparison of OASIS wound matrix versus moist wound dressing in the treatment of difficult-to-heal wounds of mixed arterial/venous etiology. *Adv Skin Wound Care*. Jan 2010;23(1):34-38. PMID 20101114

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

54. Harding K, Sumner M, Cardinal M. A prospective, multicentre, randomised controlled study of human fibroblast-derived dermal substitute (Dermagraft) in patients with venous leg ulcers. *Int Wound J.* Apr 2013;10(2):132-137. PMID 23506344
55. Cazzell S. A Randomized Controlled Trial Comparing a Human Acellular Dermal Matrix Versus Conventional Care for the Treatment of Venous Leg Ulcers.. *Wounds*, 2019 Feb 6;31(3). PMID 30720443
56. Carsin H, Ainaud P, Le Bever H, et al. Cultured epithelial autografts in extensive burn coverage of severely traumatized patients: a five-year single-center experience with 30 patients. *Burns.* Jun 2000;26(4):379-387. PMID 10751706
57. Lagus H, Sarlomo-Rikala M, Bohling T, et al. Prospective study on burns treated with Integra(R), a cellulose sponge and split-thickness skin graft: comparative clinical and histological study--randomized controlled trial. *Burns.* Dec 2013;39(8):1577-1587. PMID 23880091
58. Branski LK, Herndon DN, Pereira C, et al. Longitudinal assessment of Integra in primary burn management: a randomized pediatric clinical trial. *Crit Care Med.* Nov 2007;35(11):2615-2623. PMID 17828040
59. Heimbach DM, Warden GD, Luterman A, et al. Multicenter postapproval clinical trial of Integra dermal regeneration template for burn treatment. *J Burn Care Rehabil.* Jan-Feb 2003;24(1):42-48. PMID 12543990
60. Lukish JR, Eichelberger MR, Newman KD, et al. The use of a bioactive skin substitute decreases length of stay for pediatric burn patients. *J Pediatr Surg.* Aug 2001;36(8):1118-1121. PMID 11479839
61. Amani H, Dougherty WR, Blome-Eberwein S. Use of Transcyte and dermabrasion to treat burns reduces length of stay in burns of all size and etiology. *Burns.* Nov 2006;32(7):828-832. PMID 16997480
62. Fivenson DP, Scherschun L, Cohen LV. Apligraf in the treatment of severe mitten deformity associated with recessive dystrophic epidermolysis bullosa. *Plast Reconstr Surg.* Aug 2003;112(2):584-588. PMID 12900618
63. Baldursson BT, Kjartansson H, Konradsdottir F, et al. Healing rate and autoimmune safety of full-thickness wounds treated with fish skin acellular dermal matrix versus porcine small intestine submucosa: a noninferiority study. *Int J Low Extrem Wounds.* Mar 2015;14(1):37-43. PMID 25759413
64. Still J, Glat P, Silverstein P, et al. The use of a collagen sponge/living cell composite material to treat donor sites in burn patients. *Burns.* Dec 2003;29(8):837-841. PMID 14636761

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

- 65. Brown-Etris M, Milne CT, Hodde JP. An extracellular matrix graft (Oasis wound matrix) for treating full-thickness pressure ulcers: A randomized clinical trial.. J Tissue Viability, 2018 Dec 5;28(1). PMID 30509850
- 66. Lazic T, Falanga V. Bioengineered skin constructs and their use in wound healing. Plast Reconstr Surg. Jan 2011;127 Suppl 1:75S-90S. PMID 21200276
- 67. Saffle JR. Closure of the excised burn wound: temporary skin substitutes. Clin Plast Surg. Oct 2009;36(4):627-641. PMID 19793557
- 68. National Institute for Health and Care Excellence (NICE). Diabetic Foot Problems: Prevention and Management [NG19]. 2019; <https://www.nice.org.uk/guidance/ng19/evidence>.
- 69. Centers for Medicare & Medicaid Services (CMS). Fact Sheet: CMS finalizes Medicare Hospital Outpatient Prospective Payment System and Ambulatory Surgical Center Payment System changes for 2019 <https://www.cms.gov/newsroom/fact-sheets/cms-finalizes-medicare-hospital-outpatient-prospective-payment-system-and-ambulatory-surgical-center>.
- 70. Centers for Medicare & Medicaid Services (CMS). National Coverage Determination (NCD) for Porcine Skin and Gradient Pressure Dressings (270.5). n.d.; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=139&ncdver=1&bc=AgAAQAAAAAAAA&>.

Policy History

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

- 09/07/2017 Medical Policy Committee review
- 09/20/2017 Medical Policy Implementation Committee approval. New policy.
- 05/03/2018 Medical Policy Committee review
- 05/16/2018 Medical Policy Implementation Committee approval. DermACELL and FlexHD Pliable added to medically necessary statement on breast reconstructive surgery. Integra Flowable Wound Matrix added to medically necessary statement on use of Integra Dermal Regeneration Template for diabetic lower-extremity ulcers. Several products added to investigational list.
- 01/01/2019 Coding update
- 05/02/2019 Medical Policy Committee review

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

05/15/2019 Medical Policy Implementation Committee approval. FlexiGraft removed from investigational statement. This note was added “This MP is not applicable to injection laryngoplasty for the treatment of vocal fold paralysis or paresis.”

05/07/2020 Medical Policy Committee review

05/13/2020 Medical Policy Implementation Committee approval. No change to coverage.

05/06/2021 Medical Policy Committee review

05/12/2021 Medical Policy Implementation Committee approval. New investigational indications added.

08/09/2021 Coding update

Next Scheduled Review Date: 05/2022

Coding

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)†, copyright 2020 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

CPT is a registered trademark of the American Medical Association.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	15271, 15272, 15273, 15274, 15275, 15276, 15277, 15278, 15777, 64910, 64912, 64999
HCPCS	C1849, C9354, C9356, C9358, C9360, C9363, C9364, Q4100, Q4101, Q4102, Q4103, Q4104, Q4105, Q4106, Q4107, Q4108, Q4110, Q4111, Q4112, Q4113, Q4114, Q4115, Q4116, Q4117, Q4118, Q4121, Q4122, Q4123, Q4124, Q4125, Q4126, Q4127, Q4128, Q4130, Q4134, Q4135, Q4136, Q4141, Q4142, Q4143, Q4146, Q4147, Q4149, Q4152, Q4158, Q4161, Q4164, Q4165, Q4166, Q4167, Q4175, Q4179, Q4180, Q4182, Q4193, Q4195, Q4196, Q4197, Q4200, Q4202, Q4203, Q4220, Q4222, Q4226, Q4238, Q4255
ICD-10 Diagnosis	C50.01, C50.111-C50.119, C50.211-C50.219, C50.311-C50.319, C50.411-C50.419, C50.511-C50.519, C50.611-C50.619, C50.811-C50.819, C50.911-C50.919, E08.321-E08.622, E09.621-E09.622, E10.621-E10.622, E11.621-E11.622, E13.621-E13.622, I83.001-I83.029, I83.201-I83.229, Q81.2, T20-T25, Z85.3, Z90.10

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Bioengineered Skin and Soft Tissue Substitutes

Policy # 00572

Original Effective Date: 12/01/2017

Current Effective Date: 08/01/2021

1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
3. Reference to federal regulations.

****Medically Necessary (or “Medical Necessity”)** - Health care services, treatment, procedures, equipment, drugs, devices, items or supplies that a Provider, exercising prudent clinical judgment, would provide to a patient for the purpose of preventing, evaluating, diagnosing or treating an illness, injury, disease or its symptoms, and that are:

- A. In accordance with nationally accepted standards of medical practice;
- B. Clinically appropriate, in terms of type, frequency, extent, level of care, site and duration, and considered effective for the patient's illness, injury or disease; and
- C. Not primarily for the personal comfort or convenience of the patient, physician or other health care provider, and not more costly than an alternative service or sequence of services at least as likely to produce equivalent therapeutic or diagnostic results as to the diagnosis or treatment of that patient's illness, injury or disease.

For these purposes, “nationally accepted standards of medical practice” means standards that are based on credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community, Physician Specialty Society recommendations and the views of Physicians practicing in relevant clinical areas and any other relevant factors.

‡ Indicated trademarks are the registered trademarks of their respective owners.

NOTICE: If the Patient’s health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2021 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.