



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

Based on review of available data, the Company considers insertion of an absorbable lateral nasal implant for the treatment of symptomatic nasal valve collapse to be **investigational**.*

Based on review of available data, the Company considers ablative techniques (e.g. radiofrequency ablation) that create submucosal lesions in the nostril and/or lateral nasal wall for the treatment of symptomatic nasal valve collapse to be **investigational**.*

Based on review of available data, the Company considers all other minimally invasive techniques, including those that do not involve cartilage grafting and/or complex suture techniques (e.g. lateral crural turn in flap), for the treatment of symptomatic nasal valve collapse to be **investigational**.*

Background/Overview

Nasal Obstruction

Nasal obstruction is defined clinically as a patient symptom that presents as a sensation of reduced or insufficient airflow through the nose. Commonly, patients will feel that they have nasal congestion or stuffiness. In adults, clinicians focus the evaluation of important features of the history provided by the patient such as whether symptoms are unilateral or bilateral. Unilateral symptoms are more suggestive of structural causes of nasal obstruction. A history of trauma or previous nasal surgery, especially septoplasty or rhinoplasty, is also important. Diurnal or seasonal variation in symptoms is associated with allergic conditions.

Etiology

Nasal obstruction associated with the external nasal valve is commonly associated with post-rhinoplasty or traumatic sequelae and may require functional rhinoplasty procedures. A common

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

cause of internal nasal valve collapse is a septal deviation. Prior nasal surgery, nasal trauma, and congenital anomaly are additional causes.

Pathophysiology

The internal nasal valve, bordered by the collapsible soft tissue between the upper and lower lateral cartilages, the anterior end of the inferior turbinate, and the nasal septum, forms the narrowest part of the nasal airway. During inspiration, the lateral wall cartilage is dynamic and draws inward toward the septum and the internal nasal valve narrows providing protection to the upper airways. The angle at the junction between the septum and upper lateral cartilage is normally 10° to 15° in white populations. Given that the internal nasal valve accounts for at least half of the nasal airway resistance; even minor further narrowing of this area can lead to symptomatic obstruction for a patient. Damaged or weakened lateral nasal cartilage will further decrease airway capacity of the internal nasal valve area, increasing airflow resistance and symptoms of congestion.

Physical Examination

A thorough physical examination of the nose, nasal cavity and the nasopharynx is generally sufficient to identify the most likely etiology for the nasal obstruction. Both the external and internal nasal valve areas should be examined. The external nasal valve is at the level of the internal nostril. It is formed by the caudal portion of the lower lateral cartilage, surrounding soft tissue and the membranous septum.

The Cottle maneuver is an examination in which the cheek on the symptomatic side is gently pulled laterally with one to two fingers. If the patient is less symptomatic with inspiration during the maneuver, the assumption is that the nasal valve has been widened from a collapsed state or dynamic nasal valve collapse. An individual can perform the maneuver on oneself and it is subjective. A clinician performs the modified Cottle maneuver. A cotton swab or curette is inserted into the nasal cavity to support the nasal cartilage and the patient reports whether there is an improvement in the symptoms with inspiration. In both instances, a change in the external contour of the lateral nose may be apparent to both the patient and the examiner.

Treatment

Treatment of symptomatic nasal valve collapse includes the use of nonsurgical interventions such as the adhesive strips applied externally across the nose (applying the principle of the Cottle maneuver)

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

or use of nasal dilators, cones, or other devices that support the lateral nasal wall internally (applying the principle of the modified Cottle maneuver).

Severe cases of obstruction result from nasal valve deformities are treated with surgical grafting to widen and/or strengthen the valve. Common materials include cartilaginous autografts and allografts, as well as permanent synthetic grafts. Cartilage grafts are most commonly harvested from the patient's nasal septum or ear.

Nasal Implants

The placement of an absorbable implant to support the lateral nasal cartilages has been proposed as an alternative to more invasive grafting procedures in patients with severe nasal obstruction.

Ablative Techniques

The use of ablative technologies, such as radiofrequency ablation, has been proposed as a treatment alternative to grafting procedures in patients with severe nasal obstruction. Typically, several submucosal lesions are created in the nasal ala and/or nasal side wall. It is believed that as these lesions heal over time, there is resultant remodeling of the lateral nasal wall and the generation of scar tissue that adds rigidity and prevents collapse.

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

In May 2016, LATERA^{®‡} (Spirox) was cleared for marketing by the U.S. Food and Drug Administration through the 510(k) process (Food and Drug Administration product code: NHB). LATERA is the only commercially available absorbable nasal implant for the treatment of nasal valve collapse. It is a class II device and regulatory details are summarized in Table 1.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

Table 1. Absorbable Nasal Implant Cleared by the Food and Drug Administration

Product	Manufacturer	Date Cleared	510(k) No.	Indication
LATERA® absorbable nasal implant	Spirox (part of Stryker)	2016	K161191	Supporting nasal upper and lower lateral cartilage

At this time, several different devices are used to create submucosal lesions in the nasal ala and/or nasal sidewall using ablative techniques. Examples include the Aquamantys by Medtronic and Vivaer by Aerin Medical. The Aquamantys system has been used for many years and creates bipolar cautery lesions. Vivaer was designed specifically for the treatment of nasal valve collapse and received Premarket approval from the FDA via the 501(k) pathway in December 2017. FDA approval of Vivaer was obtained through submission of results on 50 patients by Aerin Medical.

Rationale/Source

This medical policy was developed through consideration of peer-reviewed medical literature generally recognized by the relevant medical community, U.S. Food and Drug Administration approval status, nationally accepted standards of medical practice and accepted standards of medical practice in this community, Blue Cross and Blue Shield Association technology assessment program (TEC) and other non-affiliated technology evaluation centers, reference to federal regulations, other plan medical policies, and accredited national guidelines.

Nasal valve collapse is a readily identifiable cause of nasal obstruction. Specifically, the internal nasal valve represents the narrowest portion of the nasal airway with the upper lateral nasal cartilages present as supporting structures. The external nasal valve is an area of potential dynamic collapse that is supported by the lower lateral cartilages. Damaged or weakened cartilage will further decrease airway capacity and increase airflow resistance and may be associated with symptoms of obstruction. Patients with nasal valve collapse may be treated with nonsurgical interventions in an attempt to increase the airway capacity but severe symptoms and anatomic distortion are treated with surgical cartilage graft procedures. The placement of an absorbable implant to support the lateral nasal

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

cartilages has been proposed as an alternative to more invasive grafting procedures in patients with severe nasal obstruction. The concept is that the implant may provide support to the lateral nasal wall prior to resorption and then stiffen the wall with scarring as it is resorbed.

For individuals with symptomatic nasal obstruction due to internal nasal valve collapse who receive treatment with minimally invasive ablative technique, the evidence to date is limited to two industry-sponsored prospective case series evaluating the safety and efficacy of the Vivaer system. Reported was improvement in nasal obstruction, as assessed using the NOSE questionnaire, and relatively high patient satisfaction. Studies were however limited by small number of participants (50 and 31 participants), lack of control group and blinding, and short follow-up period (on average 3-6 months). In addition, both published studies were funded by the manufacturer, Aerin Medical. A sham-controlled randomized study with a larger and more diverse population and longer follow-up is needed. The evidence is insufficient to determine the effects of the technology on health outcomes.

Supplemental Information

Practice Guidelines and Position Statements

American Academy of Otolaryngology-Head Neck Surgery

The American Academy of Otolaryngology-Head Neck Surgery (2010) released a clinical consensus statement on the diagnosis and management of nasal valve compromise. Table 2 summarizes the key consensus statements relevant to this review. The statement also indicated that nasal endoscopy and nasal photography were both deemed useful but not routinely required.

Table 2. Consensus Agreement: Diagnosis and Treatment of NVC

Item	Statement	Level of Consensus
Definition	NVC is a distinct clinical entity separate from other anatomic reasons for nasal obstruction	Agreement/strong agreement

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

History and physical	Main symptom of NVC is decreased airflow as reported by the patient	Strong agreement
	Anterior rhinoscopy can be adequate for an intranasal evaluation of the nasal valve, weak or malformed nasal cartilages	Agreement/strong agreement
	Inspiratory collapse of the lateral nasal wall or alar rim is consistent with NVC	Agreement/strong agreement
	Increased nasal obstruction associated with deep inspiration is consistent with NVC	Agreement/strong agreement
Adjunctive tests	Criterion standard test to diagnose NVC exists	Strong disagreement
Outcome measures	Various patient-reported outcomes (eg, visual analog scales, satisfaction measures, quality of life scales) are valid indicators of successful intervention	General agreement
Management	Nasal strips, stents, or cones can be used to treat some patients	Strong agreement
	A surgical procedure that is intended to support the lateral nasal wall/alar rim is a distinct entity from procedures that correct a	Strong agreement

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

	deviated nasal septum or hypertrophied turbinate	
--	--	--

NVC: nasal valve compromise.

U.S. Preventive Services Task Force Recommendations

Not applicable.

Medicare National Coverage

There is no national coverage determination. In the absence of a national coverage determination, coverage decisions are left to the discretion of local Medicare carriers.

Ongoing and Unpublished Clinical Trials

A search of ClinicalTrials.gov in September 2019 identified an ongoing trial that might influence this review is listed in Table 3.

Table 3. Summary of Key Trials

NCT No.	Trial Name	Planned Enrollment	Completion Date
Ongoing			
NCT03400787 ^a	Latera® Absorbable Nasal Implant vs Sham Control for Lateral Nasal Valve Collapse	150	Feb 2020

NCT: national clinical trial.

^a Denotes industry-sponsored or cosponsored trial.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “Absorbable Nasal Implant for Treatment of Nasal Valve Collapse”, 7.01.163, 11:2019.
2. Eur Arch Otorhinolaryngol. 2019 Apr;276(4):1039-1047. doi: 10.1007/s00405-018-05270-y. Epub 2019 Jan 3. <https://www.ncbi.nlm.nih.gov/pubmed/30607559>
3. Howard BK, Rohrich RJ. Understanding the nasal airway: principles and practice. Plast Reconstr Surg. Mar 2002;109(3):1128-1146; quiz 1145-1146. PMID 11884847
4. Rhee JS, Weaver EM, Park SS, et al. Clinical consensus statement: Diagnosis and management of nasal valve compromise. Otolaryngol Head Neck Surg. Jul 2010;143(1):48-59. PMID 20620619
5. Fraser L, Kelly G. An evidence-based approach to the management of the adult with nasal obstruction. Clin Otolaryngol. Apr 2009;34(2):151-155. PMID 19413614
6. Spirox. Latera. 2017; <http://www.spiroxmed.com/latera>. Accessed September 10, 2018.
7. Stewart MG, Witsell DL, Smith TL, et al. Development and validation of the Nasal Obstruction Symptom Evaluation (NOSE) scale. Otolaryngol Head Neck Surg. Feb 2004;130(2):157-163. PMID 14990910
8. Laryngoscope Investig Otolaryngol. 2019 Feb 4;4(2):211-217. doi: 10.1002/lio2.247. eCollection 2019 Apr. <https://www.ncbi.nlm.nih.gov/pubmed/?term=jacobowitz+radiofrequency+nasal+valve>
9. Lipan MJ, Most SP. Development of a severity classification system for subjective nasal obstruction. JAMA Facial Plast Surg. Sep-Oct 2013;15(5):358-361. PMID 23846399
10. Stolovitzky P, Senior B, Ow RA, et al. Assessment of bioabsorbable implant treatment for nasal valve collapse compared to a sham group: a randomized control trial. Int Forum Allergy Rhinol, 2019 Jun 22;9(8). PMID 31226238
11. Stolovitzky P, Sidle DM, Ow RA, et al. A prospective study for treatment of nasal valve collapse due to lateral wall insufficiency: Outcomes using a bioabsorbable implant. Laryngoscope. May 14 2018. PMID 29756407
12. Sidle DM, Stolovitzky P, Ow RA, et al. Twelve-month outcomes of a bioabsorbable implant for in-office treatment of dynamic nasal valve collapse. Laryngoscope, 2019 Jun 30. PMID 31254279
13. San Nicol M, Stelter K, Sadick H, et al. Absorbable implant to treat nasal valve collapse. Facial Plast Surg. Apr 2017;33(2):233-240. PMID 28388804

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

14. San Nicoló M, Stelter K, Sadick H, et al. A 2-Year Follow-up Study of an Absorbable Implant to Treat Nasal Valve Collapse. *Facial Plast Surg*, 2018 Sep 19;34(5). PMID 30227454

Policy History

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

01/10/2019 Medical Policy Committee review

01/23/2019 Medical Policy Implementation Committee approval. New policy.

01/03/2020 Medical Policy Committee review

01/08/2020 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

12/11/2020 Coding update

Next Scheduled Review Date: 01/2021

Coding

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2019 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	30465, 30999 Code added eff 1/1/2021: 30468
HCPCS	C1889 Code deleted eff 1/1/2021: C9749
ICD-10 Diagnosis	J34.2, J34.89, J34.9

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:
 - 1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
 - 2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
 - 3. Reference to federal regulations.

‡ Indicated trademarks are the registered trademarks of their respective owners.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Minimally Invasive Treatment of Nasal Valve Collapse

Policy # 00657

Original Effective Date: 01/23/2019

Current Effective Date: 01/08/2020

NOTICE: If the Patient's health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.