



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

Based on review of available data, the Company considers proteogenomic testing of patients with cancer (including, but not limited to the GPS Cancer^{TM†} test) for all indications to be **investigational**.*

Policy Guidelines

Proteogenomic testing involves the integration of proteomic, transcriptomic, and genomic information. *Proteogenomic* testing can be differentiated from *proteomic* testing, in that *proteomic* testing can refer to the measurement of protein products alone, without integration of genomic and transcriptomic information. When protein products alone are tested, this is not considered proteogenomic testing.

Genetics Nomenclature Update

The Human Genome Variation Society nomenclature is used to report information on variants found in DNA and serves as an international standard in DNA diagnostics. It is being implemented for genetic testing medical evidence review updates starting in 2017 (see Table PG1). The Society's nomenclature is recommended by the Human Variome Project, the HUman Genome Organization, and by the Human Genome Variation Society itself.

The American College of Medical Genetics and Genomics and the Association for Molecular Pathology standards and guidelines for interpretation of sequence variants represent expert opinion from both organizations, in addition to the College of American Pathologists. These recommendations primarily apply to genetic tests used in clinical laboratories, including genotyping, single genes, panels, exomes, and genomes. Table PG2 shows the recommended standard

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

terminology—"pathogenic," "likely pathogenic," "uncertain significance," "likely benign," and "benign"—to describe variants identified that cause Mendelian disorders.

Table PG1. Nomenclature to Report on Variants Found in DNA

Previous	Updated	Definition
Mutation	Disease-associated variant	Disease-associated change in the DNA sequence
	Variant	Change in the DNA sequence
	Familial variant	Disease-associated variant identified in a proband for use in subsequent targeted genetic testing in first-degree relatives

Table PG2. ACMG-AMP Standards and Guidelines for Variant Classification

Variant Classification	Definition
Pathogenic	Disease-causing change in the DNA sequence
Likely pathogenic	Likely disease-causing change in the DNA sequence
Variant of uncertain significance	Change in DNA sequence with uncertain effects on disease
Likely benign	Likely benign change in the DNA sequence
Benign	Benign change in the DNA sequence

ACMG: American College of Medical Genetics and Genomics; AMP: Association for Molecular Pathology.

Genetic Counseling

Experts recommend formal genetic counseling for patients who are at risk for inherited disorders and who wish to undergo genetic testing. Interpreting the results of genetic tests and understanding risk factors can be difficult for some patients; genetic counseling helps individuals understand the impact of genetic testing, including the possible effects the test results could have on the individual or their family members. It should be noted that genetic counseling may alter the utilization of

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

genetic testing substantially and may reduce inappropriate testing; further, genetic counseling should be performed by an individual with experience and expertise in genetic medicine and genetic testing methods.

Background/Overview

This evidence review provides an overview of the emerging field of proteogenomics, with an emphasis on the currently available proteogenomic test, GPS Cancer test. In addition to focusing on the GPS Cancer test, this review describes and outlines types of proteogenomic research currently reported in the literature and that have potential clinical applications.

Proteogenomics

The term *proteome* refers to the entire complement of proteins produced by an organism or cellular system, and *proteomics* refers to the large-scale comprehensive study of a specific proteome. Similarly, the term *transcriptome* refers to the entire complement of transcription products (messenger RNAs), and *transcriptomics* refers to the study of a specific transcriptome. *Proteogenomics* refers to the integration of genomic information with proteomic and transcriptomic information to provide a more complete picture of the function of the genome.

A system's proteome is related to its genome and genomic alterations. However, while the genome is relatively static over time, the proteome is more dynamic and may vary over time and/or in response to selected stressors. Proteins undergo a number of modifications as part of normal physiologic processes. Following protein translation, modifications occur by splicing events, alternative folding mechanisms, and incorporation into larger complexes and signaling networks. These modifications are linked to protein function and result in functional differences that occur by location and over time.

Some of the main potential applications of proteogenomics in medicine include:

- Identifying biomarkers for diagnostic, prognostic, and predictive purposes
- Detecting cancer by proteomic profiles or "signatures"
- Quantitating levels of proteins and monitoring levels over time for:
 - Cancer activity
 - Early identification of resistance to targeted tumor therapy
- Correlating protein profiles with disease states.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

Proteogenomics is an extremely complex field due to the intricacies of protein architecture and function, the many potential proteomic targets that can be measured, and the numerous testing methods used. Types of targets currently being investigated and the testing methods used and under development next are discussed briefly herein.

Proteomic Targets

A proteomic target can be any altered protein that results from a genetic variant. Protein alterations can result from germline and somatic genetic variants. Altered protein products include mutated proteins, fusion proteins, alternative splice variants, noncoding messenger RNAs, and posttranslational modifications (PTMs).

Mutated Protein (Sequence Alterations)

A mutated protein has an altered amino acid sequence that arises from a genetic variant. A single amino acid may be replaced in a protein or multiple amino acids in the sequence may be affected. Mutated proteins can arise from germline or somatic genetic variants. Somatic variants can be differentiated from germline variants by comparison with normal and diseased tissue.

Fusion Proteins

Fusion proteins are the product of one or more genes that fuse together. Most fusion genes discovered have been oncogenic, and fusion genes have been shown to have clinical relevance in a variety of cancers.

Alternative Splice Events

Posttranslational enzymatic splicing of proteins results in numerous protein isoforms. Alternative splicing events can lead to abnormal protein isoforms with altered function. Some alternative splicing events have been associated with tumor-specific variants.

Noncoding RNAs

Noncoding portions of the genome serve as the template for noncoding RNA (ncRNA), which plays various roles in the regulation of gene expression. There are 2 classes of ncRNA: shorter ncRNAs, which include microRNAs and related transcript products, and longer ncRNAs, which are thought to be involved in cancer progression.

Posttranslational Modifications

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

PTMs of histone proteins occur in normal cells and are genetically regulated. Histone proteins are found in the nuclei and play a role in gene regulation by structuring the DNA into nucleosomes. A nucleosome is composed of a histone protein core surrounded by DNA. Nucleosomes are assembled into chromatin fibers composed of multiple nucleosomes assembled in a specific pattern. PTMs of histone proteins include a variety of mechanisms, including methylation, acetylation, phosphorylation, glycosylation, and related modifications.

Proteogenomic Testing Methods

Proteogenomic testing involves isolating, separating, and characterizing proteins from biologic samples, followed by correlation with genomic and transcriptomic data. Isolation of proteins is accomplished by trypsin digestion and solubilization. The soluble mix of protein isolates is then separated into individual proteins. This is generally done in multiple stages using high-performance liquid chromatography ion-exchange chromatography, 2-dimensional gel electrophoresis, and related methods. Once individual proteins are obtained, they may be characterized using various methods and parameters, some of which we describe below. There is literature addressing the analytic validity of these testing techniques.

Immunohistochemistry and Fluorescence in situ Hybridization

Immunohistochemistry (IHC) and fluorescence in situ hybridization are standard techniques for isolating and characterizing proteins. IHC identifies proteins by using specific antibodies that bind to the protein. Therefore, this technique can only be used for known proteins and protein variants because it relies on the availability of a specific antibody. This technique also can only test a relatively small number of samples at once.

There are a number of reasons why IHC and fluorescence in situ hybridization are not well-suited for large-scale proteomic research. They are semiquantitative techniques and involve subjective interpretation. They are considered low-throughput assays that are time-consuming and expensive and require a relatively large tissue sample. Some advances in IHC and fluorescence in situ hybridization have addressed these limitations, including tissue microarray and reverse phase protein array.

- Tissue microarrays can be constructed that enable simultaneous analysis of up to 1000 tissue samples.
- Reverse phase protein array, a variation on tissue microarrays, allows for a large number of proteins to be quantitated simultaneously.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

Mass Spectrometry

Mass spectrometry (MS) separates molecules by their mass to charge ratio and has been used as a research tool for studying proteins for many years. Development of technology that led to the application of MS to biologic samples has advanced the field of proteogenomics rapidly. However, the application of MS to clinical medicine is in its formative stages. There are currently several types of mass spectrometers and a lack of standardization in the testing methods. Additionally, MS equipment is expensive and currently largely restricted to tertiary research centers.

The potential utility of MS lies in its ability to provide a wide range of proteomic information efficiently, including:

- Identification of altered proteins;
- Delineation of protein or peptide profiles for a given tissue sample;
- Amino acid sequencing of proteins or peptides;
- Quantitation of protein levels;
- 3-dimensional protein structure and architecture; and
- Identification of PTMs.

MS Sampling Applications

"Top-down" MS refers to identification and characterization of all proteins in a sample without prior knowledge of which proteins are present. This method provides a profile of all proteins in a system, including documentation of PTMs and other protein isoforms. This method, therefore, provides a protein "profile" or "map" of a specific system. Following initial analysis, intact proteins can be isolated and further analyzed to determine amino acid sequences and related information.

"Bottom-up" MS refers to the identification of known proteins in a sample. This method identifies peptide fragments that indicate the presence of a specific protein. This method depends on having peptide fragments that can reliably identify a specific protein. Selective reaction monitoring MS is a bottom-up modification of MS that allows for direct quantification and specific identification of low-abundance proteins without the need for specific antibodies. This method requires the selection of a peptide fragment or "signature" that is used to target the specific protein. Multiplex assays have also been developed to quantitate the epidermal growth factor receptor, human epidermal growth factor receptors 2 and 3, and insulin-like growth factor-1 receptor.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

Bioinformatics

Due to the complexity of proteomic information, the multiple tests used, and the need to integrate this information with other genomic data, a bioinformatics approach is necessary to interpret proteogenomic data. Software programs integrate and assist in the interpretation of the vast amounts of data generated by proteogenomics research. One software platform that integrates genomic and proteomic information is PARADIGM, which is used by The Cancer Genome Atlas (TCGA) project for data analysis. Other software tools currently available include:

- The Genome Peptide Finder matches the amino acid sequence of peptides predicted de novo with the genome sequence.
- The Proteogenomic Mapping Tool is an academic software for mapping peptides to the genome.
- Peppy is an automated search tool that generates proteogenomic data from translated databases and integrates this information for analysis.
- VESPA is a software tool that integrates data from various platforms and provides a visual display of integrated data.

Ongoing Proteogenomic Database Projects

Table 1 lists some of the ongoing databases being constructed for proteogenomic research. There are also networks of researchers coordinating their activities in this field. The Clinical Proteomic Tumor Analysis Consortium is a coordinated project among 8 sites sponsored by the National Cancer Institute. This project seeks to characterize the genomic and transcriptomic profiles of common cancers systematically. This consortium has cataloged proteomic information for several types of cancers including breast, colon, and ovarian cancers. All project data are freely available.

Many existing genomic databases have begun to incorporate proteomic information. TCGA intends to profile changes in the genomes of 33 different cancers. As part of its analysis, messenger RNA expression is used to help define signaling pathways that are either upregulated or deregulated in conjunction with genetic variations. Currently, TCGA has published comprehensive molecular characterizations of multiple cancers, including breast, colorectal, lung, gliomas, renal, and endometrial cancers.

Table 1. Proteogenomic Databases

Name	Description
------	-------------

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

Human Protein Reference Database	Centralized platform integrating information related to protein structure alterations, posttranslational modifications, interaction networks, and disease association. The intent is to catalog this information for each protein in the human proteome. Data are compiled from published literature and publicly available databases.
Human Cancer Proteome Variation Database (CanProVar)	Protein sequence database that integrates information from various publicly available datasets into 1 platform. Contains germline and somatic variants with an emphasis on cancer-related variants.
Cancer Mutant Proteome Database (CMPD)	Protein sequence database compiled from the exome sequencing results of the NCI-60 cell lines, CCLE, and 5600 cases from TCGA network genomics studies. Contains germline and somatic variants with an emphasis on cancer-related variants.
The Synthetic Alternative Splicing Database (SASD)	A comprehensive database of alternative splicing peptides and transcript products constructed from the Integrated Pathway Analysis Database
IncRNATOR	Database of long noncoding RNA integrating data from multiple datasets including TCGA and ENCODE
CPTAC Data Portal	Centralized data repository for proteomic data collected by Proteome Characterization Centers in the CPTAC. The portal hosts >6.3 TB of data and includes proteomics, transcriptomics, and genomics data of breast, colorectal, and ovarian tumor tissues from TCGA.

CCLE: Cancer Cell Line Encyclopedia; CPTAC: Clinical Proteomic Tumor Analysis Consortium; TCGA: The Cancer Genome Atlas.

GPS Cancer Test

The GPS Cancer test is a commercially available proteogenomic test intended for patients with cancer. The test includes whole-genome sequencing (20,000 genes, 3 billion base pairs), whole transcriptome (RNA) sequencing, and quantitative proteomics by mass spectrometry. The test is

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

intended to inform personalized treatment decisions for cancer, and treatment options are provided when available, although treatment recommendations are not. Treatment options may include U.S. Food and Drug Administration-approved targeted drugs with potential for clinical benefit, active clinical trials of drugs with potential for clinical benefit, and/or available drugs to which cancer may be resistant.

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

Clinical laboratories may develop and validate tests in-house and market them as a laboratory service; laboratory-developed tests must meet the general regulatory standards of the Clinical Laboratory Improvement Act. The GPS Cancer™‡ test (NantHealth) is available under the auspices of Clinical Laboratory Improvement Amendments. Laboratories that offer laboratory-developed tests must be licensed by Clinical Laboratory Improvement Amendments for high-complexity testing. To date, the U.S. FDA has chosen not to require any regulatory review of this test.

Rationale/Source

Proteogenomics refers to the integration of genomic information with proteomic and transcriptomic information to provide a more complete picture of genome function. The current focus of proteogenomics is primarily on the diagnostic, prognostic, and predictive potential of proteogenomics in various cancers. One commercial proteogenomic test is available, the GPS Cancer test.

For individuals who have cancer and indications for genetic testing who receive proteogenomic testing (eg, GPS Cancer test), the evidence includes cross-sectional studies that correlate results with standard testing and that report comprehensive molecular characterization of various cancers, and cohort studies that use proteogenomic markers to predict outcomes and that follow quantitative levels over time. Relevant outcomes are overall survival, disease-specific survival, test accuracy and validity, and treatment-related mortality and morbidity. There is no published evidence on the clinical validity or utility of the GPS Cancer test. For proteogenomic testing in general, the research is at an early stage. Very few studies have used proteogenomic tumor markers for diagnosis or prognosis, and at least 1 study has reported following quantitative protein levels for surveillance purposes. Further research is needed to standardize and validate proteogenomic testing methods. Once standardized and validated testing methods are available, the clinical validity and utility of

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

proteogenomic testing can be adequately evaluated. The evidence is insufficient to determine the effect of the technology on health outcomes.

Supplemental Information

Practice Guidelines and Position Statements

No guidelines or statements were identified.

U.S. Preventive Services Task Force Recommendations

Not applicable.

Medicare National Coverage

There is no national coverage determination. In the absence of a national coverage determination, coverage decisions are left to the discretion of local Medicare carriers.

Ongoing and Unpublished Clinical Trials

Some currently unpublished trials that might influence this review are listed in Table 2.

Table 2. Summary of Key Trials

NCT No.	Trial Name	Planned Enrollment	Completion Date
Ongoing			
NCT03073473 ^a	Quantitative Targeted Proteomics Detected by Mass Spectrometry With Whole Genome (DNA) and Whole Transcriptome (RNA) Sequencing in Advanced Cancers	640	Feb 2019*
NCT01840293	Breast Cancer Proteomics and Molecular Heterogeneity	1780	Feb 2023

NCT: national clinical trial.

^a Denotes industry-sponsored or cosponsored trial.

*=Status: Terminated July 2018 due to poor accrual.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “Proteogenomic Testing for Patients With Cancer (GPS Cancer Test)”, Policy #2.04.140, July 2019.
2. National Cancer Institute OoCCPR. Background. n.d.; <https://proteomics.cancer.gov/proteomics/background>
3. Gregorich ZR, Ge Y. Top-down proteomics in health and disease: challenges and opportunities. *Proteomics*. May 2014;14(10):1195-1210. PMID 24723472
4. Subbannayya Y, Pinto SM, Gowda H, et al. Proteogenomics for understanding oncology: recent advances and future prospects. *Expert Rev Proteomics*. Mar 2016;13(3):297-308. PMID 26697917
5. Hudler P, Videtic Paska A, Komel R. Contemporary proteomic strategies for clinical epigenetic research and potential impact for the clinic. *Expert Rev Proteomics*. Apr 2015;12(2):197-212. PMID 25719543
6. Catenacci DV, Liao WL, Thyparambil S, et al. Absolute quantitation of Met using mass spectrometry for clinical application: assay precision, stability, and correlation with MET gene amplification in FFPE tumor tissue. *PLoS One*. Jul 1 2014;9(7):e100586. PMID 24983965
7. Catenacci DV, Liao WL, Zhao L, et al. Mass-spectrometry-based quantitation of Her2 in gastroesophageal tumor tissue: comparison to IHC and FISH. *Gastric Cancer*. Oct 2016;19(4):1066-1079. PMID 26581548
8. Hembrough T, Thyparambil S, Liao WL, et al. Application of selected reaction monitoring for multiplex quantification of clinically validated biomarkers in formalin-fixed, paraffin-embedded tumor tissue. *J Mol Diagn*. Jul 2013;15(4):454-465. PMID 23672976
9. Cancer Genome Atlas Network. Comprehensive molecular characterization of human colon and rectal cancer. *Nature*. Jul 18 2012;487(7407):330-337. PMID 22810696
10. Specht M. Genomic Peptide Finder. 2012; <http://specht.github.io/gpf/>. Accessed May 31, 2018.
11. Sanders WS, Wang N, Bridges SM, et al. The proteogenomic mapping tool. *BMC Bioinformatics*. Apr 22 2011;12:115. PMID 21513508
12. Geneffects. Peppy - proteogenomic, proteomic search tool. 2012; <http://www.geneffects.com/peppy>.
13. Pacific Northwest National Laboratory. VESPA. n.d.; <http://cbb.pnl.gov/portal/software/vespa.html>.
14. Edwards NJ, Oberti M, Thangudu RR, et al. The CPTAC Data Portal: a resource for cancer proteomics research. *J Proteome Res*. Jun 5 2015;14(6):2707-2713. PMID 25873244

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

15. Cancer Genome Atlas Network. Comprehensive molecular portraits of human breast tumours. *Nature*. Oct 4 2012;490(7418):61-70. PMID 23000897
16. Cancer Genome Atlas Research Network. Comprehensive molecular profiling of lung adenocarcinoma. *Nature*. Jul 31 2014;511(7511):543-550. PMID 25079552
17. Cancer Genome Atlas Research Network, Brat DJ, Verhaak RG, et al. Comprehensive, integrative genomic analysis of diffuse lower-grade gliomas. *N Engl J Med*. Jun 25 2015;372(26):2481-2498. PMID 26061751
18. Cancer Genome Atlas Research Network, Linehan WM, Spellman PT, et al. Comprehensive molecular characterization of papillary renal-cell carcinoma. *N Engl J Med*. Jan 14 2016;374(2):135-145. PMID 26536169
19. Cancer Genome Atlas Research Network, Kandoth C, Schultz N, et al. Integrated genomic characterization of endometrial carcinoma. *Nature*. May 2 2013;497(7447):67-73. PMID 23636398
20. Pandey Lab and Institute of Bioinformatics. Human Protein Reference Database. n.d.; <http://www.hprd.org/>.
21. Keshava Prasad TS, Goel R, Kandasamy K, et al. Human Protein Reference Database--2009 update. *Nucleic Acids Res*. Jan 2009;37(Supp 1):D767-772. PMID 18988627
22. Li J, Duncan DT, Zhang B. CanProVar: a human cancer proteome variation database. *Hum Mutat*. Mar 2010;31(3):219-228. PMID 20052754
23. Chang Gung Bioinformatics Center. Cancer Mutant Proteome Database. 2014; <http://120.126.1.62/cmpd/>.
24. Huang PJ, Lee CC, Tan BC, et al. CMPD: cancer mutant proteome database. *Nucleic Acids Res*. Jan 2015;43(D1):D849-855. PMID 25398898
25. University of North Texas Health Science Center. Synthetic Alternative Splicing Database. 2013; <http://bioinfo.hsc.unt.edu/sasd/>.
26. EWHA Research Center for Systems Biology. IncRNAator. n.d.; <http://Incrnator.ewha.ac.kr/index.htm>.
27. Rudnick PA, Markey SP, Roth J, et al. A description of the Clinical Proteomic Tumor Analysis Consortium (CPTAC) common data analysis pipeline. *J Proteome Res*. Mar 04 2016;15(3):1023-1032. PMID 26860878
28. Center for Strategic Scientific Initiatives. CPTAC Data Portal Overview. 2018; <https://cptac-data-portal.georgetown.edu/cptacPublic/>.
29. NantHealth. GPS Cancer. n.d.; <http://nanthealth.com/gps-cancer/>.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

30. Yau C, Meyer L, Benz S, et al. FOXM1 cistrome predicts breast cancer metastatic outcome better than FOXM1 expression levels or tumor proliferation index. *Breast Cancer Res Treat.* Nov 2015;154(1):23-32. PMID 26456572
31. Sellappan S, Blackler A, Liao WL, et al. Therapeutically induced changes in HER2, HER3, and EGFR protein expression for treatment guidance. *J Natl Compr Canc Netw.* May 2016;14(5):503-507. PMID 27160229
32. Latonen L, Afyounian E, Jylha A, et al. Integrative proteomics in prostate cancer uncovers robustness against genomic and transcriptomic aberrations during disease progression. *Nat Commun.* Mar 21 2018;9(1):1176. PMID 29563510

Policy History

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

- 08/04/2016 Medical Policy Committee review
- 08/17/2016 Medical Policy Implementation Committee approval. New Policy
- 01/01/2017 Coding update: Removing ICD-9 Diagnosis Codes
- 08/03/2017 Medical Policy Committee review
- 08/23/2017 Medical Policy Implementation Committee approval. Added “for all other indications” to coverage statement.
- 08/09/2018 Medical Policy Committee review
- 08/15/2018 Medical Policy Implementation Committee approval. Policy revised with updated genetics nomenclature. Policy statement unchanged. Title shortened to “Proteogenomic Testing for Patients With Cancer.”
- 08/01/2019 Medical Policy Committee review
- 08/14/2019 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 08/06/2020 Medical Policy Committee review
- 08/12/2020 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

Next Scheduled Review Date: 08/2021

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

Coding

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2019 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	0053U, 81479
HCPCS	No codes
ICD-10 Diagnosis	All related diagnoses

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Proteogenomic Testing for Patients With Cancer

Policy # 00512

Original Effective Date: 08/17/2016

Current Effective Date: 09/14/2020

standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:
 1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
 2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
 3. Reference to federal regulations.

‡ Indicated trademarks are the registered trademarks of their respective owners.

NOTICE: If the Patient's health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.