



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

Based on review of available data, the Company considers quantitative electroencephalographic-based assessment of the theta/beta ratio as a diagnostic aid for attention deficit/hyperactivity disorder (ADHD) to be **investigational**.*

Background/Overview

Attention-Deficit/Hyperactivity Disorder

ADHD is common in children, adolescents, and adults, and is defined by pervasive symptoms of inattention and/or hyperactivity-impulsivity, which lead to impairment in at least two domains of the work, school, or home environments. Stimulant medications reduce symptoms associated with ADHD, although there are concerns about the potential for over diagnosis and overprescribing of medication.

Diagnosis

Presently, ADHD is diagnosed clinically by assessing behavioral symptoms and impairment via interviews and standard questionnaires. Diagnosis can be challenging because the core symptoms are nonspecific. They may be present in other psychiatric disorders (eg, learning disabilities, conduct disorders, affective disorders) or result from environmental influences such as a lack of discipline. Also, ADHD is a heterogeneous disorder with multiple subtypes and frequently coexists with other psychiatric disorders.

There has been substantial research done over the last several decades on whether electroencephalography (EEG)-derived brain wave patterns in patients with ADHD differ from those

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

without ADHD. EEG patterns are typically categorized into 4 frequency ranges: delta (<4 Hz), theta (4-7 Hz), alpha (8-12 Hz), and beta (13-25 Hz). The largest focus of research on brain wave patterns in ADHD has been on whether there are increased theta wave activity and an increased theta/beta ratio in ADHD patients.

The Neuropsychiatric EEG-based ADHD Assessment Aid (NEBA) system is a specific quantitative electroencephalography (QEEG) system that measures the resting theta/beta ratio of the EEG with an electrode located at the central midline position (referred to as position CZ in the international 10-20 EEG system). QEEG uses computer analysis with the mathematical transformation from the time domain into the frequency domain (fast-Fourier transform) to determine the total power at each frequency. The relative power of the waveform can then be calculated in relation to the total power of the four frequency ranges. The NEBA system uses proprietary cutoffs to generate an estimate of the likelihood of ADHD based on the resting theta/beta ratio.

It is proposed that the NEBA system can be used to confirm a clinical diagnosis or support further testing in children and adolescents with ADHD. The system is not intended to evaluate patients for whom the clinician's diagnosis of ADHD is negative, and the system does not generate an interpretive report in this situation. It is also proposed that the clinician's diagnostic impression plus the results generated by the NEBA system may reduce the potential for over diagnosis of ADHD, and thereby reduce the risks of administering unnecessary pharmacologic therapy in the intended-use population. Also, as a result of research on EEG brain waves in ADHD, neurofeedback has been developed as a potential treatment for ADHD. This treatment employs principles of biofeedback using EEG brain wave activity and attempts to alter the brainwave patterns in beneficial ways.

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

In 2011, the generic device Neuropsychiatric Interpretive Electroencephalograph Assessment Aid was granted a de novo 510(k) classification by the U.S. FDA; class II, special controls, product code: NCG). According to the FDA documentation, a neuropsychiatric interpretive electroencephalograph assessment aid is a device prescribed by a physician that uses a patient's electroencephalogram to

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

provide an interpretation of the patient's neuropsychiatric condition. In addition to the general controls, approval of these devices is subject to a number of special controls, including the following:

- Clinical performance testing must demonstrate the accuracy, precision, and reproducibility of the EEG-based interpretation, including any specified equivocal ones (cutoffs).
- Clinical performance testing must demonstrate the ability of the device to function as an assessment aid for the medical condition for which the device is indicated. Performance measures must demonstrate device performance characteristics per the intended use in the intended use environment. Performance measurements must include sensitivity, specificity, positive predictive value, and negative predictive value per the device intended use. Repeatability of measurement must be demonstrated using interclass correlation coefficients and illustrated by qualitative scatterplots.
- The device design must include safeguards to prevent device use as a stand-alone diagnostic.
- The labeling must bear all information required for the safe and effective use of the device.

In 2013, the Neuropsychiatric EEG-based Assessment Aid (NEBA^{®†}; Lexicor Medical Technology) for ADHD was granted a de novo 510(k) classification by the FDA (K112711). The device is indicated to measure the theta/beta ratio of the electroencephalogram at electrode CZ on patients 6 to 17 years of age, combined with a clinician's evaluation, to aid in the diagnosis of ADHD. NEBA should only be used by a clinician as confirmatory support for a completed clinical evaluation or as support for the clinician's decision to pursue further testing following clinical evaluation. The device is not intended as a stand-alone tool in the evaluation or diagnosis of ADHD.

The Lexicor QEEG system is marketed as a diagnostic aid for ADHD. Lexicor Medical Technology provides an Internet analysis service of the QEEG, producing a DataLex report. FDA product code: NCG.

Rationale/Source

Patients with ADHD may have alterations in their brain wave patterns that can be measured by quantitative electroencephalography. A commercially available system, the Neuropsychiatric EEG-based ADHD Assessment Aid, measures the resting theta/beta ratio of

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

the electroencephalogram. This technology is being evaluated to aid in the diagnosis of ADHD in adolescents and children for whom there is a clinical suspicion of ADHD.

For individuals suspected of having ADHD who received quantitative electroencephalography, the evidence includes a number of studies on brain wave patterns, particularly the theta/beta ratio. The relevant outcomes are symptoms, functional outcomes, and medication use. Numerous studies have evaluated brain wave patterns with standard electroencephalography equipment, and a pivotal trial, submitted to the U.S.FDA, measured the theta/beta ratio with the Neuropsychiatric EEG-based ADHD Assessment Aid system. In the pivotal trial, both the specificity and positive predictive value of quantitative electroencephalography were high. The reclassification analysis would suggest that a negative Neuropsychiatric EEG-based ADHD Assessment Aid might make ADHD less likely, although it is not clear from this study whether the consensus diagnosis was more accurate than the initial clinical diagnosis that included patient interview and parent rating scales. The larger body of evidence also raises questions about the utility of measuring the theta/beta ratio because it has not been a consistent finding across studies. Given the uncertainty of an increase in the theta/beta ratio in patients with ADHD, additional study is needed to determine whether a low theta/beta ratio can identify children and adolescents who are unlikely to have ADHD. Also, the effect of the test on patient outcomes would allow greater certainty regarding the usefulness of this test. The evidence is insufficient to determine the effects of the technology on health outcomes.

Supplemental Information

Practice Guidelines and Position Statements

American Association of Pediatrics

The American Association of Pediatrics' (2011) practice guidelines on the diagnosis, evaluation, and treatment of ADHD indicated that to make a diagnosis of ADHD, the primary care clinician should determine that *Diagnostic and Statistical Manual of Mental Disorders, 4th Edition, Text Revision*, criteria have been met (including documentation of impairment in more than 1 major setting), and information should be obtained primarily from reports from parents or guardians, teachers, and other school and mental health clinicians involved in the child's care. The primary care clinician should also rule out any alternative cause (quality of evidence B/strong recommendation). Assessment by quantitative electroencephalography was not mentioned in these guidelines.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

American Academy of Neurology

The American Academy of Neurology (2016) released a technology report on quantitative electroencephalography for ADHD. The main conclusion of the report was that it remains “unknown whether a combination of standard clinical examination and EEG [electroencephalography] theta/beta power ratio increases diagnostic certainty of ADHD compared with clinical examination alone.”

U.S. Preventive Services Task Force Recommendations

Not applicable.

Medicare National Coverage

There is no national coverage determination. In the absence of a national coverage determination, coverage decisions are left to the discretion of local Medicare carriers.

Ongoing and Unpublished Clinical Trials

A search of [ClinicalTrials.gov](https://clinicaltrials.gov) in August 2019 did not identify any ongoing or unpublished trials that would likely influence this review.

References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder”, Policy 3.01.03, 11:2019.
2. Blue Cross and Blue Shield Association Technology Evaluation Center (TEC). Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder. TEC Assessments. 2014;Volume 29:Tab 1.
3. Food and Drug Administration. De novo classification request for Neuropsychiatric EEG-Based Assessment Aid for ADHD (NEBA) System (K112711). 2013; https://www.accessdata.fda.gov/cdrh_docs/reviews/K112711.pdf.
4. Snyder SM, Rugino TA, Hornig M, et al. Integration of an EEG biomarker with a clinician's ADHD evaluation. *Brain Behav.* Apr 2015;5(4):e00330. PMID 25798338.
5. Snyder SM, Hall JR. A meta-analysis of quantitative EEG power associated with attention-deficit hyperactivity disorder. *J Clin Neurophysiol.* Oct 2006;23(5):440-455. PMID 17016156.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

6. Boutros N, Fraenkel L, Feingold A. A four-step approach for developing diagnostic tests in psychiatry: EEG in ADHD as a test case. *J Neuropsychiatry Clin Neurosci*. Fall 2005;17(4):455-464. PMID 16387983.
7. Liechti MD, Valko L, Muller UC, et al. Diagnostic value of resting electroencephalogram in attention-deficit/hyperactivity disorder across the lifespan. *Brain Topogr*. Jan 2013;26(1):135-151. PMID 23053601.
8. Ogrim G, Kropotov J, Hestad K. The quantitative EEG theta/beta ratio in attention deficit/hyperactivity disorder and normal controls: sensitivity, specificity, and behavioral correlates. *Psychiatry Res*. Aug 15 2012;198(3):482-488. PMID 22425468.
9. Clarke AR, Barry RJ, Dupuy FE, et al. Behavioural differences between EEG-defined subgroups of children with attention-deficit/hyperactivity disorder. *Clin Neurophysiol*. Jul 2011;122(7):1333-1341. PMID 21247797.
10. Clarke AR, Barry RJ, Dupuy FE, et al. Excess beta activity in the EEG of children with attention-deficit/hyperactivity disorder: a disorder of arousal? *Int J Psychophysiol*. Sep 2013;89(3):314-319. PMID 23619205.
11. Kim J, Lee Y, Han D, et al. The utility of quantitative electroencephalography and Integrated Visual and Auditory Continuous Performance Test as auxiliary tools for the Attention Deficit Hyperactivity Disorder diagnosis. *Clin Neurophysiol*. Mar 2015;126(3):532-540. PMID 25088931.
12. Snyder SM, Quintana H, Sexson SB, et al. Blinded, multi-center validation of EEG and rating scales in identifying ADHD within a clinical sample. *Psychiatry Res*. Jun 30 2008;159(3):346-358. PMID 18423617.
13. Sangal RB, Sangal JM. Use of EEG beta-1 power and theta/beta ratio over Broca's area to confirm diagnosis of attention deficit/hyperactivity disorder in children. *Clin EEG Neurosci*. Jul 2015;46(3):177-182. PMID 24973230.
14. Subcommittee on Attention-Deficit/Hyperactivity Disorder Steering Committee on Quality Improvement Management, Wolraich M, Brown L, et al. ADHD: clinical practice guideline for the diagnosis, evaluation, and treatment of attention-deficit/hyperactivity disorder in children and adolescents. *Pediatrics*. Nov 2011;128(5):1007-1022. PMID 22003063.
15. Gloss D, Varma JK, Pringsheim T, et al. Practice advisory: The utility of EEG theta/beta power ratio in ADHD diagnosis: Report of the Guideline Development, Dissemination, and Implementation Subcommittee of the American Academy of Neurology. *Neurology*. Nov 29 2016;87(22):2375-2379. PMID 27760867.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

Policy History

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

- 12/03/2015 Medical Policy Committee review
- 12/16/2015 Medical Policy Implementation Committee approval. New Policy.
- 12/01/2016 Medical Policy Committee review
- 12/21/2016 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 01/01/2017 Coding update: Removing ICD-9 Diagnosis Codes
- 12/07/2017 Medical Policy Committee review
- 12/20/2017 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 12/06/2018 Medical Policy Committee review
- 12/19/2018 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 12/05/2019 Medical Policy Committee review
- 12/11/2019 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 12/03/2020 Medical Policy Committee review
- 12/09/2020 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

Next Scheduled Review Date: 12/2021

Coding

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2019 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	95700, 95705, 95706, 95707, 95708, 95709, 95710, 95711, 95712, 95713, 95714, 95715, 95716, 95717, 95718, 95719, 95720, 95721, 95722, 95723, 95724, 95725, 95726, 95812, 95813, 95816, 95819, 95957
HCPCS	No codes
ICD-10 Diagnosis	F90.0-F90.9

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety,

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Quantitative Electroencephalography as a Diagnostic Aid for Attention-Deficit/Hyperactivity Disorder

Policy # 00444

Original Effective Date: 12/16/2015

Current Effective Date: 01/11/2021

effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:

1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
3. Reference to federal regulations.

‡ Indicated trademarks are the registered trademarks of their respective owners.

NOTICE: If the Patient's health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.