



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

Note: Recombinant and Autologous Platelet Derived Growth Factors for Wound Healing and Other Non Orthopedic Conditions is addressed separately in medical policy 00262.

Note: Progenitor Cell Therapy for the Treatment of Damaged Myocardium due to Ischemia is addressed separately in medical policy 00486.

Note: Orthopedic Applications of Stem Cell Therapy (Including Allograft and Bone Substitute Products Used With Autologous Bone Marrow) is addressed separately in medical policy 00258.

Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

Based on review of available data, the Company considers the treatment of peripheral arterial disease (PAD), including critical limb ischemia, with injection or infusion of stem cells from concentrated bone marrow, expanded in vitro, stimulated from peripheral blood, or from an allogeneic source to be **investigational**.*

Background/Overview

Peripheral Arterial Disease

PAD is a common atherosclerotic syndrome associated with significant morbidity and mortality. A less common cause of PAD is Buerger disease (also called thromboangiitis obliterans), which is a non atherosclerotic segmental inflammatory disease that occurs in younger patients and is associated with tobacco use. The development of PAD is characterized by narrowing and occlusion of arterial vessels and eventual reduction in distal perfusion. Critical limb ischemia is the end stage of lower-extremity PAD in which severe obstruction of blood flow results in ischemic pain at rest, ulcers, and a significant risk for limb loss.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

Physiology

Two endogenous compensating mechanisms may occur with occlusion of arterial vessels: capillary growth (angiogenesis) and development of collateral arterial vessels (arteriogenesis). Capillary growth is mediated by the hypoxia-induced release of chemokines and cytokines such as vascular endothelial growth factor and occurs by sprouting of small endothelial tubes from preexisting capillary beds. The resulting capillaries are small and cannot sufficiently compensate for a large occluded artery. Arteriogenesis with collateral growth is, in contrast, initiated by increasing shear forces against vessel walls when blood flow is redirected from the occluded transport artery to the small collateral branches, leading to an increase in the diameter of preexisting collateral arterioles.

The mechanism underlying arteriogenesis includes the migration of bone marrow derived monocytes to the perivascular space. The bone marrow derived monocytes adhere to and invade the collateral vessel wall. It is not known if the expansion of the collateral arteriole is due to the incorporation of stem cells into the wall of the vessel or to cytokines released by monocytic bone marrow cells that induce the proliferation of resident endothelial cells. It has been proposed that bone marrow derived monocytic cells may be the putative circulating endothelial progenitor cells. Notably, the same risk factors for advanced ischemia (diabetes, smoking, hyperlipidemia, advanced age) are also risk factors for a lower number of circulating progenitor cells.

Treatment

Use of autologous stem cells freshly harvested and allogeneic stem cells are reported to have a role in the treatment of peripheral arterial disease. Stem cell can be administered in a variety of routes, derived from different progenitors, and be grouped with different co-factors, many of which are being studied in order to determine the best clinical option for patients. The primary outcome in stem cell therapy trials regulated by the U.S. Food and Drug Administration is amputation-free survival, defined as time to major amputation and/or death from any cause. Other outcomes for critical limb ischemia include the Rutherford criteria for limb status, healing of ulcers, the Ankle-Brachial Index, transcutaneous oxygen pressure, and pain-free walking. The Ankle-Brachial Index measures arterial segmental pressures on the ankle and brachium and indexes ankle systolic pressure against brachial systolic pressure (normative range, 0.95-1.2 mm Hg).

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

Six point-of-care concentrations of bone marrow aspirate have been cleared by the Food and Drug Administration through the 510(k) process and summarized in Table 1.

Table 1. FDA Approved Point-of-Care Concentration of Bone Marrow Aspirate Devices

Device	Manufacturer	Location	Date Cleared	510(k) No.
The SmarktPReP2 [®] Bone Marrow Aspirate Concentrate System, SmarktPReP Platelet Concentration System	Harvest Technologies	Lakewood, CO	12/06/2010	K103340
MarrowStim Concentration System (MSC system)	Biomet Biologics, Inc	Warsaw, IN	12/18/2009	BK090008
PureBMC SupraPhysiologic Concentrating System	EmCyte Corporation [®]	Fort Myers, Florida	5/30/2019	K183205
Arthrex Angel System Kit	Arthrex, Inc.	Naples, Florida	5/23/2018	BK180180
Magellan [®] Autologous Platelet Separator System	Arteriocyte Medical Systems (Medtronic)	Memphis, TN	11/09/2004	BK040068
BioCUE Platelet Concentration Kit	Biomet Biologics, Inc.	Warsaw, IN	5/26/2010	BK1000027

Food and Drug Administration product code: JQC.

Rationale/Source

Critical limb ischemia due to peripheral arterial disease results in pain at rest, ulcers, and significant risk for limb loss. Injection or infusion of stem cells, either concentrated from bone marrow, expanded in vitro, stimulated from peripheral blood, or from an allogeneic source, is being evaluated for the treatment of critical limb ischemia. For individuals who have peripheral arterial disease who receive stem cell therapy, the evidence includes small randomized trials, systematic reviews, retrospective reviews, and case series. The relevant outcomes are overall survival, symptoms, change in disease status, morbid events, functional outcomes, quality of life, and treatment-related morbidity. The current literature on stem cells as a treatment for critical limb ischemia due to

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

peripheral arterial disease consists primarily of phase 2 studies using various cell preparation methods and methods of administration. A meta-analysis of the trials with the lowest risk of bias has shown no significant benefit of stem cell therapy for overall survival, amputation-free survival, or amputation rates. Three randomized controlled trials have been published that used granulocyte colony-stimulating factor mobilized peripheral mononuclear cells. The route of administration of cell therapy and the primary outcomes differed between studies. In the trial that added cell therapy to guideline-based care, there were no significant differences in progression-free survival and frequency of limb amputation at one year of follow-up. There was a substantial rate of subsequent surgical intervention in both arms. Well-designed randomized controlled trials with a larger number of subjects and low-risk of bias are needed to evaluate the health outcomes of these various procedures. Several are in progress, including multicenter randomized, double-blind, placebo-controlled trials. More data on the safety and durability of these treatments are also needed. The evidence is insufficient to determine the effects of the technology on health outcomes.

Supplemental Information

Practice Guidelines and Position Statements

American Heart Association and the American College of Cardiology

The guidelines from the American Heart Association and the American College of Cardiology (2016) provided recommendations on the management of patients with lower-extremity peripheral arterial disease (PAD), including surgical and endovascular revascularization for critical limb ischemia. Stem cell therapy for PAD was not addressed.

European Society of Cardiology

The European Society of Cardiology (2011) guidelines on the diagnosis and treatment of PAD did not recommend for or against stem cell therapy for PAD. However, in 2017, updated guidelines, published in collaboration with the European Society of Vascular Surgery, stated: “Angiogenic gene and stem cell therapy are still being investigated with insufficient evidence in favor of these treatments.” The current recommendation is that stem cell/gene therapy is not indicated in patients with chronic limb-threatening ischemia (class of recommendation: III; Level of evidence: B).

U.S. Preventive Services Task Force Recommendations

Not applicable.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

Medicare National Coverage

There is no national coverage determination. In the absence of a national coverage determination, coverage decisions are left to the discretion of local Medicare carriers.

Ongoing and Unpublished Clinical Trials

Table 2. Summary of Key Trials

NCT No.	Trial Name	Planned Enrollment	Completion Date
<i>Ongoing</i>			
NCT01049919 ^a	MarrowStim PAD Kit for the Treatment of Critical Limb Ischemia (CLI) in Subjects With Severe Peripheral Arterial Disease (PAD) (MOBILE)	152	May 2020
NCT03304821	Granulocyte-Macrophage Stimulating Factor (GM-CSF) in Peripheral Artery Disease: the GPAD-3 Study	176	Jun 2022
NCT02834858	Umbilical Cord Mesenchymal Stem Cell Infusion for Diabetes-Related Vascular Complications	240	December 2019
NCT02685098	A Clinical and Histological Analysis of Mesenchymal Stem Cells in Amputation (CHAMP)	16	September 2025
NCT03339973 ^a	Allogenic ABCB5-positive Stem Cells for Treatment of PAOD	76	March 2020
NCT03809494 ^a	HemaTrate™ in the Treatment of Critical Limb Ischemia	350	January 2026
NCT02805023 ^a	Assessing the Feasibility of BCG101 in the Treatment of PAD and CLI (EnEPC-CLI)	30	December 2019
NCT02551679 ^a	ACP-01 in Patients with Critical Limb Ischemia	95	December 2020
<i>Unpublished</i>			

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

NCT01483898 ^a	An Efficacy and Safety Study of Ixmyelocel-T in Patients With Critical Limb Ischemia (CLI) (REVIVE)	594	Apr 2014 (last update posted Aug 2018)
NCT01245335 ^a	Pivotal Study of the Safety and Effectiveness of Autologous Bone Marrow Aspirate Concentrate (BMAC) for the Treatment of Critical Limb Ischemia Due to Peripheral Arterial Disease	97	Nov 2015
NCT02538978 ^a	Safety and Effectiveness of the SurgWerks™-CLI Kit and VXPTM System for the Rapid Intra-operative Aspiration, Preparation and Intramuscular Injection of Concentrated Autologous Bone Marrow Cells Into the Ischemic Index Limb of Rutherford Category 5 Non-Reconstructable Critical Limb Ischemia Patients	224	Mar 2019 (last update posted 2016 not yet recruiting)
NCT01679990 ^a	A Phase II, Randomized, Double-Blind, Multicenter, Multinational, Placebo-Controlled, Parallel- Groups Study to Evaluate the Safety and Efficacy of Intramuscular Injections of Allogeneic PLX-PAD Cells for the Treatment of Subjects With Intermittent Claudication (IC)	172	April 2018

NCT: national clinical trial.

^a Denotes industry-sponsored or cosponsored trial.

References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “Stem-cell Therapy for Peripheral Arterial Disease”, 8.01.55, 02:2020.
2. Lawall H, Bramlage P, Amann B. Treatment of peripheral arterial disease using stem and progenitor cell therapy. *J Vasc Surg.* Feb 2011;53(2):445-453. PMID 21030198

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

3. Fadini GP, Agostini C, Avogaro A. Autologous stem cell therapy for peripheral arterial disease meta-analysis and systematic review of the literature. *Atherosclerosis*. Mar 2010;209(1):10-17. PMID 19740466
4. Rigato M, Monami M, Fadini GP. Autologous cell therapy for peripheral arterial disease: systematic review and meta-analysis of randomized, nonrandomized, and noncontrolled studies. *Circ Res*. Apr 14 2017;120(8):1326-1340. PMID 28096194
5. Xie B, Luo H, Zhang Y, et al. Autologous Stem Cell Therapy in Critical Limb Ischemia: A Meta-Analysis of Randomized Controlled Trials. *Stem Cells Int*. 2018;2018:7528464. PMID 29977308
6. Bartel RL, Booth E, Cramer C, et al. From bench to bedside: review of gene and cell-based therapies and the slow advancement into phase 3 clinical trials, with a focus on Aastrom's Ixmyelocel-T. *Stem Cell Rev*. Jun 2013;9(3):373-383. PMID 23456574
7. Gao et al. Autologous stem cell therapy for peripheral arterial disease: a systematic review and meta-analysis of randomized controlled trials. 2019 May 21. PMID 31113463
8. Prochazka V, Gumulec J, Jaluvka F, et al. Cell therapy, a new standard in management of chronic critical limb ischemia and foot ulcer. *Cell Transplant*. Jun 2010;19(11):1413-1424. PMID 20529449
9. Benoit E, O'Donnell TF, Jr., Iafrati MD, et al. The role of amputation as an outcome measure in cellular therapy for critical limb ischemia: implications for clinical trial design. *J Transl Med*. Sep 27 2011;9:165. PMID 21951607
10. Skora J, Pupka A, Janczak D, et al. Combined autologous bone marrow mononuclear cell and gene therapy as the last resort for patients with critical limb ischemia. *Arch Med Sci*. Apr 25 2015;11(2):325-331. PMID 25995748
11. Gupta PK, Krishna M, Chullikana A, et al. Administration of Adult Human Bone Marrow-Derived, Cultured, Pooled, Allogeneic Mesenchymal Stromal Cells in Critical Limb Ischemia Due to Buerger's Disease: Phase II Study Report Suggests Clinical Efficacy. *Stem Cells Transl Med*. Mar 2017;6(3):689-699. PMID 28297569
12. Teraa M, Sprengers RW, Schutgens RE, et al. Effect of repetitive intra-arterial infusion of bone marrow mononuclear cells in patients with no-option limb ischemia: The randomized, double-blind, placebo-controlled Rejuvenating Endothelial Progenitor Cells via Transcutaneous Intra-arterial Supplementation (JUVENTAS) Trial. *Circulation*. Mar 10 2015;131(10):851-860. PMID 25567765

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

13. Peeters Weem SM, Teraa M, den Ruijter HM, et al. Quality of life after treatment with autologous bone marrow-derived cells in no option severe limb ischemia. *Eur J Vasc Endovasc Surg.* Jan 2016;51(1):83-89. PMID 26511056
14. Walter DH, Krankenberg H, Balzer JO, et al. Intraarterial administration of bone marrow mononuclear cells in patients with critical limb ischemia: a randomized-start, placebo-controlled pilot trial (PROVASA). *Circ Cardiovasc Interv.* Feb 1 2011;4(1):26-37. PMID 21205939
15. Jonsson TB, Larzon T, Arfvidsson B, et al. Adverse events during treatment of critical limb ischemia with autologous peripheral blood mononuclear cell implant. *Int Angiol.* Feb 2012;31(1):77-84. PMID 22330628
16. Powell RJ, Comerota AJ, Berceli SA, et al. Interim analysis results from the RESTORE-CLI, a randomized, double-blind multicenter phase II trial comparing expanded autologous bone marrow-derived tissue repair cells and placebo in patients with critical limb ischemia. *J Vasc Surg.* Oct 2011;54(4):1032-1041. PMID 21684715
17. Powell RJ, Marston WA, Berceli SA, et al. Cellular therapy with Ixmyelocel-T to treat critical limb ischemia: the randomized, double-blind, placebo-controlled RESTORE-CLI trial. *Mol Ther.* Jun 2012;20(6):1280-1286. PMID 22453769
18. Poole J, Mavromatis K, Binongo JN, et al. Effect of progenitor cell mobilization with granulocyte-macrophage colony-stimulating factor in patients with peripheral artery disease: a randomized clinical trial. *JAMA.* Dec 25 2013;310(24):2631-2639. PMID 24247554
19. Horie T, Yamazaki S, Hanada S, et al. Outcome From a Randomized Controlled Clinical Trial-Improvement of Peripheral Arterial Disease by Granulocyte Colony-Stimulating Factor-Mobilized Autologous Peripheral-Blood-Mononuclear Cell Transplantation (IMPACT). *Circ J.* Jul 25 2018;82(8):2165-2174. PMID 29877199
20. McDermott et al. Effect of Granulocyte-Macrophage Colony-Stimulating Factor With or Without Supervised Exercise on Walking Performance in Patients With Peripheral Artery Disease: The PROPEL Randomized Clinical Trial. *JAMA.* 2017 Dec 5; 318(21): 2089-2098. PMID 29141087
21. Gerhard-Herman MD, Gornik HL, Barrett C, et al. 2016 AHA/ACC Guideline on the management of patients with lower extremity peripheral artery disease: a report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. *J Am Coll Cardiol.* Mar 21 2017;69(11):e71-e126. PMID 27851992
22. Valentine EA, Ochroch EA. 2016 American College of Cardiology/American Heart Association guideline on the management of patients with lower extremity peripheral artery disease:

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

perioperative implications. J Cardiothorac Vasc Anesth. Oct 2017;31(5):1543-1553. PMID 28826846

23. European Stroke Organisation, Tendera M, Aboyans V, et al. ESC guidelines on the diagnosis and treatment of peripheral artery diseases: Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower extremity arteries: the Task Force on the Diagnosis and Treatment of Peripheral Artery Diseases of the European Society of Cardiology (ESC). Eur Heart J. Nov 2011;32(22):2851- 2906. PMID 21873417
24. Aboyans V, Ricco JB, Bartelink MEL, et al. 2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS): Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower extremity arteries Endorsed by: the European Stroke Organization (ESO)The Task Force for the Diagnosis and Treatment of Peripheral Arterial Diseases of the European Society of Cardiology (ESC) and of the European Society for Vascular Surgery (ESVS). Eur Heart J. Aug 26 2017. PMID 28886620

Policy History

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

- 06/02/2011 Medical Policy Committee review
- 06/15/2011 Medical Policy Implementation Committee approval. New policy.
- 06/14/2012 Medical Policy Committee review
- 06/20/2012 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 06/06/2013 Medical Policy Committee review
- 06/25/2013 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 06/05/2014 Medical Policy Committee review
- 06/18/2014 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 06/04/2015 Medical Policy Committee review
- 06/17/2015 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.
- 06/02/2016 Medical Policy Committee review

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

06/20/2016 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

01/01/2017 Coding update: Removing ICD-9 Diagnosis Codes

06/01/2017 Medical Policy Committee review

06/21/2017 Medical Policy Implementation Committee approval. Coverage eligibility unchanged.

06/07/2018 Medical Policy Committee review

06/20/2018 Medical Policy Implementation Committee approval. Policy statement updated to describe specific sources of stem cells.

06/06/2019 Medical Policy Committee review

06/19/2019 Medical Policy Implementation Committee approval. No change to coverage.

06/04/2020 Medical Policy Committee review

06/10/2020 Medical Policy Implementation Committee approval. No change to coverage.

Next Scheduled Review Date: 06/2021

Coding

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2019 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	0263T, 0264T, 0265T
HCPCS	No codes
ICD-10 Diagnosis	All related diagnoses

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:
 - 1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
 - 2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
 - 3. Reference to federal regulations.

‡ Indicated trademarks are the registered trademarks of their respective owners.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Stem Cell Therapy for Peripheral Arterial Disease

Policy # 00298

Original Effective Date: 06/15/2011

Current Effective Date: 07/13/2020

NOTICE: If the Patient's health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.