



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

Applies to all products administered or underwritten by Blue Cross and Blue Shield of Louisiana and its subsidiary, HMO Louisiana, Inc. (collectively referred to as the "Company"), unless otherwise provided in the applicable contract. Medical technology is constantly evolving, and we reserve the right to review and update Medical Policy periodically.

Services Are Considered Investigational

Coverage is not available for investigational medical treatments or procedures, drugs, devices or biological products.

Based on review of available data, the Company considers subtalar arthroereisis (STA) to be **investigational**.*

Background/Overview

Subtalar arthroereisis has been performed for more than 50 years, with a variety of implant designs and compositions. The Maxwell-Brancheau Arthroereisis (MBA) implant is the most frequently reported, although other devices such as the HyProCure, subtalar arthroereisis peg, and Kalix are also described in the medical literature. The MBA implant is described as reversible and easy to insert, with the additional advantage that it does not require bone cement. In children, insertion of the MBA implant may be offered as a stand-alone procedure, although children and adults often require adjunctive surgical procedures on bone and soft tissue to correct additional deformities.

FDA or Other Governmental Regulatory Approval

U.S. Food and Drug Administration (FDA)

A number of implants have been cleared for marketing by the U.S. Food and Drug Administration (FDA) through the 510(k) process, and are summarized in Table 1. In general, these devices are indicated for insertion into the sinus tarsi of the foot, allowing normal subtalar joint motion while blocking excessive pronation.

Table 1. Representative Subtalar Implant Devices Cleared by FDA^a

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

Device	Manufacturer	Date Cleared	510(k) No.
Subtalar MBA [®] ‡	Integra LifeSciences	07/96	K960692
OsteoMed Subtalar Implant System	OsteoMed	08/03	K031155
BioPro Subtalar Implant	BioPro	09/04	K041936
HyProCure Subtalar Implant System	Graham Medical Technologies	09/04	K042030
MBA Resorb Implant	Kinetikos Medical	09/05	K051611
Metasurg Subtalar Implant	Metasurg	05/07	K070441
Subtalar Implant	Biomet Sports Medicine	07/07	K071498
Arthrex ProStop Plus Arthroereisis Subtalar Implant	Arthrex	01/08	K071456
Trilliant Surgical Subtalar Implant	Trilliant Surgical	02/11	K103183

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

Device	Manufacturer	Date Cleared	510(k) No.
Metasurg Subtalar Implant	Metasurg	08/11	K111265
NuGait™‡ Subtalar Implant System	Ascension Orthopedic	08/11	K111799
Disco Subtalar Implant	Trilliant Surgical	12/11	K111834
OsteoSpring FootJack Subtalar Implant System	OsteoSpring Medical	12/11	K112658
IFS Subtalar Implant	Internal Fixation Systems	12/11	K113399
The Life Spine Subtalar Implant System	Life Spine	06/16	K160169

FDA: Food and Drug Administration.

^aFDA 510(k) database search product code HWC (03/08/18).

Rationale/Source

Arthroereisis is a surgical procedure that purposely limits movement across a joint. Subtalar arthroereisis (STA) or extraosseous talotarsal stabilization is designed to correct excessive talar displacement and calcaneal eversion by reducing pronation across the subtalar joint. Extraosseous talotarsal stabilization is also being evaluated as a treatment of talotarsal joint

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

dislocation. It is performed by placing an implant in the sinus tarsi, which is a canal located between the talus and the calcaneus.

For individuals who have flatfoot or talotarsal joint dislocation who receive STA, the evidence includes mainly single-arm case series and a small nonrandomized controlled trial comparing STA with lateral column calcaneal lengthening. The relevant outcomes are symptoms, functional outcomes, and quality of life. The small nonrandomized comparative trial (n=24 feet) is considered preliminary, and interpretation of the case series evidence is limited by the use of adjunctive procedures in addition to STA, creating difficulties in determining the extent to which each modality contributed to the outcomes. Another limitation of the published data is the lack of long-term outcomes, which is of particular importance because the procedure is often performed in growing children. Also, some studies have reported high rates of complications and implant removal. The evidence is insufficient to determine the effects of the technology on health outcomes.

Supplemental Information

CLINICAL INPUT FROM PHYSICIAN SPECIALTY SOCIETIES AND ACADEMIC MEDICAL CENTERS

While the various physician specialty societies and academic medical centers may collaborate with and make recommendations during this process, through the provision of appropriate reviewers, input received does not represent an endorsement or position statement by the physician specialty societies or academic medical centers, unless otherwise noted.

2012 Input

In response to requests, input was received through 2 physician specialty societies and 2 academic medical centers while this policy was under review in 2012. Input was mixed, with most reviewers considering this procedure to be investigational.

2009 Input

In response to requests, input was received through 1 physician specialty society (3 reviews) and 5 academic medical centers while this policy was under review in 2009. Input was mixed regarding the medical necessity of arthroereisis.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

PRACTICE GUIDELINES AND POSITION STATEMENTS

National Institute for Health and Care Excellence

Guidance from the National Institute for Health and Care Excellence (2009) concluded that current evidence on the safety and efficacy of sinus tarsi implant insertion for mobile flatfoot was inadequate in quality and quantity.

American College of Foot and Ankle Surgeons

The ACFAS (2004) published practice guidelines for the diagnosis and treatment of pediatric and adult flatfoot (neither is included in the ACFAS library of current clinical practice guidelines).

The ACFAS guidelines on adult flatfoot have stated:

“In the adult, arthroereisis is seldom implemented as an isolated procedure. Because of the long-term compensation and adaptation of the foot and adjunctive structures for flatfoot function, other ancillary procedures are usually used for appropriate stabilization. Long-term results of arthroereisis in the adult flexible flatfoot patient have not been established. Some surgeons advise against the subtalar arthroereisis procedure because of the risks associated with implantation of a foreign material, the potential need for further surgery to remove the implant, and the limited capacity of the implant to stabilize the medial column sag directly.”

The ACFAS guidelines on pediatric flatfoot have stated: “proponents of this procedure (arthroereisis) argue that it is a minimally invasive technique that does not distort the normal anatomy of the foot. Others have expressed concern about placing a permanent foreign body into a mobile segment of a child’s foot. The indication for this procedure remains controversial in the surgical community.”

U.S. Preventive Services Task Force Recommendations

Not applicable.

Medicare National Coverage

There is no national coverage determination. In the absence of a national coverage determination, coverage decisions are left to the discretion of local Medicare carriers.

Ongoing and Unpublished Clinical Trials

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

A search of [ClinicalTrials.gov](https://clinicaltrials.gov) in January 2020 did not identify any ongoing or unpublished trials that would likely influence this review.

References

1. Blue Cross and Blue Shield Association, Medical Policy Reference Manual, “Subtalar Arthroereisis”, 7.01.104, 5:2020.
2. Chong DY, Macwilliams BA, Hennessey TA, et al. Prospective comparison of subtalar arthroereisis with lateral column lengthening for painful flatfeet. *J Pediatr Orthop B*. Jul 2015;24(4):345-353. PMID 25856275.
3. Metcalfe SA, Bowling FL, Reeves ND. Subtalar joint arthroereisis in the management of pediatric flexible flatfoot: a critical review of the literature. *Foot Ankle Int*. Dec 2011;32(12):1127-1139. PMID 22381197.
4. Graham ME, Jawrani NT, Chikka A. Extrasosseous talotarsal stabilization using HyProCure(R) in adults: a 5-year retrospective follow-up. *J Foot Ankle Surg*. Jan-Feb 2012;51(1):23-29. PMID 22196455.
5. Vedantam R, Capelli AM, Schoenecker PL. Subtalar arthroereisis for the correction of planovalgus foot in children with neuromuscular disorders. *J Pediatr Orthop*. May-Jun 1998;18(3):294-298. PMID 9600551.
6. Nelson SC, Haycock DM, Little ER. Flexible flatfoot treatment with arthroereisis: radiographic improvement and child health survey analysis. *J Foot Ankle Surg*. May-Jun 2004;43(3):144-155. PMID 15181430.
7. Needleman RL. A surgical approach for flexible flatfeet in adults including a subtalar arthroereisis with the MBA sinus tarsi implant. *Foot Ankle Int*. Jan 2006;27(1):9-18. PMID 16442023.
8. Cicchinelli LD, Pascual Huerta J, Garcia Carmona FJ, et al. Analysis of gastrocnemius recession and medial column procedures as adjuncts in arthroereisis for the correction of pediatric pes planovalgus: a radiographic retrospective study. *J Foot Ankle Surg*. Sep-Oct 2008;47(5):385-391. PMID 18725117.
9. Brancheau SP, Walker KM, Northcutt DR. An analysis of outcomes after use of the Maxwell-Brancheau Arthroereisis implant. *J Foot Ankle Surg*. Jan-Feb 2012;51(1):3-8. PMID 22196453.
10. Bresnahan PJ, Chariton JT, Vedpathak A. Extrasosseous talotarsal stabilization using HyProCure(R): preliminary clinical outcomes of a prospective case series. *J Foot Ankle Surg*. Mar-Apr 2013;52(2):195-202. PMID 23313499.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

11. Scher DM, Bansal M, Handler-Mataras S, et al. Extensive implant reaction in failed subtalar joint arthroereisis: report of two cases. *HSS J.* Sep 2007;3(2):177-181. PMID 18751791.
12. Saxena A, Nguyen A. Preliminary radiographic findings and sizing implications on patients undergoing bioabsorbable subtalar arthroereisis. *J Foot Ankle Surg.* May-Jun 2007;46(3):175-180. PMID 17466243.
13. Cook EA, Cook JJ, Basile P. Identifying risk factors in subtalar arthroereisis explantation: a propensity-matched analysis. *J Foot Ankle Surg.* Jul-Aug 2011;50(4):395-401. PMID 21708340.
14. National Institute for Health and Care Excellence (NICE). Sinus Tarsi Implant Insertion for Mobile Flatfoot [IPG305]. 2009; <https://www.nice.org.uk/guidance/IPG305>.
15. Harris EJ, Vanore JV, Thomas JL, et al. Clinical Practice Guideline Pediatric Flatfoot Panel: American College of Foot and Ankle Surgeons (ACFAS). Diagnosis and treatment of pediatric flatfoot. *J Foot Ankle Surg.* Nov-Dec 2004;43(6):341-373. PMID 15605048.
16. Lee MS, Vanore JV, Thomas JL, et al. Clinical Practice Guideline Adult Flatfoot Panel: American College of Foot and Ankle Surgeons (ACFAS). Diagnosis and treatment of adult flatfoot. *J Foot Ankle Surg.* Mar-Apr 2005;44(2):78-113. PMID 15768358.

Policy History

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

- | | |
|-------------------------------------|---|
| 12/07/2017 | Medical Policy Committee review |
| 12/20/2017 | Medical Policy Implementation Committee approval. New policy. |
| 12/06/2018 | Medical Policy Committee review |
| 12/19/2018 | Medical Policy Implementation Committee approval. No change to coverage. |
| 01/01/2019 | Coding update |
| 12/05/2019 | Medical Policy Committee review |
| 12/11/2019 | Medical Policy Implementation Committee approval. No change to coverage.
Coding update |
| 07/02/2020 | Medical Policy Committee review |
| 07/08/2020 | Medical Policy Implementation Committee approval. No change to coverage. |
| Next Scheduled Review Date: 07/2021 | |

Coding

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

The five character codes included in the Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines are obtained from Current Procedural Terminology (CPT®)‡, copyright 2019 by the American Medical Association (AMA). CPT is developed by the AMA as a listing of descriptive terms and five character identifying codes and modifiers for reporting medical services and procedures performed by physician.

The responsibility for the content of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines is with Blue Cross and Blue Shield of Louisiana and no endorsement by the AMA is intended or should be implied. The AMA disclaims responsibility for any consequences or liability attributable or related to any use, nonuse or interpretation of information contained in Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines. Fee schedules, relative value units, conversion factors and/or related components are not assigned by the AMA, are not part of CPT, and the AMA is not recommending their use. The AMA does not directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for data contained or not contained herein. Any use of CPT outside of Blue Cross Blue Shield of Louisiana Medical Policy Coverage Guidelines should refer to the most current Current Procedural Terminology which contains the complete and most current listing of CPT codes and descriptive terms. Applicable FARS/DFARS apply.

CPT is a registered trademark of the American Medical Association.

Codes used to identify services associated with this policy may include (but may not be limited to) the following:

Code Type	Code
CPT	0335T, 0510T, 0511T, 28899
HCPCS	S2117
ICD-10 Diagnosis	M21.40-M21.42, Q66.50-Q66.52 Codes added eff 1/1/2020: Q66.00-Q66.92

*Investigational – A medical treatment, procedure, drug, device, or biological product is Investigational if the effectiveness has not been clearly tested and it has not been incorporated into standard medical practice. Any determination we make that a medical treatment, procedure, drug, device, or biological product is Investigational will be based on a consideration of the following:

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.



Louisiana

Subtalar Arthroereisis

Policy # 00592

Original Effective Date: 12/20/2017

Current Effective Date: 08/10/2020

- A. Whether the medical treatment, procedure, drug, device, or biological product can be lawfully marketed without approval of the U.S. Food and Drug Administration (FDA) and whether such approval has been granted at the time the medical treatment, procedure, drug, device, or biological product is sought to be furnished; or
- B. Whether the medical treatment, procedure, drug, device, or biological product requires further studies or clinical trials to determine its maximum tolerated dose, toxicity, safety, effectiveness, or effectiveness as compared with the standard means of treatment or diagnosis, must improve health outcomes, according to the consensus of opinion among experts as shown by reliable evidence, including:
 - 1. Consultation with the Blue Cross and Blue Shield Association technology assessment program (TEC) or other nonaffiliated technology evaluation center(s);
 - 2. Credible scientific evidence published in peer-reviewed medical literature generally recognized by the relevant medical community; or
 - 3. Reference to federal regulations.

‡ Indicated trademarks are the registered trademarks of their respective owners.

NOTICE: If the Patient's health insurance contract contains language that differs from the BCBSLA Medical Policy definition noted above, the definition in the health insurance contract will be relied upon for specific coverage determinations.

NOTICE: Medical Policies are scientific based opinions, provided solely for coverage and informational purposes. Medical Policies should not be construed to suggest that the Company recommends, advocates, requires, encourages, or discourages any particular treatment, procedure, or service, or any particular course of treatment, procedure, or service.

©2020 Blue Cross and Blue Shield of Louisiana

Blue Cross and Blue Shield of Louisiana is an independent licensee of the Blue Cross and Blue Shield Association and incorporated as Louisiana Health Service & Indemnity Company.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, or otherwise, without permission from Blue Cross and Blue Shield of Louisiana.