

Two-Tier Covered Drug List



Louisiana



HMO Louisiana

2021

Understanding Your Covered Drug List

Blue Cross and Blue Shield of Louisiana and our subsidiary, HMO Louisiana, Inc., along with Express Scripts, an independent company that serves as our pharmacy benefit manager, created this *Covered Drug List* to help you understand your drug benefits. Because drug benefits can be complex, understanding your benefits is key to getting the most from your health plan.

Throughout the year, our clinical staff works with our Pharmacy and Therapeutics Committee, a group of Louisiana doctors and pharmacists who are not employed by Blue Cross, to review published literature about the safety, efficacy and cost of prescription drugs.

You and your doctor always make the final decision for your healthcare needs. The information in this *List* can help you and your doctor make informed decisions before you fill your next prescription. That way, together you may choose the best drug for you while keeping your costs down. Please talk to your doctor or pharmacist about any questions or concerns you may have about your drug therapy.

Please Note: Inclusion of a drug in a drug formulary does not guarantee that your doctor or other authorized prescriber will prescribe the drug for a particular medical condition or mental illness.

Before you fill a prescription for any drug, you should take the following steps, if needed:

- 1) Check to see if the drugs you take are on the drug *List*.
- 2) Talk to your doctor about switching to a drug that is on the *List*, if needed.

Important Notes:

- This *List* is intended to include all drugs that your plan covers as of the time the document was created. But the *List* may change as changes occur in the marketplace.
- This *List* may not apply to all benefit plans. Some benefit plans may have different coverage for specific drugs.
- The *List* applies only to prescription drugs that network pharmacies dispense on an outpatient basis.
- See your member contract or certificate for pharmacy coverage for any exclusions and limitations that apply.

How can you find information about your drugs?

Use the index at the end of this *List* to look up a drug you may take to quickly learn several important things:

- If you must first try one or more prescription drugs before your plan will cover a specific drug for your condition
- If your doctor must get prior authorization before your plan will pay for a drug
- If your plan limits the quantity that will be covered each time you fill a prescription

How are prescription drugs classified?

Your plan offers a 2-tier structure for drugs that are covered:

| Tier | Description of prescription drugs |
|------|-----------------------------------|
| 1 | Generic drugs |
| 2 | Brand drugs |

Generally, you will pay the least out of pocket for *generic drugs* that are in Tier 1. You will pay the most out of pocket for *brand drugs* in Tier 2.

What does it mean when there is a “+” sign in the Tier section?

You will pay more for some covered brand drugs marked with a “+” that have lost patent protection because a generic equivalent has become available. If you or your doctor decides you should continue to take the brand drug instead of the generic drug, you will be responsible for the generic drug cost share amount, plus the difference in cost between that brand and the generic drug. This is called “brand buy up.” This will also apply to covered brand drugs for which a generic equivalent becomes available after the publishing of this *List*.

Please note: Brand buy up may not apply to certain covered brand drugs. Examples are select anti-seizure medications, select thyroid hormones and Coumadin.

What does it mean when the Tier section shows \$0 or \$0*?

Certain drugs may be eligible for first-dollar coverage. That means you do not pay out of pocket for them and you do not pay a deductible. Drugs in these programs are marked with a **\$0** or a **\$0*** under the tier column. Because some benefit plans do not have this type of coverage, you should read your plan materials to find out if you have it. Note that restrictions or limitations may apply, including age, gender or frequency.

Broad categories of drugs that may be eligible for this coverage include:

| | |
|-------------|---|
| \$0 | Selected contraceptives for women |
| \$0 | Selected preventive drugs as recommended by the U.S. Preventive Services Task Force (USPSTF). For example, selected bowel prep products when used with a wellness screening colonoscopy. |
| \$0* | Selected additional generic preventive drugs used for the following: <ul style="list-style-type: none">• Coronary heart disease• Heart failure• Prenatal health |

Example of How Drugs Are Listed:

| Drug | Tier | Requirements/Limits |
|---|----------|---|
| <i>generic drug name</i> | 1 | QPD |
| BRAND DRUG NAME | 2 | PA; ST |
| Key: <ul style="list-style-type: none">• <i>generic drugs</i> are in lowercase <i>italics</i>• BRAND drugs are in ALL CAPS | | Key: PA = Prior authorization QPD = Quantity per dispensing limits ST = Step therapy restrictions SP = Specialty drug restrictions LA = Limited access |

What do the abbreviations in the Requirements/Limits column mean?

PA: Medications requiring prior authorization

We must authorize certain drugs before your plan will pay for them. After considering current medical literature, the Pharmacy and Therapeutics Committee sets up the criteria needed for the drugs to be authorized. Then, Express Scripts processes the prior authorization requests.

If you need prior authorization, have your doctor contact Express Scripts:

Call: 1-800-842-2015

Fax: 1-877-251-5896

For the physician fax form, go to: www.bcbsla.com > Provider > Pharmacy.

ST: Medications requiring participation in the Fill This First step therapy program

For drugs in our Fill This First step therapy program, you must first try certain prescription drugs (Step 1) before your plan will cover other drugs (Step 2) for your condition. If one or more of the Step 1 drugs are not right for you, your doctor may call us for a prior authorization for a Step 2 drug. You can find more information about drugs that you must try first at www.bcbsla.com/CoveredDrugs.

QPD: Medications that have quantity per dispensing limits

Covered prescriptions have a day-supply limitation (typically up to a 30-day supply at a retail pharmacy and up to a 90-day supply for mail-order). Your plan also limits the amount of certain drugs that can be dispensed at one time. We call those restrictions quantity per dispensing (QPD) limits.

QPD limits are additional to the day-supply limitation and are based on the manufacturer's recommended dosage and duration of therapy, common usage for episodic or intermittent treatment, FDA-approved recommendations or clinical studies and as determined by Blue Cross. QPD limits or allowances are subject to quantity limits per day supply, per dispensing event or any combination of the two. Read your member contract or certificate for the limits for your plan. For a complete list of **Quantity per Dispensing (QPD) Level Limits/Allowances**, go to: www.bcbsla.com/CoveredDrugs.

SP: Specialty drug restrictions

Certain drugs are commonly called specialty drugs. Specialty drugs include biotechnology drugs or other drug products that may require special ordering, handling or customer service. Your policy may limit specialty drugs to the retail day supply listed in your plan (typically a 30-day supply). Read your *Schedule of Benefits* for any restrictions that apply to you. For a complete list of specialty drugs, go to: www.bcbsla.com/CoveredDrugs.

LA: Medications that have limited access

Some medications require unique handling, administration or monitoring. When this is the case, the manufacturer and/or the FDA may require that the drug be dispensed only by certain pharmacies.

Questions?

If your doctor prescribes a drug that is not on this *List*, or if you have any questions, call Express Scripts at 1-866-781-7533.

For more information and updates, go to: www.bcbsla.com/CoveredDrugs or www.express-scripts.com.

Table of Contents

| | |
|--|----|
| *Ahd/Anti-Narcolepsy/Anti-Obesity/Anorexiants* | 3 |
| *Aminoglycosides* | 3 |
| *Analgesics - Anti-Inflammatory* | 4 |
| *Analgesics - Nonnarcotic* | 6 |
| *Analgesics - Opioid* | 8 |
| *Androgens-Anabolic* | 9 |
| *Anorectal And Related Products* | 10 |
| *Anthelmintics* | 10 |
| *Antianginal Agents* | 10 |
| *Antianxiety Agents* | 11 |
| *Antiarrhythmics* | 11 |
| *Antiasthmatic And Bronchodilator Agents* | 12 |
| *Anticoagulants* | 14 |
| *Anticonvulsants* | 15 |
| *Antidepressants* | 17 |
| *Antidiabetics* | 19 |
| *Antidiarrheal/Probiotic Agents* | 22 |
| *Antidotes And Specific Antagonists* | 22 |
| *Antiemetics* | 23 |
| *Antifungals* | 23 |
| *Antihistamines* | 24 |
| *Antihyperlipidemics* | 24 |
| *Antihypertensives* | 25 |
| *Anti-Infective Agents - Misc.* | 27 |
| *Antimalarials* | 29 |
| *Antimyasthenic/Cholinergic Agents* | 29 |
| *Antimycobacterial Agents* | 29 |
| *Antineoplastics And Adjunctive Therapies* | 30 |
| *Antiparkinson And Related Therapy Agents* | 36 |
| *Antipsychotics/Antimanic Agents* | 36 |
| *Antivirals* | 38 |
| *Beta Blockers* | 41 |
| *Calcium Channel Blockers* | 42 |
| *Cardiotonics* | 42 |
| *Cardiovascular Agents - Misc.* | 42 |
| *Cephalosporins* | 43 |
| *Contraceptives* | 44 |
| *Corticosteroids* | 50 |
| *Cough/Cold/Allergy* | 50 |
| *Dermatologicals* | 51 |
| *Diagnostic Products* | 57 |
| *Digestive Aids* | 57 |
| *Diuretics* | 58 |
| *Endocrine And Metabolic Agents - Misc.* | 58 |
| *Estrogens* | 61 |
| *Fluoroquinolones* | 62 |
| *Gastrointestinal Agents - Misc.* | 62 |
| *Genitourinary Agents - Miscellaneous* | 63 |
| *Gout Agents* | 64 |
| *Hematological Agents - Misc.* | 64 |
| *Hematopoietic Agents* | 65 |

| | |
|---|----|
| *Hemostatics* | 66 |
| *Hypnotics/Sedatives/Sleep Disorder Agents* | 66 |
| *Laxatives* | 66 |
| *Macrolides* | 69 |
| *Medical Devices And Supplies* | 69 |
| *Migraine Products* | 70 |
| *Minerals & Electrolytes* | 71 |
| *Miscellaneous Therapeutic Classes* | 72 |
| *Mouth/Throat/Dental Agents* | 73 |
| *Multivitamins* | 73 |
| *Musculoskeletal Therapy Agents* | 77 |
| *Nasal Agents - Systemic And Topical* | 77 |
| *Neuromuscular Agents* | 78 |
| *Ophthalmic Agents* | 78 |
| *Otic Agents* | 81 |
| *Oxytocics* | 82 |
| *Passive Immunizing And Treatment Agents* | 82 |
| *Penicillins* | 82 |
| *Progestins* | 82 |
| *Psychotherapeutic And Neurological Agents - Misc.* | 83 |
| *Respiratory Agents - Misc.* | 86 |
| *Sulfonamides* | 86 |
| *Tetracyclines* | 86 |
| *Thyroid Agents* | 87 |
| *Toxoids* | 87 |
| *Ulcer Drugs/Antispasmodics/Anticholinergics* | 88 |
| *Urinary Antispasmodics* | 89 |
| *Vaccines* | 90 |
| *Vaginal And Related Products* | 91 |
| *Vasopressors* | 92 |
| *Vitamins* | 92 |

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Adhd/Anti-Narcolepsy/Anti-Obesity/Anorexiants* | | |
| *Adhd Agent - Selective Alpha Adrenergic Agonists*** | | |
| clonidine hcl er | 1 | QPD |
| guanfacine hcl er | 1 | QPD |
| *Adhd Agent - Selective Norepinephrine Reuptake Inhibitor*** | | |
| atomoxetine hcl | 1 | QPD |
| *Amphetamine Mixtures*** | | |
| amphetamine-dextroamphetamine | 1 | QPD |
| amphetamine-dextroamphetamine | 1 | QPD |
| MYDAYIS | 2 | QPD |
| *Amphetamines*** | | |
| dextroamphetamine sulfate er | 1 | QPD |
| dextroamphetamine sulfate oral solution | 1 | |
| dextroamphetamine sulfate oral tablet 10 mg, 5 mg | 1 | QPD |
| methamphetamine hcl | 1 | QPD |
| VYVANSE | 2 | QPD |
| *Analeptics*** | | |
| caffeine citrate oral | 1 | |
| *Stimulants - Misc.*** | | |
| armodafinil | 1 | PA; QPD |
| DAYTRANA | 2 | QPD |
| dexmethylphenidate hcl | 1 | QPD |
| dexmethylphenidate hcl er | 1 | QPD |
| methylphenidate hcl er (cd) | 1 | QPD |
| methylphenidate hcl er (la) | 1 | QPD |
| methylphenidate hcl er oral tablet extended release 10 mg, 18 mg, 20 mg, 27 mg, 36 mg, 54 mg | 1 | QPD |
| methylphenidate hcl er oral tablet extended release 24 hour | 1 | QPD |
| methylphenidate hcl oral | 1 | QPD |
| modafinil | 1 | PA; QPD |
| QUILLIVANT XR ORAL SUSPENSION RECONSTITUTED ER | 2 | QPD |
| *Aminoglycosides* | | |
| *Aminoglycosides*** | | |
| ARIKAYCE | 2 | PA; LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| BETHKIS | 2 | PA; LA; SP; QPD |
| <i>neomycin sulfate oral</i> | 1 | |
| <i>paromomycin sulfate oral</i> | 1 | |
| TOBI PODHALER | 2 | PA; SP; QPD |
| <i>tobramycin inhalation</i> | 1 | PA; SP; QPD |
| *Analgesics - Anti-Inflammatory* | | |
| *Antirheumatic - Janus Kinase (Jak) Inhibitors*** | | |
| RINVOQ | 2 | PA; SP; QPD |
| XELJANZ | 2 | PA; SP; QPD |
| XELJANZ XR | 2 | PA; SP; QPD |
| *Antirheumatic Antimetabolites*** | | |
| RASUVO SUBCUTANEOUS SOLUTION AUTO-INJECTOR 10 MG/0.2ML, 12.5 MG/0.25ML, 15 MG/0.3ML, 17.5 MG/0.35ML, 20 MG/0.4ML, 22.5 MG/0.45ML, 25 MG/0.5ML, 30 MG/0.6ML, 7.5 MG/0.15ML | 2 | SP; QPD |
| *Anti-Tnf-Alpha - Monoclonal Antibodies*** | | |
| HUMIRA PEDIATRIC CROHNS START SUBCUTANEOUS PREFILLED SYRINGE KIT 80 MG/0.8ML, 80 MG/0.8ML & 40MG/0.4ML | 2 | PA; SP; QPD |
| HUMIRA PEN SUBCUTANEOUS PEN-INJECTOR KIT | 2 | PA; SP; QPD |
| HUMIRA PEN-CD/UC/HS STARTER | 2 | PA; SP; QPD |
| HUMIRA PEN-PEDIATRIC UC START | 2 | PA; SP; QPD |
| HUMIRA PEN-PS/UV/ADOL HS START SUBCUTANEOUS PEN-INJECTOR KIT 40 MG/0.8ML | 2 | PA; SP; QPD |
| HUMIRA PEN-PSOR/UVEIT STARTER | 2 | PA; SP; QPD |
| HUMIRA SUBCUTANEOUS PREFILLED SYRINGE KIT 10 MG/0.1ML, 20 MG/0.2ML, 40 MG/0.4ML, 40 MG/0.8ML | 2 | PA; SP; QPD |
| SIMPONI SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | PA; SP; QPD |
| SIMPONI SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; SP; QPD |
| *Cyclooxygenase 2 (Cox-2) Inhibitors*** | | |
| celecoxib oral | 1 | QPD |
| *Gold Compounds*** | | |
| RIDAURA | 2 | |
| *Interleukin-1 Blockers*** | | |
| ARCALYST | 2 | LA; SP; QPD |
| *Interleukin-1 Receptor Antagonist (IL-1Ra)*** | | |
| KINERET SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Interleukin-6 Receptor Inhibitors*** | | |
| ACTEMRA ACTPEN | 2 | PA; LA; SP; QPD |
| ACTEMRA SUBCUTANEOUS | 2 | PA; LA; SP; QPD |
| *Nonsteroidal Anti-Inflammatory Agent Combinations*** | | |
| <i>diclofenac-misoprostol oral tablet delayed release</i> | 1 | |
| *Nonsteroidal Anti-Inflammatory Agents (NsaidS)*** | | |
| <i>diclofenac potassium oral tablet 50 mg</i> | 1 | |
| <i>diclofenac sodium er</i> | 1 | |
| <i>diclofenac sodium oral</i> | 1 | |
| <i>etodolac er</i> | 1 | |
| <i>etodolac oral</i> | 1 | |
| <i>flurbiprofen oral</i> | 1 | |
| <i>ibu</i> | 1 | |
| <i>ibuprofen oral tablet 400 mg, 600 mg, 800 mg</i> | 1 | |
| <i>indomethacin er</i> | 1 | |
| <i>indomethacin oral capsule 25 mg, 50 mg</i> | 1 | |
| <i>ketoprofen oral capsule 50 mg, 75 mg</i> | 1 | |
| <i>ketorolac tromethamine oral</i> | 1 | QPD |
| <i>meclofenamate sodium oral</i> | 1 | PA |
| <i>mefenamic acid oral</i> | 1 | PA |
| <i>meloxicam oral tablet</i> | 1 | QPD |
| <i>nabumetone oral</i> | 1 | |
| <i>naproxen oral tablet</i> | 1 | |
| <i>naproxen oral tablet delayed release</i> | 1 | |
| <i>naproxen sodium oral tablet 275 mg, 550 mg</i> | 1 | |
| <i>oxaprozin</i> | 1 | |
| <i>piroxicam oral</i> | 1 | |
| <i>sulindac oral</i> | 1 | |
| *Phosphodiesterase 4 (Pde4) Inhibitors*** | | |
| OTEZLA ORAL TABLET | 2 | PA; SP; QPD |
| OTEZLA ORAL TABLET THERAPY PACK | 2 | PA; SP; QPD |
| *Pyrimidine Synthesis Inhibitors*** | | |
| <i>leflunomide oral</i> | 1 | QPD |
| *Selective Costimulation Modulators*** | | |
| ORENCIA CLICKJECT | 2 | PA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ORENCIA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; SP; QPD |
| *Soluble Tumor Necrosis Factor Receptor Agents*** | | |
| ENBREL MINI | 2 | PA; SP; QPD |
| ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5ML | 2 | PA; SP; QPD |
| ENBREL SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; SP; QPD |
| ENBREL SUBCUTANEOUS SOLUTION RECONSTITUTED | 2 | PA; SP; QPD |
| ENBREL SURECLICK SUBCUTANEOUS SOLUTION AUTO-Injector | 2 | PA; SP; QPD |
| *Analgesics - Nonnarcotic* | | |
| *Analgesics-Sedatives*** | | |
| bac | 1 | QPD |
| butalbital-acetaminophen oral tablet 50-325 mg | 1 | QPD |
| butalbital-apap-caffeine oral capsule | 1 | QPD |
| butalbital-apap-caffeine oral tablet 50-325-40 mg | 1 | QPD |
| butalbital-asa-caffeine | 1 | |
| butalbital-aspirin-caffeine oral capsule | 1 | |
| tencon oral tablet 50-325 mg | 1 | QPD |
| zebutal oral capsule 50-325-40 mg | 1 | QPD |
| *Salicylates*** | | |
| adult aspirin regimen | \$0 | |
| aspirin 81 oral tablet chewable | \$0 | |
| aspirin adult low dose | \$0 | |
| aspirin adult low strength oral tablet delayed release | \$0 | |
| aspirin childrens | \$0 | |
| aspirin ec adult low strength | \$0 | |
| aspirin ec low dose | \$0 | |
| aspirin ec low strength | \$0 | |
| aspirin ec oral tablet delayed release 81 mg | \$0 | |
| aspirin low dose oral tablet chewable | \$0 | |
| aspirin low dose oral tablet delayed release | \$0 | |
| aspirin low strength | \$0 | |
| aspirin oral tablet chewable | \$0 | |
| aspirin oral tablet delayed release 81 mg | \$0 | |
| aspir-low | \$0 | |
| bayer aspirin ec low dose | \$0 | |
| bayer low dose oral tablet delayed release | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| childrens aspirin | \$0 | |
| cvs aspirin adult low dose | \$0 | |
| cvs aspirin adult low strength | \$0 | |
| cvs aspirin ec oral tablet delayed release 81 mg | \$0 | |
| cvs aspirin low dose | \$0 | |
| cvs aspirin low strength oral tablet delayed release | \$0 | |
| diflunisal oral | 1 | |
| ecotrin low strength | \$0 | |
| eq aspirin adult low dose | \$0 | |
| eq aspirin low dose oral tablet chewable | \$0 | |
| eql aspirin low dose | \$0 | |
| gnp adult aspirin low strength oral tablet chewable | \$0 | |
| gnp aspirin low dose | \$0 | |
| gnp aspirin oral tablet delayed release 81 mg | \$0 | |
| goodsense aspirin adult low st | \$0 | |
| goodsense aspirin low dose | \$0 | |
| goodsense aspirin oral tablet chewable | \$0 | |
| hm aspirin ec low dose | \$0 | |
| hm aspirin oral tablet chewable | \$0 | |
| kls aspirin low dose | \$0 | |
| kp aspirin | \$0 | |
| px aspirin oral tablet chewable | \$0 | |
| px enteric aspirin oral tablet delayed release 81 mg | \$0 | |
| qc aspirin low dose | \$0 | |
| qc childrens aspirin | \$0 | |
| ra aspirin adult low dose | \$0 | |
| ra aspirin adult low strength oral tablet chewable | \$0 | |
| ra aspirin childrens | \$0 | |
| ra aspirin ec adult low st | \$0 | |
| ra aspirin ec oral tablet delayed release 81 mg | \$0 | |
| salsalate oral | 1 | |
| sb childrens aspirin | \$0 | |
| sb low dose asa ec | \$0 | |
| sm aspirin adult low strength | \$0 | |
| sm aspirin ec low strength | \$0 | |
| sm aspirin low dose oral tablet chewable | \$0 | |
| sm childrens aspirin | \$0 | |
| st joseph low dose | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Analgesics - Opioid* | | |
| *Codeine Combinations*** | | |
| acetaminophen-codeine | 1 | PA; QPD |
| acetaminophen-codeine #2 | 1 | PA; QPD |
| acetaminophen-codeine #3 | 1 | PA; QPD |
| acetaminophen-codeine #4 | 1 | PA; QPD |
| ascomp-codeine | 1 | PA; QPD |
| butalbital-apap-caff-cod | 1 | PA; QPD |
| butalbital-asa-caff-codeine | 1 | PA; QPD |
| *Hydrocodone Combinations*** | | |
| hydrocodone-acetaminophen oral solution 7.5-325 mg/15ml | 1 | PA; QPD |
| hydrocodone-acetaminophen oral tablet 10-300 mg, 10-325 mg, 5-300 mg, 5-325 mg, 7.5-300 mg, 7.5-325 mg | 1 | PA; QPD |
| hydrocodone-ibuprofen oral tablet 5-200 mg, 7.5-200 mg | 1 | PA; QPD |
| *Opioid Agonists*** | | |
| codeine sulfate oral tablet | 1 | PA |
| fentanyl citrate buccal lozenge on a handle | 1 | PA; QPD |
| fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr | 1 | PA; QPD |
| hydrocodone bitartrate er oral tablet er 24 hour abuse-deterrant | 1 | PA; QPD |
| hydromorphone hcl er oral tablet extended release 24 hour | 1 | PA; QPD |
| hydromorphone hcl oral | 1 | PA |
| hydromorphone hcl rectal | 1 | PA |
| HYSINGLA ER | 2 | PA; QPD |
| levorphanol tartrate oral tablet 2 mg | 1 | PA; QPD |
| meperidine hcl oral solution | 1 | PA |
| meperidine hcl oral tablet 50 mg | 1 | PA |
| methadone hcl intensol | 1 | PA |
| methadone hcl oral | 1 | PA |
| methadose oral concentrate 10 mg/ml | 1 | PA |
| methadose oral tablet soluble | 1 | PA |
| methadose sugar-free | 1 | PA |
| morphine sulfate (concentrate) oral solution 100 mg/5ml, 20 mg/ml | 1 | PA |
| morphine sulfate er beads | 1 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| morphine sulfate er oral capsule extended release 24 hour | 1 | PA; QPD |
| morphine sulfate er oral tablet extended release | 1 | PA; QPD |
| morphine sulfate oral | 1 | PA |
| morphine sulfate rectal | 1 | PA |
| NUCYNTA | 2 | PA |
| oxycodone hcl oral capsule | 1 | PA |
| oxycodone hcl oral concentrate 100 mg/5ml | 1 | PA |
| oxycodone hcl oral solution | 1 | PA |
| oxycodone hcl oral tablet | 1 | PA |
| OXYCONTIN ORAL TABLET ER 12 HOUR ABUSE-DETERRENT | 2 | PA; QPD |
| oxymorphone hcl | 1 | PA |
| oxymorphone hcl er | 1 | PA; QPD |
| tramadol hcl er (biphasic) oral tablet extended release 24 hour 100 mg, 200 mg, 300 mg | 1 | QPD |
| tramadol hcl er oral tablet extended release 24 hour | 1 | QPD |
| tramadol hcl oral tablet 50 mg | 1 | |
| *Opioid Combinations*** | | |
| endocet oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | 1 | PA; QPD |
| oxycodone-acetaminophen oral tablet 10-325 mg, 2.5-325 mg, 5-325 mg, 7.5-325 mg | 1 | PA; QPD |
| *Opioid Partial Agonists*** | | |
| BELBUCA | 2 | PA; QPD |
| buprenorphine hcl-naloxone hcl sublingual film | 1 | QPD |
| buprenorphine transdermal | 1 | PA; QPD |
| butorphanol tartrate nasal | 1 | QPD |
| pentazocine-naloxone hcl | 1 | |
| ZUBSOLV | 2 | QPD |
| *Tramadol Combinations*** | | |
| tramadol-acetaminophen | 1 | QPD |
| *Androgens-Anabolic* | | |
| *Anabolic Steroids*** | | |
| oxandrolone oral | 1 | |
| *Androgens*** | | |
| danazol oral | 1 | |
| METHITEST | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>testosterone cypionate intramuscular solution 100 mg/ml, 200 mg/ml</i> | 1 | |
| <i>testosterone enanthate intramuscular solution</i> | 1 | |
| <i>testosterone transdermal gel 1.62 %, 10 mg/act (2%), 12.5 mg/act (1%), 20.25 mg/1.25gm (1.62%), 20.25 mg/act (1.62%), 25 mg/2.5gm (1%), 40.5 mg/2.5gm (1.62%), 50 mg/5gm (1%)</i> | 1 | PA; QPD |
| <i>testosterone transdermal solution</i> | 1 | PA; QPD |
| *Anorectal And Related Products* | | |
| *Intrarectal Steroids*** | | |
| CORTIFOAM EXTERNAL | 2 | |
| <i>hydrocortisone rectal enema</i> | 1 | |
| UCERIS RECTAL | 2 | |
| *Nitrate Vasodilating Agents*** | | |
| RECTIV | 2 | |
| *Rectal Anesthetic/Steroids*** | | |
| <i>hydrocortisone ace-pramoxine external cream 1-1 %</i> | 1 | |
| <i>lidocaine-hydrocort (perianal)</i> | 1 | |
| *Rectal Steroids*** | | |
| <i>anucort-hc</i> | 1 | |
| <i>hydrocortisone (perianal)</i> | 1 | |
| <i>hydrocortisone acetate rectal</i> | 1 | |
| <i>procto-med hc external</i> | 1 | |
| <i>procto-pak external</i> | 1 | |
| <i>proctosol hc external</i> | 1 | |
| <i>proctozone-hc external</i> | 1 | |
| *Anthelmintics* | | |
| *Anthelmintics*** | | |
| <i>albendazole oral</i> | 1 | |
| EMVERM | 2 | QPD |
| <i>ivermectin oral</i> | 1 | |
| <i>praziquantel oral</i> | 1 | |
| *Antiangular Agents* | | |
| *Antiangulars-Other*** | | |
| <i>ranolazine er</i> | 1 | |
| *Nitrates*** | | |
| <i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg, 5 mg</i> | 1 | |
| <i>isosorbide mononitrate</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>isosorbide mononitrate er</i> | 1 | |
| <i>nitro-bid</i> | 1 | |
| <i>nitroglycerin er oral capsule extended release 2.5 mg</i> | 1 | |
| <i>nitroglycerin sublingual</i> | 1 | |
| <i>nitroglycerin transdermal patch 24 hour</i> | 1 | |
| <i>nitro-time</i> | 1 | |
| *Antianxiety Agents* | | |
| *Antianxiety Agents - Misc.*** | | |
| <i>buspirone hcl oral</i> | 1 | |
| <i>hydroxyzine hcl oral syrup</i> | 1 | |
| <i>hydroxyzine hcl oral tablet</i> | 1 | |
| <i>hydroxyzine pamoate oral</i> | 1 | |
| <i>meprobamate</i> | 1 | |
| *Benzodiazepines*** | | |
| <i>alprazolam er</i> | 1 | |
| <i>alprazolam intensol</i> | 1 | |
| <i>alprazolam oral</i> | 1 | |
| <i>alprazolam xr</i> | 1 | |
| <i>chlordiazepoxide hcl</i> | 1 | |
| <i>clorazepate dipotassium</i> | 1 | |
| <i>diazepam intensol</i> | 1 | |
| <i>diazepam oral concentrate</i> | 1 | |
| <i>diazepam oral solution 5 mg/5ml</i> | 1 | |
| <i>diazepam oral tablet</i> | 1 | |
| <i>lorazepam intensol</i> | 1 | |
| <i>lorazepam oral concentrate 2 mg/ml</i> | 1 | |
| <i>lorazepam oral tablet</i> | 1 | |
| <i>oxazepam</i> | 1 | |
| *Antiarrhythmics* | | |
| *Antiarrhythmics Type I-A*** | | |
| <i>disopyramide phosphate oral</i> | 1 | |
| <i>NORPACE CR</i> | 2 | |
| <i>quinidine gluconate er</i> | 1 | |
| <i>quinidine sulfate oral</i> | 1 | |
| *Antiarrhythmics Type I-B*** | | |
| <i>mexiletine hcl oral</i> | 1 | |
| *Antiarrhythmics Type I-C*** | | |
| <i>flecainide acetate</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>propafenone hcl</i> | 1 | |
| <i>propafenone hcl er</i> | 1 | |
| *Antiarrhythmics Type Iii*** | | |
| <i>amiodarone hcl oral</i> | 1 | |
| <i>dofetilide</i> | 1 | |
| MULTAQ | 2 | |
| <i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> | 1 | |
| *Antiasthmatic And Bronchodilator Agents* | | |
| *5-Lipoxygenase Inhibitors*** | | |
| <i>zileuton er</i> | 1 | PA; QPD |
| ZYFLO | 2 | PA; QPD |
| *Adrenergic Combinations*** | | |
| ADVAIR HFA | 2 | QPD |
| ANORO ELLIPTA | 2 | QPD |
| BEVESPI AEROSPHERE | 2 | PA; QPD |
| BREO ELLIPTA | 2 | QPD |
| COMBIVENT RESPIMAT | 2 | QPD |
| DUAKLIR PRESSAIR | 2 | PA; QPD |
| DULERA | 2 | QPD |
| <i>fluticasone-salmeterol inhalation aerosol powder breath activated 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> | 1 | QPD |
| FLUTICASONE-SALMETEROL INHALATION AEROSOL POWDER BREATH ACTIVATED 113-14 MCG/ACT, 232-14 MCG/ACT, 55-14 MCG/ACT | 2 | QPD |
| <i>ipratropium-albuterol</i> | 1 | QPD |
| STIOLTO RESPIMAT INHALATION AEROSOL SOLUTION 2.5-2.5 MCG/ACT | 2 | QPD |
| SYMBICORT | 2 | QPD |
| TRELEGY ELLIPTA AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/INH INHALATION | 2 | QPD |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 100-62.5-25 MCG/INH | 2 | QPD |
| TRELEGY ELLIPTA INHALATION AEROSOL POWDER BREATH ACTIVATED 200-62.5-25 MCG/INH | 2 | |
| <i>wixela inhub</i> | 1 | QPD |
| *Anti-Inflammatory Agents*** | | |
| <i>cromolyn sodium inhalation</i> | 1 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Beta Adrenergics*** | | |
| albuterol sulfate hfa inhalation aerosol solution 108 (90 base) mcg/act | 1 | QPD |
| albuterol sulfate inhalation | 1 | |
| albuterol sulfate oral | 1 | |
| arformoterol tartrate | 1 | PA; QPD |
| BROVANA | 2 | PA; QPD |
| formoterol fumarate inhalation | 1 | PA; QPD |
| levalbuterol hcl inhalation nebulization solution 0.31 mg/3ml, 0.63 mg/3ml, 1.25 mg/0.5ml, 1.25 mg/3ml | 1 | |
| LEVALBUTEROL TARTRATE | 2 | PA; QPD |
| PERFOROMIST | 2 | PA; QPD |
| PROAIR RESPICLICK | 2 | QPD |
| SEREVENT DISKUS | 2 | QPD |
| STRIVERDI RESPIMAT | 2 | QPD |
| terbutaline sulfate oral | 1 | |
| VENTOLIN HFA | 2 | QPD |
| XOPENEX HFA | 2 | PA; QPD |
| *Bronchodilators - Anticholinergics*** | | |
| ATROVENT HFA | 2 | QPD |
| INCRUSE ELLIPTA | 2 | QPD |
| ipratropium bromide inhalation | 1 | |
| SPIRIVA HANDIHALER | 2 | QPD |
| SPIRIVA RESPIMAT INHALATION AEROSOL SOLUTION 1.25 MCG/ACT, 2.5 MCG/ACT | 2 | QPD |
| TUDORZA PRESSAIR INHALATION AEROSOL POWDER BREATH ACTIVATED 400 MCG/ACT | 2 | PA; QPD |
| *Leukotriene Receptor Antagonists*** | | |
| montelukast sodium oral | 1 | QPD |
| zafirlukast | 1 | QPD |
| *Selective Phosphodiesterase 4 (Pde4) Inhibitors*** | | |
| DALIRESP | 2 | QPD |
| *Steroid Inhalants*** | | |
| ALVESCO | 2 | PA; QPD |
| ARNUITY ELLIPTA | 2 | QPD |
| ASMANEX (120 METERED DOSES) | 2 | PA; QPD |
| ASMANEX (14 METERED DOSES) | 2 | PA; QPD |
| ASMANEX (30 METERED DOSES) | 2 | PA; QPD |
| ASMANEX (60 METERED DOSES) | 2 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| ASMANEX (7 METERED DOSES) | 2 | PA; QPD |
| ASMANEX HFA | 2 | PA; QPD |
| <i>budesonide inhalation</i> | 1 | QPD |
| FLOVENT DISKUS | 2 | QPD |
| FLOVENT HFA | 2 | QPD |
| PULMICORT FLEXHALER | 2 | QPD |
| QVAR REDIHALER | 2 | QPD |
| *Xanthines*** | | |
| THEO-24 | 2 | |
| <i>theophylline</i> | 1 | |
| <i>theophylline er oral tablet extended release 12 hour 300 mg, 450 mg</i> | 1 | |
| <i>theophylline er oral tablet extended release 24 hour</i> | 1 | |
| *Anticoagulants* | | |
| *Coumarin Anticoagulants*** | | |
| <i>jantoven</i> | \$0* | |
| <i>warfarin sodium oral</i> | \$0* | |
| *Direct Factor Xa Inhibitors*** | | |
| ELIQUIS | 2 | QPD |
| ELIQUIS DVT/PE STARTER PACK ORAL TABLET THERAPY PACK | 2 | QPD |
| SAVAYSA | 2 | PA; QPD |
| XARELTO | 2 | QPD |
| XARELTO STARTER PACK | 2 | QPD |
| *Heparins And Heparinoid-Like Agents*** | | |
| <i>heparin lock flush intravenous solution 1 unit/ml, 10 unit/ml</i> | 1 | |
| <i>heparin sodium (porcine) injection solution 1000 unit/ml, 10000 unit/ml, 20000 unit/ml, 5000 unit/ml</i> | 1 | |
| <i>heparin sodium (porcine) pf injection solution 5000 unit/0.5ml</i> | 1 | |
| <i>heparin sodium lock flush intravenous solution 100 unit/ml</i> | 1 | |
| *Low Molecular Weight Heparins*** | | |
| <i>enoxaparin sodium</i> | 1 | |
| <i>FRAGMIN SUBCUTANEOUS SOLUTION 10000 UNIT/ML, 12500 UNIT/0.5ML, 15000 UNIT/0.6ML, 18000 UNT/0.72ML, 2500 UNIT/0.2ML, 5000 UNIT/0.2ML, 7500 UNIT/0.3ML, 95000 UNIT/3.8ML</i> | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Synthetic Heparinoid-Like Agents*** | | |
| <i>fondaparinux sodium</i> | 1 | |
| *Thrombin Inhibitors - Selective Direct & Reversible*** | | |
| PRADAXA | 2 | PA; QPD |
| *Anticonvulsants* | | |
| *Ampa Glutamate Receptor Antagonists*** | | |
| FYCOMPA | 2 | |
| *Anticonvulsants - Benzodiazepines*** | | |
| <i>clobazam</i> | 1 | |
| <i>clonazepam oral</i> | 1 | |
| DIASTAT ACUDIAL | 2 | |
| DIASTAT PEDIATRIC | 2 | |
| <i>diazepam rectal</i> | 1 | |
| KLONOPIN | 2 | |
| NAYZILAM | 2 | QPD |
| ONFI ORAL SUSPENSION | 2 | |
| ONFI ORAL TABLET 10 MG, 20 MG | 2 | |
| VALTOCO 10 MG DOSE | 2 | QPD |
| VALTOCO 15 MG DOSE | 2 | QPD |
| VALTOCO 20 MG DOSE | 2 | QPD |
| VALTOCO 5 MG DOSE | 2 | QPD |
| *Anticonvulsants - Misc.*** | | |
| APTIOM | 2 | QPD |
| BANZEL | 2 | |
| <i>carbamazepine er</i> | 1 | |
| <i>carbamazepine oral</i> | 1 | |
| CARBATROL | 2 | |
| EPIDIOLEX | 2 | PA; LA; SP |
| <i>epitol</i> | 1 | |
| <i>gabapentin oral capsule</i> | 1 | |
| <i>gabapentin oral solution 250 mg/5ml</i> | 1 | |
| <i>gabapentin oral tablet</i> | 1 | |
| KEPPRA ORAL | 2 | |
| KEPPRA XR | 2 | |
| LAMICTAL ODT | 2 | |
| LAMICTAL ORAL TABLET | 2 | |
| LAMICTAL ORAL TABLET CHEWABLE 25 MG, 5 MG | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| LAMICTAL XR ORAL TABLET EXTENDED RELEASE 24 HOUR | 2 | |
| <i>lamotrigine er</i> | 1 | |
| <i>lamotrigine oral kit 25 & 50 & 100 mg</i> | 1 | |
| <i>lamotrigine oral tablet</i> | 1 | |
| <i>lamotrigine oral tablet chewable</i> | 1 | |
| <i>lamotrigine oral tablet dispersible</i> | 1 | |
| <i>levetiracetam er</i> | 1 | |
| <i>levetiracetam oral</i> | 1 | |
| MYSOLINE | 2 | |
| <i>oxcarbazepine</i> | 1 | |
| OXTELLAR XR | 2 | |
| <i>pregabalin oral</i> | 1 | QPD |
| <i>primidone oral</i> | 1 | |
| QUDEXY XR | 2 | PA; QPD |
| <i>roweepra oral tablet 500 mg</i> | 1 | |
| <i>rufinamide</i> | 1 | |
| TEGRETOL ORAL SUSPENSION | 2 | |
| TEGRETOL ORAL TABLET | 2 | |
| TEGRETOL-XR | 2 | |
| TOPAMAX | 2 | |
| TOPAMAX SPRINKLE | 2 | |
| <i>topiramate er</i> | 1 | PA; QPD |
| <i>topiramate oral</i> | 1 | |
| TRILEPTAL | 2 | |
| TROKENDI XR | 2 | PA; QPD |
| VIMPAT ORAL | 2 | |
| ZONEGRAN | 2 | |
| <i>zonisamide oral</i> | 1 | |
| *Carbamates*** | | |
| <i>felbamate</i> | 1 | |
| FELBATOL | 2 | |
| *Gaba Modulators*** | | |
| GABITRIL | 2 | |
| SABRIL | 2 | PA; LA; SP; QPD |
| <i>tiagabine hcl</i> | 1 | |
| <i>vigabatrin</i> | 1 | PA; LA; SP; QPD |
| <i>vigadrone</i> | 1 | PA; LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Hydantoins*** | | |
| DILANTIN | 2 | |
| DILANTIN INFATABS | 2 | |
| PHENYTEK | 2 | |
| <i>phenytoin infatabs</i> | 1 | |
| <i>phenytoin oral suspension 125 mg/5ml</i> | 1 | |
| <i>phenytoin oral tablet chewable</i> | 1 | |
| <i>phenytoin sodium extended</i> | 1 | |
| *Succinimides*** | | |
| CELONTIN | 2 | |
| <i>ethosuximide oral</i> | 1 | |
| ZARONTIN | 2 | |
| *Valproic Acid*** | | |
| DEPAKOTE | 2 | |
| DEPAKOTE ER | 2 | |
| DEPAKOTE SPRINKLES ORAL CAPSULE DELAYED RELEASE SPRINKLE | 2 | |
| <i>divalproex sodium er oral tablet extended release 24 hour</i> | 1 | |
| <i>divalproex sodium oral capsule delayed release sprinkle</i> | 1 | |
| <i>divalproex sodium oral tablet delayed release</i> | 1 | |
| <i>valproic acid oral capsule</i> | 1 | |
| <i>valproic acid oral solution</i> | 1 | |
| *Antidepressants* | | |
| *Alpha-2 Receptor Antagonists (Tetracyclics)*** | | |
| <i>mirtazapine oral</i> | 1 | QPD |
| *Antidepressants - Misc.*** | | |
| <i>bupropion hcl er (sr)</i> | 1 | QPD |
| <i>bupropion hcl er (xl) oral tablet extended release 24 hour 150 mg, 300 mg</i> | 1 | QPD |
| <i>bupropion hcl oral</i> | 1 | |
| *Monoamine Oxidase Inhibitors (Maois)*** | | |
| EMSAM | 2 | QPD |
| MARPLAN | 2 | |
| <i>phenelzine sulfate oral</i> | 1 | |
| <i>tranylcypromine sulfate</i> | 1 | |
| *Selective Serotonin Reuptake Inhibitors (Ssris)*** | | |
| <i>citalopram hydrobromide</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| <i>escitalopram oxalate</i> | 1 | QPD |
| <i>fluoxetine hcl oral capsule</i> | 1 | QPD |
| <i>fluoxetine hcl oral capsule delayed release</i> | 1 | QPD |
| <i>fluoxetine hcl oral solution</i> | 1 | QPD |
| <i>fluoxetine hcl oral tablet 10 mg, 20 mg</i> | 1 | QPD |
| <i>fluvoxamine maleate</i> | 1 | QPD |
| <i>fluvoxamine maleate er</i> | 1 | QPD |
| <i>paroxetine hcl er</i> | 1 | QPD |
| <i>paroxetine hcl oral tablet</i> | 1 | QPD |
| <i>sertraline hcl oral concentrate</i> | 1 | QPD |
| <i>sertraline hcl oral tablet</i> | 1 | QPD |
| *Serotonin Modulators*** | | |
| <i>nefazodone hcl</i> | 1 | |
| <i>trazodone hcl oral</i> | 1 | |
| <i>TRINTELLIX</i> | 2 | ST |
| <i>VIIBRYD ORAL TABLET</i> | 2 | ST; QPD |
| <i>VIIBRYD STARTER PACK</i> | 2 | ST; QPD |
| *Serotonin-Norepinephrine Reuptake Inhibitors (Snrис)*** | | |
| <i>desvenlafaxine succinate er</i> | 1 | QPD |
| <i>duloxetine hcl oral capsule delayed release particles 20 mg, 30 mg, 60 mg</i> | 1 | QPD |
| <i>FETZIMA</i> | 2 | ST |
| <i>FETZIMA TITRATION</i> | 2 | ST |
| <i>venlafaxine hcl</i> | 1 | QPD |
| <i>venlafaxine hcl er oral capsule extended release 24 hour</i> | 1 | QPD |
| *Tricyclic Agents*** | | |
| <i>amitriptyline hcl oral</i> | 1 | |
| <i>amoxapine</i> | 1 | |
| <i>clomipramine hcl oral</i> | 1 | |
| <i>desipramine hcl oral</i> | 1 | |
| <i>doxepin hcl oral capsule</i> | 1 | |
| <i>doxepin hcl oral concentrate</i> | 1 | |
| <i>imipramine hcl oral</i> | 1 | |
| <i>imipramine pamoate</i> | 1 | |
| <i>nortriptyline hcl oral</i> | 1 | |
| <i>protriptyline hcl</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>trimipramine maleate oral</i> | 1 | |
| *Antidiabetics* | | |
| *Alpha-Glucosidase Inhibitors*** | | |
| <i>acarbose oral</i> | 1 | |
| <i>miglitol</i> | 1 | |
| *Antidiabetic - Amylin Analogs*** | | |
| SYMLINPEN 120 SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; QPD |
| SYMLINPEN 60 SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; QPD |
| *Biguanides*** | | |
| <i>metformin hcl er</i> | 1 | QPD |
| <i>metformin hcl oral tablet</i> | 1 | QPD |
| *Diabetic Other*** | | |
| BAQSIMI ONE PACK | 2 | QPD |
| BAQSIMI TWO PACK | 2 | QPD |
| <i>diazoxide oral</i> | 1 | SP |
| GLUCAGEN HYPOKIT | 2 | |
| GLUCAGON EMERGENCY INJECTION KIT 1 MG | 2 | |
| <i>glucagon emergency kit 1 mg injection</i> | 1 | QPD |
| GVOKE HYPOOPEN 1-PACK | 2 | QPD |
| GVOKE HYPOOPEN 2-PACK | 2 | QPD |
| GVOKE PFS | 2 | QPD |
| *Dipeptidyl Peptidase-4 (Dpp-4) Inhibitors*** | | |
| ALOGLIPTIN BENZOATE | 2 | PA; QPD |
| JANUVIA | 2 | QPD |
| TRADJENTA | 2 | QPD |
| *Dipeptidyl Peptidase-4 Inhibitor-Biguanide Combinations*** | | |
| JANUMET | 2 | QPD |
| JANUMET XR | 2 | QPD |
| JENTADUETO | 2 | QPD |
| JENTADUETO XR | 2 | QPD |
| *Dopamine Receptor Agonists - Ergot Derivatives*** | | |
| CYCLOSET | 2 | |
| *Human Insulin*** | | |
| APIDRA | 2 | PA |
| APIDRA SOLOSTAR SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| BASAGLAR KWIKPEN | 2 | |
| FIASP | 2 | |
| FIASP FLEXTOUCH | 2 | |
| FIASP PENFILL | 2 | |
| HUMALOG | 2 | PA |
| HUMALOG JUNIOR KWIKPEN | 2 | PA |
| HUMALOG KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR 100 UNIT/ML, 200 UNIT/ML | 2 | PA |
| HUMALOG MIX 50/50 | 2 | PA |
| HUMALOG MIX 50/50 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 2 | PA |
| HUMALOG MIX 75/25 | 2 | PA |
| HUMALOG MIX 75/25 KWIKPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 2 | PA |
| HUMULIN R U-500 (CONCENTRATED) | 2 | |
| HUMULIN R U-500 KWIKPEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | |
| LANTUS | 2 | |
| LANTUS SOLOSTAR SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | |
| LEVEMIR | 2 | |
| LEVEMIR FLEXTOUCH | 2 | |
| NOVOLIN 70/30 | 2 | |
| NOVOLIN 70/30 FLEXPEN | 2 | |
| NOVOLIN 70/30 FLEXPEN RELION | 2 | |
| NOVOLIN 70/30 RELION | 2 | |
| NOVOLIN N | 2 | |
| NOVOLIN N FLEXPEN | 2 | |
| NOVOLIN N FLEXPEN RELION | 2 | |
| NOVOLIN N RELION | 2 | |
| NOVOLIN R | 2 | |
| NOVOLIN R FLEXPEN | 2 | |
| NOVOLIN R FLEXPEN RELION | 2 | |
| NOVOLIN R RELION | 2 | |
| NOVOLOG | 2 | |
| NOVOLOG FLEXPEN SUBCUTANEOUS SOLUTION PEN- INJECTOR | 2 | |
| NOVOLOG MIX 70/30 | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| NOVOLOG MIX 70/30 FLEXPEN SUBCUTANEOUS SUSPENSION PEN-INJECTOR | 2 | |
| NOVOLOG PENFILL SUBCUTANEOUS SOLUTION CARTRIDGE | 2 | |
| TOUJEO MAX SOLOSTAR | 2 | |
| TOUJEO SOLOSTAR | 2 | |
| TRESIBA | 2 | |
| TRESIBA FLEXTOUCH | 2 | |
| *Incretin Mimetic Agents (Glp-1 Receptor Agonists)*** | | |
| BYDUREON BCISE | 2 | PA; QPD |
| BYETTA 10 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; QPD |
| BYETTA 5 MCG PEN SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; QPD |
| OZEMPIC (0.25 OR 0.5 MG/DOSE) | 2 | PA; QPD |
| OZEMPIC (1 MG/DOSE) | 2 | PA; QPD |
| RYBELSUS | 2 | PA; QPD |
| TRULICITY | 2 | PA; QPD |
| VICTOZA SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; QPD |
| *Insulin-Incretin Mimetic Combinations*** | | |
| SOLIQUA | 2 | QPD |
| XULTOPHY | 2 | QPD |
| *Meglitinide Analogues*** | | |
| nateglinide | 1 | |
| repaglinide | 1 | |
| *Progesterone Receptor Antagonists*** | | |
| KORLYM | 2 | PA; LA; SP; QPD |
| *Sglt2 Inhibitor - Dpp-4 Inhibitor - Biguanide Comb*** | | |
| TRIJARDY XR | 2 | QPD |
| *Sglt2 Inhibitor - Dpp-4 Inhibitor Combinations*** | | |
| GLYXAMBI | 2 | QPD |
| *Sodium-Glucose Co-Transporter 2 (Sglt2) Inhibitors*** | | |
| FARXIGA | 2 | QPD |
| JARDIANCE | 2 | QPD |
| STEGLATRO | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Sodium-Glucose Co-Transporter 2 Inhibitor-Biguanide Comb*** | | |
| SEGLUROMET | 2 | QPD |
| SYNJARDY | 2 | QPD |
| SYNJARDY XR | 2 | QPD |
| XIGDUO XR | 2 | QPD |
| *Sulfonylurea-Biguanide Combinations*** | | |
| glipizide-metformin hcl | 1 | QPD |
| glyburide-metformin | 1 | QPD |
| *Sulfonylureas*** | | |
| glimepiride | 1 | QPD |
| glipizide er | 1 | QPD |
| glipizide oral | 1 | QPD |
| glipizide xl | 1 | QPD |
| glyburide micronized | 1 | QPD |
| glyburide oral | 1 | QPD |
| *Sulfonylurea-Thiazolidinedione Combinations*** | | |
| pioglitazone hcl-glimepiride | 1 | QPD |
| *Thiazolidinedione-Biguanide Combinations*** | | |
| pioglitazone hcl-metformin hcl | 1 | QPD |
| *Thiazolidinediones*** | | |
| pioglitazone hcl | 1 | QPD |
| *Antidiarrheal/Probiotic Agents* | | |
| *Antidiarrheal - Chloride Channel Antagonists*** | | |
| MYTESI | 2 | LA; SP; QPD |
| *Antiperistaltic Agents*** | | |
| diphenoxylate-atropine oral liquid | 1 | |
| diphenoxylate-atropine oral tablet 2.5-0.025 mg | 1 | |
| loperamide hcl oral capsule | 1 | |
| opium | 1 | |
| *Antidotes And Specific Antagonists* | | |
| *Antidotes - Chelating Agents*** | | |
| CHEMET | 2 | SP |
| deferasirox | 1 | SP |
| deferasirox granules | 1 | SP |
| deferiprone | 1 | LA; SP |
| FERRIPROX | 2 | LA; SP |
| FERRIPROX TWICE-A-DAY | 2 | LA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Antidotes And Specific Antagonists*** | | |
| VISTOGARD | 2 | LA; SP; QPD |
| *Opioid Antagonists*** | | |
| KLOXXADO | 2 | QPD |
| <i>naloxone hcl injection solution 0.4 mg/ml, 4 mg/10ml</i> | 1 | QPD |
| <i>naloxone hcl injection solution cartridge</i> | 1 | QPD |
| <i>naloxone hcl injection solution prefilled syringe</i> | 1 | QPD |
| <i>naltrexone hcl oral</i> | 1 | |
| NARCAN | 2 | QPD |
| *Antiemetics* | | |
| *5-HT3 Receptor Antagonists*** | | |
| <i>granisetron hcl oral</i> | 1 | QPD |
| <i>ondansetron</i> | 1 | QPD |
| <i>ondansetron hcl oral</i> | 1 | QPD |
| *Antiemetic Combinations*** | | |
| AKYNZEO ORAL | 2 | QPD |
| BONJESTA | 2 | QPD |
| <i>doxylamine-pyridoxine</i> | 1 | QPD |
| *Antiemetics - Anticholinergic*** | | |
| <i>meclizine hcl oral tablet 12.5 mg, 25 mg</i> | 1 | |
| <i>scopolamine</i> | 1 | |
| <i>trimethobenzamide hcl oral</i> | 1 | |
| *Antiemetics - Miscellaneous*** | | |
| dronabinol | 1 | |
| *Substance P/Neurokinin 1 (Nk1) Receptor Antagonists*** | | |
| <i>aprepitant</i> | 1 | QPD |
| EMEND ORAL SUSPENSION RECONSTITUTED | 2 | QPD |
| *Antifungals* | | |
| *Antifungals*** | | |
| <i>flucytosine oral</i> | 1 | |
| <i>griseofulvin microsize oral</i> | 1 | |
| <i>griseofulvin ultramicrosize</i> | 1 | |
| <i>nystatin oral tablet</i> | 1 | |
| <i>terbinafine hcl oral</i> | 1 | QPD |
| *Imidazoles*** | | |
| <i>ketoconazole oral</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Triazoles*** | | |
| CRESEMBA ORAL | 2 | QPD |
| <i>fluconazole oral suspension reconstituted</i> | 1 | |
| <i>fluconazole oral tablet 100 mg, 200 mg, 50 mg</i> | 1 | |
| <i>fluconazole oral tablet 150 mg</i> | 1 | QPD |
| <i>itraconazole oral</i> | 1 | QPD |
| NOXAFIL ORAL SUSPENSION | 2 | QPD |
| <i>posaconazole</i> | 1 | QPD |
| TOLSURA | 2 | QPD |
| <i>voriconazole oral</i> | 1 | QPD |
| *Antihistamines* | | |
| *Antihistamines - Ethanolamines*** | | |
| <i>carbinoxamine maleate oral solution</i> | 1 | |
| <i>carbinoxamine maleate oral tablet 4 mg</i> | 1 | |
| <i>clemastine fumarate oral tablet 2.68 mg</i> | 1 | |
| <i>diphenhydramine hcl oral capsule 50 mg</i> | 1 | |
| *Antihistamines - Non-Sedating*** | | |
| <i>desloratadine oral tablet</i> | 1 | QPD |
| *Antihistamines - Phenothiazines*** | | |
| <i>promethazine hcl oral</i> | 1 | |
| <i>promethazine hcl rectal suppository 12.5 mg, 25 mg</i> | 1 | |
| <i>promethegran</i> | 1 | |
| *Antihistamines - Piperidines*** | | |
| <i>cyproheptadine hcl oral</i> | 1 | |
| *Antihyperlipidemics* | | |
| *Antihyperlipidemics - Misc.*** | | |
| <i>icosapent ethyl</i> | 1 | QPD |
| <i>omega-3-acid ethyl esters</i> | 1 | |
| VASCEPA | 2 | QPD |
| *Bile Acid Sequestrants*** | | |
| <i>cholestyramine light</i> | \$0* | |
| <i>cholestyramine oral</i> | \$0* | |
| <i>colesevelam hcl</i> | \$0* | |
| <i>colestipol hcl</i> | \$0* | |
| <i>prevalite</i> | \$0* | |
| *Fibrin Acid Derivatives*** | | |
| <i>fenoferibate micronized oral capsule 130 mg, 134 mg, 200 mg, 43 mg, 67 mg</i> | \$0* | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>fenofibrate oral capsule 134 mg, 200 mg, 67 mg</i> | \$0* | |
| <i>fenofibrate oral tablet 145 mg, 160 mg, 48 mg, 54 mg</i> | \$0* | |
| <i>fenofibric acid</i> | \$0* | |
| <i>gemfibrozil oral</i> | \$0* | |
| *Hmg Coa Reductase Inhibitors*** | | |
| <i>atorvastatin calcium oral</i> | \$0* | QPD |
| <i>fluvastatin sodium</i> | \$0* | QPD |
| <i>fluvastatin sodium er</i> | \$0* | QPD |
| <i>LIVALO</i> | 2 | PA; ST; QPD |
| <i>lovastatin oral</i> | \$0* | QPD |
| <i>pravastatin sodium</i> | \$0* | QPD |
| <i>rosuvastatin calcium</i> | \$0* | QPD |
| <i>simvastatin oral tablet</i> | \$0* | QPD |
| *Intest Cholest Absorp Inhib-Hmg Coa Reductase Inhib Comb*** | | |
| <i>ezetimibe-simvastatin</i> | \$0* | QPD |
| *Intestinal Cholesterol Absorption Inhibitors*** | | |
| <i>ezetimibe</i> | \$0* | QPD |
| *Nicotinic Acid Derivatives*** | | |
| <i>niacin er (antihyperlipidemic)</i> | \$0* | |
| <i>NIACOR</i> | 2 | |
| *Pcsk9 Inhibitors*** | | |
| <i>PRALUENT SUBCUTANEOUS SOLUTION AUTO-INJECTOR</i> | 2 | PA; QPD |
| <i>REPATHA</i> | 2 | PA; QPD |
| <i>REPATHA PUSHTRONEX SYSTEM</i> | 2 | PA; QPD |
| <i>REPATHA SURECLICK</i> | 2 | PA; QPD |
| *Antihypertensives* | | |
| *Ace Inhibitor & Calcium Channel Blocker Combinations*** | | |
| <i>amlodipine besy-benazepril hcl</i> | \$0* | |
| <i>trandolapril-verapamil hcl er</i> | \$0* | |
| *Ace Inhibitors & Thiazide/Thiazide-Like*** | | |
| <i>benazepril-hydrochlorothiazide</i> | \$0* | |
| <i>enalapril-hydrochlorothiazide</i> | \$0* | |
| <i>fosinopril sodium-hctz</i> | \$0* | |
| <i>lisinopril-hydrochlorothiazide</i> | \$0* | QPD |
| <i>quinapril-hydrochlorothiazide</i> | \$0* | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Ace Inhibitors*** | | |
| <i>benazepril hcl oral</i> | \$0* | QPD |
| <i>captopril oral</i> | \$0* | QPD |
| <i>enalapril maleate oral solution</i> | 1 | QPD |
| <i>enalapril maleate oral tablet</i> | \$0* | QPD |
| <i>EPANED ORAL SOLUTION</i> | 2 | ST; QPD |
| <i>fosinopril sodium</i> | \$0* | QPD |
| <i>lisinopril oral</i> | \$0* | QPD |
| <i>moexipril hcl</i> | \$0* | QPD |
| <i>perindopril erbumine</i> | \$0* | QPD |
| <i>QBRELIS</i> | 2 | ST; QPD |
| <i>quinapril hcl</i> | \$0* | QPD |
| <i>ramipril</i> | \$0* | QPD |
| <i>trandolapril</i> | \$0* | QPD |
| *Agents For Pheochromocytoma*** | | |
| <i>metyrosine</i> | 1 | PA; SP |
| <i>phenoxybenzamine hcl oral</i> | 1 | PA |
| *Angiotensin II Receptor Antag & Ca Channel Blocker Comb*** | | |
| <i>amlodipine besylate-valsartan</i> | \$0* | QPD |
| <i>amlodipine-olmesartan</i> | \$0* | QPD |
| <i>telmisartan-amlodipine</i> | \$0* | QPD |
| *Angiotensin II Receptor Antag & Thiazide/Thiazide-Like*** | | |
| <i>candesartan cilexetil-hctz</i> | \$0* | |
| <i>irbesartan-hydrochlorothiazide</i> | \$0* | |
| <i>losartan potassium-hctz</i> | \$0* | |
| <i>olmesartan medoxomil-hctz</i> | \$0* | QPD |
| <i>telmisartan-hctz</i> | \$0* | |
| <i>valsartan-hydrochlorothiazide</i> | \$0* | |
| *Angiotensin II Receptor Antagonists*** | | |
| <i>candesartan cilexetil</i> | \$0* | QPD |
| <i>irbesartan</i> | \$0* | QPD |
| <i>losartan potassium oral</i> | \$0* | QPD |
| <i>olmesartan medoxomil oral</i> | \$0* | QPD |
| <i>telmisartan</i> | \$0* | QPD |
| <i>valsartan</i> | \$0* | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Angiotensin II Receptor Ant-Ca Channel Blocker-Thiazides*** | | |
| <i>amlodipine-valsartan-hctz</i> | \$0* | QPD |
| <i>olmesartan-amlodipine-hctz</i> | \$0* | QPD |
| *Antidiurenergics - Centrally Acting*** | | |
| <i>clonidine</i> | 1 | QPD |
| <i>clonidine hcl oral</i> | 1 | |
| <i>guanfacine hcl oral</i> | 1 | |
| <i>methyldopa oral</i> | 1 | |
| *Antidiurenergics - Peripherally Acting*** | | |
| <i>doxazosin mesylate oral</i> | 1 | QPD |
| <i>prazosin hcl oral</i> | 1 | QPD |
| <i>terazosin hcl oral</i> | 1 | QPD |
| *Beta Blocker & Diuretic Combinations*** | | |
| <i>atenolol-chlorthalidone</i> | \$0* | |
| <i>bisoprolol-hydrochlorothiazide</i> | \$0* | |
| <i>metoprolol-hydrochlorothiazide</i> | \$0* | |
| *Direct Renin Inhibitors & Thiazide/Thiazide-Like Comb*** | | |
| <i>TEKURNA HCT</i> | 2 | ST |
| *Direct Renin Inhibitors*** | | |
| <i>aliskiren fumarate</i> | 1 | QPD |
| *Selective Aldosterone Receptor Antagonists (Saras)*** | | |
| <i>eplerenone</i> | 1 | |
| *Vasodilators*** | | |
| <i>hydralazine hcl oral</i> | 1 | |
| <i>minoxidil oral</i> | 1 | |
| *Anti-Infective Agents - Misc.* | | |
| *Anti-Infective Agents - Misc.*** | | |
| <i>AEMCOLO</i> | 2 | QPD |
| <i>metronidazole oral</i> | 1 | |
| <i>pentamidine isethionate inhalation</i> | 1 | |
| <i>PRIMSOL</i> | 2 | |
| <i>tinidazole oral</i> | 1 | |
| <i>trimethoprim oral</i> | 1 | |
| <i>XIFAXAN</i> | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Anti-Infective Misc. - Combinations*** | | |
| <i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5ml</i> | 1 | |
| <i>sulfamethoxazole-trimethoprim oral tablet</i> | 1 | |
| <i>sulfatrim pediatric</i> | 1 | |
| *Antiprotozoal Agents*** | | |
| <i>ALINIA ORAL SUSPENSION RECONSTITUTED</i> | 2 | QPD |
| <i>ALINIA ORAL TABLET</i> | 2+ | QPD |
| <i>atovaquone oral</i> | 1 | QPD |
| <i>nitazoxanide oral</i> | 1 | QPD |
| *Glycopeptides*** | | |
| <i>FIRVANQ</i> | 2 | QPD |
| <i>vancomycin hcl oral</i> | 1 | QPD |
| *Leprostatics*** | | |
| <i>dapsone oral</i> | 1 | |
| *Lincosamides*** | | |
| <i>clindamycin hcl oral</i> | 1 | |
| <i>clindamycin palmitate hcl</i> | 1 | |
| *Monobactams*** | | |
| <i>CAYSTON</i> | 2 | PA; LA; SP |
| *Oxazolidinones*** | | |
| <i>linezolid oral</i> | 1 | QPD |
| *Pleuromutilins*** | | |
| <i>XENLETA ORAL</i> | 2 | QPD |
| *Urinary Anti-Infectives*** | | |
| <i>fosfomycin tromethamine</i> | 1 | |
| <i>methenamine hippurate</i> | 1 | |
| <i>methenamine mandelate oral</i> | 1 | |
| <i>MONUROL</i> | 2 | |
| <i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i> | 1 | QPD |
| <i>nitrofurantoin macrocrystal oral capsule 25 mg</i> | 1 | PA; QPD |
| <i>nitrofurantoin monohyd macro</i> | 1 | QPD |
| <i>nitrofurantoin oral suspension</i> | 1 | QPD |
| *Urinary Antiseptic-Antispasmodic &/Or Analgesics*** | | |
| <i>me/naphos(mb)/hyo1</i> | 1 | |
| <i>phosphasal</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>urimar-t</i> | 1 | |
| <i>urin ds oral tablet 81.6 mg</i> | 1 | |
| <i>uro-458</i> | 1 | |
| <i>urogesic-blue</i> | 1 | |
| <i>uro-mp</i> | 1 | |
| <i>utira-c</i> | 1 | |
| <i>vilamit mb</i> | 1 | |
| <i>vilevев mb</i> | 1 | |
| *Antimalarials* | | |
| *Antimalarial Combinations*** | | |
| <i>atovaquone-proguanil hcl</i> | 1 | |
| <i>COARTEM</i> | 2 | |
| *Antimalarials*** | | |
| <i>chloroquine phosphate oral</i> | 1 | |
| <i>hydroxychloroquine sulfate oral tablet 200 mg</i> | 1 | |
| <i>KRINTAFEL</i> | 2 | QPD |
| <i>mefloquine hcl</i> | 1 | |
| <i>primaquine phosphate oral tablet 26.3 (15 base) mg</i> | 1 | |
| <i>PRIMAQUINE PHOSPHATE TABLET 26.3 (15 BASE) MG ORAL</i> | 2 | |
| <i>pyrimethamine oral</i> | 1 | PA; SP |
| <i>quinine sulfate oral</i> | 1 | |
| *Antimyasthenic/Cholinergic Agents* | | |
| *Antimyasthenic/Cholinergic Agents*** | | |
| <i>pyridostigmine bromide er</i> | 1 | |
| <i>pyridostigmine bromide oral solution</i> | 1 | SP |
| <i>pyridostigmine bromide oral tablet 60 mg</i> | 1 | |
| <i>RUZURGI</i> | 2 | PA; LA; SP; QPD |
| *Antimycobacterial Agents* | | |
| *Antimycobacterial Agents*** | | |
| <i>CYCLOSERINE ORAL</i> | 2 | |
| <i>ethambutol hcl oral</i> | 1 | |
| <i>isoniazid oral</i> | 1 | |
| <i>PASER</i> | 2 | |
| <i>PRETOMANID</i> | 2 | QPD |
| <i>PRIFTIN</i> | 2 | |
| <i>pyrazinamide oral</i> | 1 | |
| <i>rifabutin</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| rifampin oral | 1 | |
| SIRTURO | 2 | LA; SP |
| TRECATOR | 2 | |
| *Antineoplastics And Adjunctive Therapies* | | |
| *Alkylating Agents*** | | |
| MYLERAN | 2 | SP |
| *Androgen Biosynthesis Inhibitors*** | | |
| abiraterone acetate | 1 | SP; QPD |
| YONSA | 2 | SP; QPD |
| ZYTIGA ORAL TABLET 500 MG | 2 | LA; SP; QPD |
| *Antiadrenals*** | | |
| LYSODREN | 2 | SP |
| *Antiandrogens*** | | |
| bicalutamide | 1 | QPD |
| ERLEADA | 2 | LA; SP; QPD |
| flutamide | 1 | QPD |
| nilutamide | 1 | SP |
| NUBEQA | 2 | LA; SP; QPD |
| XTANDI ORAL CAPSULE | 2 | LA; SP; QPD |
| XTANDI ORAL TABLET | 2 | SP; QPD |
| *Antiestrogens*** | | |
| SOLTAMOX | 2 | |
| tamoxifen citrate oral | \$0 | |
| toremifene citrate | 1 | |
| *Antimetabolites*** | | |
| capecitabine | 1 | SP |
| mercaptopurine oral | 1 | |
| methotrexate oral | 1 | |
| methotrexate sodium (pf) injection solution 1 gm/40ml, 250 mg/10ml, 50 mg/2ml | 1 | SP |
| methotrexate sodium injection solution 250 mg/10ml, 50 mg/2ml | 1 | SP |
| methotrexate sodium oral | 1 | |
| ONUREG | 2 | SP; QPD |
| TABLOID | 2 | |
| *Antineoplastic - Alk Inhibitors*** | | |
| ALECENSA | 2 | LA; SP; QPD |
| ALUNBRIG | 2 | LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| LORBRENA | 2 | LA; SP; QPD |
| XALKORI | 2 | LA; SP; QPD |
| ZYKADIA ORAL TABLET | 2 | SP; QPD |
| *Antineoplastic - Anti-Her2 Agents*** | | |
| TUKYSA | 2 | LA; SP; QPD |
| *Antineoplastic - Bcl-2 Inhibitors*** | | |
| VENCLEXTA | 2 | LA; SP; QPD |
| VENCLEXTA STARTING PACK | 2 | LA; SP; QPD |
| *Antineoplastic - Bcr-Abl Kinase Inhibitors*** | | |
| BOSULIF | 2 | LA; SP; QPD |
| ICLUSIG ORAL TABLET 10 MG, 30 MG | 2 | SP; QPD |
| ICLUSIG ORAL TABLET 15 MG, 45 MG | 2 | LA; SP; QPD |
| <i>imatinib mesylate</i> | 1 | PA; SP |
| SPRYCEL | 2 | PA; SP; QPD |
| TASIGNA | 2 | SP; QPD |
| *Antineoplastic - Braf Kinase Inhibitors*** | | |
| BRAFTOVI ORAL CAPSULE 75 MG | 2 | LA; SP; QPD |
| TAFINLAR | 2 | LA; SP; QPD |
| ZELBORAF | 2 | LA; SP; QPD |
| *Antineoplastic - Btk Inhibitors*** | | |
| BRUKINSA | 2 | LA; SP; QPD |
| CALQUENCE | 2 | LA; SP; QPD |
| IMBRUWICA | 2 | LA; SP; QPD |
| *Antineoplastic - Egfr Inhibitors*** | | |
| <i>erlotinib hcl</i> | 1 | SP; QPD |
| GILOTRIF | 2 | LA; SP; QPD |
| IRESSA | 2 | LA; SP; QPD |
| TAGRISSO | 2 | LA; SP; QPD |
| VIZIMPRO | 2 | LA; SP; QPD |
| *Antineoplastic - Fgfr Kinase Inhibitors*** | | |
| BALVERSA | 2 | LA; SP; QPD |
| PEMAZYRE | 2 | LA; SP; QPD |
| TRUSELTIQ (100MG DAILY DOSE) | 2 | SP; QPD |
| TRUSELTIQ (125MG DAILY DOSE) | 2 | SP; QPD |
| TRUSELTIQ (50MG DAILY DOSE) | 2 | SP; QPD |
| TRUSELTIQ (75MG DAILY DOSE) | 2 | SP; QPD |
| *Antineoplastic - Hedgehog Pathway Inhibitors*** | | |
| DAURISMO | 2 | LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| ERIVEDGE | 2 | LA; SP; QPD |
| ODOMZO | 2 | SP; QPD |
| *Antineoplastic - Hif-2-Alpha Inhibitors*** | | |
| WELIREG | 2 | SP; QPD |
| *Antineoplastic - Histone Deacetylase Inhibitors*** | | |
| FARYDAK | 2 | SP |
| ZOLINZA | 2 | LA; SP; QPD |
| *Antineoplastic - Immunomodulators*** | | |
| POMALYST | 2 | LA; SP; QPD |
| *Antineoplastic - Kras Inhibitors*** | | |
| LUMAKRAS | 2 | SP; QPD |
| *Antineoplastic - Mek Inhibitors*** | | |
| COTELLIC | 2 | LA; SP |
| MEKINIST | 2 | LA; SP; QPD |
| MEKTOVI | 2 | LA; SP; QPD |
| *Antineoplastic - Met Inhibitors*** | | |
| TABRECTA | 2 | SP; QPD |
| TEPMETKO | 2 | SP; QPD |
| *Antineoplastic - Methyltransferase Inhibitors*** | | |
| TAZVERIK | 2 | LA; SP; QPD |
| *Antineoplastic - Mtor Kinase Inhibitors*** | | |
| AFINITOR DISPERZ | 2 | SP; QPD |
| AFINITOR ORAL TABLET 10 MG | 2 | SP; QPD |
| <i>everolimus oral tablet 2.5 mg, 5 mg, 7.5 mg</i> | 1 | SP; QPD |
| *Antineoplastic - Multikinase Inhibitors*** | | |
| CABOMETYX | 2 | PA; LA; SP; QPD |
| CAPRELSA | 2 | LA; SP; QPD |
| COMETRIQ (100 MG DAILY DOSE) ORAL KIT 80 & 20 MG | 2 | LA; SP; QPD |
| COMETRIQ (140 MG DAILY DOSE) ORAL KIT 3 X 20 MG & 80 MG | 2 | LA; SP; QPD |
| COMETRIQ (60 MG DAILY DOSE) | 2 | LA; SP; QPD |
| FOTIVDA | 2 | SP; QPD |
| <i>lapatinib ditosylate</i> | 1 | SP; QPD |
| NERLYNX | 2 | LA; SP; QPD |
| NEXAVAR | 2 | LA; SP; QPD |
| QINLOCK | 2 | LA; SP; QPD |
| RYDAPT | 2 | SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| STIVARGA | 2 | LA; SP; QPD |
| sunitinib malate | 1 | PA; SP; QPD |
| SUTENT | 2 | PA; LA; SP; QPD |
| TURALIO | 2 | PA; LA; SP; QPD |
| TYKERB | 2 | LA; SP; QPD |
| UKONIQ | 2 | SP; QPD |
| VOTRIENT | 2 | LA; SP; QPD |
| XOSPATA | 2 | LA; SP; QPD |
| *Antineoplastic - Pdgfr-Alpha Inhibitors*** | | |
| AYVAKIT | 2 | LA; SP; QPD |
| *Antineoplastic - Proteasome Inhibitors*** | | |
| NINLARO | 2 | LA; SP; QPD |
| *Antineoplastic - Ret Inhibitors*** | | |
| GAVRETO | 2 | LA; SP; QPD |
| RETEVMO | 2 | LA; SP; QPD |
| *Antineoplastic - Tropomyosin Receptor Kinase Inhibitors*** | | |
| ROZLYTREK | 2 | LA; SP; QPD |
| VITRAKVI | 2 | LA; SP; QPD |
| *Antineoplastic - Xpo1 Inhibitors*** | | |
| XPOVIO (100 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 50 MG | 2 | SP; QPD |
| XPOVIO (40 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 2 | SP; QPD |
| XPOVIO (40 MG TWICE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 2 | SP; QPD |
| XPOVIO (60 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 60 MG | 2 | SP; QPD |
| XPOVIO (60 MG TWICE WEEKLY) | 2 | LA; SP; QPD |
| XPOVIO (80 MG ONCE WEEKLY) ORAL TABLET THERAPY PACK 40 MG | 2 | SP; QPD |
| XPOVIO (80 MG TWICE WEEKLY) | 2 | LA; SP; QPD |
| *Antineoplastic Combinations*** | | |
| INQOVI | 2 | LA; SP; QPD |
| KISQALI FEMARA (400 MG DOSE) | 2 | SP; QPD |
| KISQALI FEMARA (600 MG DOSE) | 2 | SP; QPD |
| KISQALI FEMARA(200 MG DOSE) | 2 | SP; QPD |
| LONSURF | 2 | LA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Antineoplastics Misc.*** | | |
| ACTIMMUNE | 2 | PA; LA; SP |
| <i>hydroxyurea oral</i> | 1 | |
| MATULANE | 2 | LA; SP |
| SYNRIBO | 2 | LA; SP |
| *Aromatase Inhibitors*** | | |
| <i>anastrozole oral</i> | \$0 | QPD |
| <i>exemestane</i> | \$0 | QPD |
| <i>letrozole oral</i> | 1 | QPD |
| *Cyclin-Dependent Kinases (Cdk) Inhibitors*** | | |
| IBRANCE | 2 | LA; SP; QPD |
| KISQALI (200 MG DOSE) | 2 | SP; QPD |
| KISQALI (400 MG DOSE) | 2 | SP; QPD |
| KISQALI (600 MG DOSE) | 2 | SP; QPD |
| VERZENIO | 2 | LA; SP; QPD |
| *Estrogens-Antineoplastic*** | | |
| EMCYT | 2 | |
| *Folic Acid Antagonists Rescue Agents*** | | |
| <i>leucovorin calcium oral</i> | 1 | |
| *Gonadotropin Releasing Hormone (GnRH) Antagonists*** | | |
| ORGOVYX | 2 | SP; QPD |
| *Imidazotetrazines*** | | |
| <i>temozolomide</i> | 1 | SP |
| *Isocitrate Dehydrogenase-1 (Idh1) Inhibitors*** | | |
| TIBSOVO | 2 | LA; SP; QPD |
| *Isocitrate Dehydrogenase-2 (Idh2) Inhibitors*** | | |
| IDHIFA | 2 | LA; SP; QPD |
| *Janus Associated Kinase (Jak) Inhibitors*** | | |
| INREBIC | 2 | SP; QPD |
| JAKAFI | 2 | LA; SP; QPD |
| *Mitotic Inhibitors*** | | |
| <i>etoposide oral</i> | 1 | SP |
| *Nitrogen Mustards And Related Analogues*** | | |
| <i>cyclophosphamide oral capsule</i> | 1 | |
| <i>cyclophosphamide oral tablet 25 mg, 50 mg</i> | 1 | |
| CYCLOPHOSPHAMIDE TABLET 25 MG ORAL | 2 | |
| CYCLOPHOSPHAMIDE TABLET 50 MG ORAL | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| LEUKERAN | 2 | |
| melphalan | 1 | SP |
| *Nitrosoureas*** | | |
| GLEOSTINE ORAL CAPSULE 10 MG, 100 MG, 40 MG | 2 | SP |
| *Phosphatidylinositol 3-Kinase (Pi3k) Inhibitors*** | | |
| COPIKTRA | 2 | LA; SP; QPD |
| PIQRAY (200 MG DAILY DOSE) | 2 | SP; QPD |
| PIQRAY (250 MG DAILY DOSE) | 2 | SP; QPD |
| PIQRAY (300 MG DAILY DOSE) | 2 | SP; QPD |
| ZYDELIG | 2 | LA; SP |
| *Poly (Adp-Ribose) Polymerase (Parp) Inhibitors*** | | |
| LYNPARZA ORAL TABLET | 2 | LA; SP; QPD |
| RUBRACA | 2 | LA; SP; QPD |
| TALZENNA | 2 | LA; SP; QPD |
| ZEJULA | 2 | LA; SP; QPD |
| *Progestins-Antineoplastic*** | | |
| <i>megestrol acetate oral suspension 40 mg/ml</i> | 1 | |
| <i>megestrol acetate oral tablet</i> | 1 | |
| *Retinoids*** | | |
| <i>tretinoin oral</i> | 1 | |
| *Selective Retinoid X Receptor Agonists*** | | |
| <i>bexarotene</i> | 1 | SP |
| *Topoisomerase I Inhibitors*** | | |
| HYCAMTIN ORAL | 2 | LA; SP |
| *Urinary Tract Protective Agents*** | | |
| MESNEX ORAL | 2 | SP |
| *Vascular Endothelial Growth Factor (Vegf) Inhibitors*** | | |
| INLYTA | 2 | LA; SP; QPD |
| LENVIMA (10 MG DAILY DOSE) | 2 | LA; SP; QPD |
| LENVIMA (12 MG DAILY DOSE) | 2 | LA; SP; QPD |
| LENVIMA (14 MG DAILY DOSE) | 2 | LA; SP; QPD |
| LENVIMA (18 MG DAILY DOSE) | 2 | LA; SP; QPD |
| LENVIMA (20 MG DAILY DOSE) | 2 | LA; SP; QPD |
| LENVIMA (24 MG DAILY DOSE) | 2 | LA; SP; QPD |
| LENVIMA (4 MG DAILY DOSE) | 2 | LA; SP; QPD |
| LENVIMA (8 MG DAILY DOSE) | 2 | LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Antiparkinson And Related Therapy Agents* | | |
| *Antiparkinson Anticholinergics*** | | |
| <i>benztropine mesylate oral</i> | 1 | |
| <i>trihexyphenidyl hcl</i> | 1 | |
| *Antiparkinson Dopaminergics*** | | |
| <i>amantadine hcl oral capsule</i> | 1 | |
| <i>amantadine hcl oral solution</i> | 1 | |
| <i>amantadine hcl oral tablet</i> | 1 | |
| <i>bromocriptine mesylate oral</i> | 1 | |
| *Antiparkinson Monoamine Oxidase Inhibitors*** | | |
| <i>rasagiline mesylate oral</i> | 1 | |
| <i>selegiline hcl oral</i> | 1 | |
| *Central/Peripheral Comt Inhibitors*** | | |
| <i>tolcapone</i> | 1 | |
| *Decarboxylase Inhibitors*** | | |
| <i>carbidopa oral</i> | 1 | |
| *Levodopa Combinations*** | | |
| <i>carbidopa-levodopa</i> | 1 | |
| <i>carbidopa-levodopa er oral tablet extended release 25-100 mg, 50-200 mg</i> | 1 | |
| <i>carbidopa-levodopa-entacapone</i> | 1 | |
| <i>RYTARY</i> | 2 | |
| *Nonergoline Dopamine Receptor Agonists*** | | |
| <i>APOKYN SUBCUTANEOUS SOLUTION CARTRIDGE</i> | 2 | LA; SP |
| <i>NEUPRO</i> | 2 | QPD |
| <i>pramipexole dihydrochloride</i> | 1 | |
| <i>pramipexole dihydrochloride er</i> | 1 | |
| <i>ropinirole hcl</i> | 1 | |
| <i>ropinirole hcl er</i> | 1 | QPD |
| *Peripheral Comt Inhibitors*** | | |
| <i>entacapone</i> | 1 | |
| *Antipsychotics/Antimanic Agents* | | |
| *Antimanic Agents*** | | |
| <i>lithium carbonate er</i> | 1 | |
| <i>lithium carbonate oral</i> | 1 | |
| *Antipsychotics - Misc.*** | | |
| <i>EQUETRO</i> | 2 | |
| <i>LATUDA</i> | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| NUPLAZID ORAL CAPSULE | 2 | LA; SP; QPD |
| NUPLAZID ORAL TABLET 10 MG | 2 | LA; SP; QPD |
| VRAYLAR | 2 | QPD |
| <i>ziprasidone hcl</i> | 1 | QPD |
| *Benzisoxazoles*** | | |
| FANAPT | 2 | QPD |
| FANAPT TITRATION PACK | 2 | QPD |
| <i>paliperidone er</i> | 1 | QPD |
| <i>risperidone</i> | 1 | |
| *Butyrophенones*** | | |
| <i>haloperidol lactate oral</i> | 1 | |
| <i>haloperidol oral</i> | 1 | |
| *Dibenzodiazepines*** | | |
| <i>clozapine oral tablet</i> | 1 | |
| <i>clozapine oral tablet dispersible 100 mg, 12.5 mg, 200 mg, 25 mg</i> | 1 | |
| CLOZAPINE ORAL TABLET DISPERSIBLE 150 MG | 2 | |
| <i>clozapine tablet dispersible 150 mg oral</i> | 1 | |
| CLOZAPINE TABLET DISPERSIBLE 200 MG ORAL | 2 | |
| *Dibenzo-Oxepino Pyrroles*** | | |
| <i>asenapine maleate</i> | 1 | QPD |
| SAPHRIS | 2 | QPD |
| *Dibenzothiazepines*** | | |
| <i>quetiapine fumarate</i> | 1 | QPD |
| <i>quetiapine fumarate er</i> | 1 | QPD |
| *Dibenzoxazepines*** | | |
| <i>loxapine succinate oral</i> | 1 | |
| *Dihydroindolones*** | | |
| <i>molindone hcl</i> | 1 | |
| *Phenothiazines*** | | |
| <i>chlorpromazine hcl oral tablet</i> | 1 | |
| <i>compro</i> | 1 | |
| <i>fluphenazine hcl oral</i> | 1 | |
| <i>perphenazine oral</i> | 1 | |
| <i>prochlorperazine</i> | 1 | |
| <i>prochlorperazine maleate oral</i> | 1 | |
| <i>thioridazine hcl oral</i> | 1 | |
| <i>trifluoperazine hcl oral</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Quinolinone Derivatives*** | | |
| ariPIPRAZOLE | 1 | QPD |
| REXULTI | 2 | QPD |
| *Thienbenzodiazepines*** | | |
| olanzapine oral | 1 | QPD |
| *Thioxanthenes*** | | |
| thioTHIXENE oral | 1 | |
| *Antivirals* | | |
| *Antiretroviral Combinations*** | | |
| abacavir sulfate-lamivudine | 1 | SP |
| abacavir-lamivudine-zidovudine | 1 | SP |
| ATRIPLA | 2 | SP |
| BIKTARVY | 2 | SP |
| CIMDUO | 2 | SP; QPD |
| COMPLERA | 2 | SP |
| DELSTRIGO | 2 | SP; QPD |
| DESCOVY | 2 | SP |
| DOVATO | 2 | SP; QPD |
| efavirenz-emtricitab-tenofovir | 1 | SP |
| efavirenz-lamivudine-tenofovir | 1 | SP |
| emtricitabine-tenofovir df oral tablet 100-150 mg, 133-200 mg, 167-250 mg | 1 | SP |
| emtricitabine-tenofovir df oral tablet 200-300 mg | \$0 | SP |
| EVOTAZ | 2 | SP; QPD |
| GENVOYA | 2 | SP |
| JULUCA | 2 | SP; QPD |
| KALETRA ORAL TABLET | 2 | SP |
| lamivudine-zidovudine | 1 | |
| lopinavir-ritonavir | 1 | SP |
| ODEFSEY | 2 | SP |
| PREZCOBIX | 2 | SP; QPD |
| STRIBILD | 2 | SP |
| SYMFI | 2 | SP; QPD |
| SYMFI LO | 2 | SP; QPD |
| SYMTUZA | 2 | SP; QPD |
| TEMIXYS | 2 | SP; QPD |
| TRIUMEQ | 2 | SP |
| TRUVADA | 2 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Antiretrovirals - Ccr5 Antagonists (Entry Inhibitor)*** | | |
| SELZENTRY | 2 | SP |
| *Antiretrovirals - Fusion Inhibitors*** | | |
| FUZEON SUBCUTANEOUS SOLUTION RECONSTITUTED | 2 | SP |
| *Antiretrovirals - Gp120-Directed Attachment Inhibitor*** | | |
| RUKOBIA | 2 | SP; QPD |
| *Antiretrovirals - Integrase Inhibitors*** | | |
| ISENTRESS | 2 | SP |
| ISENTRESS HD | 2 | SP |
| TIVICAY | 2 | SP |
| TIVICAY PD | 2 | SP; QPD |
| *Antiretrovirals - Protease Inhibitors*** | | |
| APTIVUS ORAL CAPSULE | 2 | SP |
| <i>atazanavir sulfate</i> | 1 | SP |
| CRIVIXAN ORAL CAPSULE 400 MG | 2 | SP |
| <i>fosamprenavir calcium</i> | 1 | SP |
| INVIRASE ORAL TABLET | 2 | SP |
| LEXIVA ORAL SUSPENSION | 2 | SP |
| NORVIR ORAL PACKET | 2 | SP |
| NORVIR ORAL SOLUTION | 2 | SP |
| PREZISTA ORAL SUSPENSION | 2 | SP |
| PREZISTA ORAL TABLET 150 MG, 600 MG, 75 MG, 800 MG | 2 | SP |
| REYATAZ ORAL PACKET | 2 | SP |
| <i>ritonavir</i> | 1 | SP |
| VIRACEPT ORAL TABLET | 2 | SP |
| *Antiretrovirals - Rti-Non-Nucleoside Analogues*** | | |
| EDURANT | 2 | SP |
| <i>efavirenz</i> | 1 | SP |
| <i>etravirine</i> | 1 | SP |
| INTELENCE | 2 | SP |
| <i>nevirapine</i> | 1 | |
| <i>nevirapine er</i> | 1 | |
| PIFELTRO | 2 | SP; QPD |
| *Antiretrovirals - Rti-Nucleoside Analogues- Purines*** | | |
| <i>abacavir sulfate oral solution</i> | 1 | SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>abacavir sulfate oral tablet</i> | 1 | |
| *Antiretrovirals - RTI-Nucleoside Analogues- Pyrimidines*** | | |
| <i>emtricitabine</i> | 1 | SP |
| <i>EMTRIVA</i> | 2 | SP |
| <i>lamivudine oral solution</i> | 1 | |
| <i>lamivudine oral tablet 150 mg, 300 mg</i> | 1 | |
| *Antiretrovirals - RTI-Nucleoside Analogues- Thymidines*** | | |
| <i>stavudine oral capsule</i> | 1 | |
| <i>zidovudine</i> | 1 | |
| *Antiretrovirals - RTI-Nucleotide Analogues*** | | |
| <i>tenofovir disoproxil fumarate</i> | 1 | SP |
| <i>VIREAD ORAL POWDER</i> | 2 | SP |
| <i>VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG</i> | 2 | SP |
| *Antiretrovirals Adjuvants*** | | |
| <i>TYBOST</i> | 2 | SP |
| *Cmv Agents*** | | |
| <i>PREVYMIS ORAL</i> | 2 | QPD |
| <i>valganciclovir hcl</i> | 1 | |
| *Hepatitis B Agents*** | | |
| <i>adefovir dipivoxil</i> | 1 | SP |
| <i>BARACLUDE ORAL SOLUTION</i> | 2 | SP |
| <i>entecavir</i> | 1 | SP |
| <i>EPIVIR HBV ORAL SOLUTION</i> | 2 | SP |
| <i>lamivudine oral tablet 100 mg</i> | 1 | |
| <i>VEMLIDY</i> | 2 | SP |
| *Hepatitis C Agent - Combinations*** | | |
| <i>EPCLUSA ORAL TABLET</i> | 2 | PA; SP; QPD |
| <i>HARVONI</i> | 2 | PA; SP; QPD |
| <i>MAVYRET ORAL TABLET</i> | 2 | PA; SP; QPD |
| <i>VOSEVI</i> | 2 | PA; SP; QPD |
| *Hepatitis C Agents*** | | |
| <i>PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML</i> | 2 | PA; SP; QPD |
| <i>PEGASYS SUBCUTANEOUS SOLUTION PREFILLED SYRINGE</i> | 2 | PA; SP; QPD |
| <i>ribavirin oral capsule</i> | 1 | QPD |
| <i>ribavirin oral tablet 200 mg</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| SOVALDI | 2 | PA; SP |
| *Herpes Agents - Purine Analogues*** | | |
| acyclovir oral | 1 | |
| valacyclovir hcl oral | 1 | QPD |
| *Herpes Agents - Thymidine Analogues*** | | |
| famciclovir oral | 1 | QPD |
| *Influenza Agents*** | | |
| rimantadine hcl | 1 | |
| *Neuraminidase Inhibitors*** | | |
| oseltamivir phosphate oral | 1 | QPD |
| RELENZA DISKHALER | 2 | QPD |
| *Pa Endonuclease Inhibitors*** | | |
| XOFLUZA (40 MG DOSE) ORAL TABLET THERAPY PACK 2 X 20 MG | 2 | QPD |
| XOFLUZA (80 MG DOSE) | 2 | QPD |
| *Beta Blockers* | | |
| *Alpha-Beta Blockers*** | | |
| carvedilol | 1 | |
| carvedilol phosphate er | 1 | |
| labetalol hcl oral | 1 | |
| *Beta Blockers Cardio-Selective*** | | |
| acebutolol hcl oral | \$0* | |
| atenolol oral | \$0* | QPD |
| betaxolol hcl oral | \$0* | |
| bisoprolol fumarate oral | \$0* | |
| BYSTOLIC | 2 | ST |
| metoprolol succinate er | \$0* | |
| metoprolol tartrate oral | \$0* | QPD |
| nebivolol hcl | 1 | |
| *Beta Blockers Non-Selective*** | | |
| HEMANGEOL | 2 | LA; SP |
| nadolol oral tablet 20 mg, 40 mg, 80 mg | \$0* | |
| pindolol | \$0* | |
| propranolol hcl er | \$0* | |
| propranolol hcl oral | \$0* | |
| sotalol hcl (af) | 1 | |
| sotalol hcl oral | 1 | |
| timolol maleate oral | \$0* | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Calcium Channel Blockers* | | |
| *Calcium Channel Blockers*** | | |
| <i>afeditab cr</i> | \$0* | |
| <i>amlodipine besylate oral</i> | \$0* | |
| <i>cartia xt</i> | \$0* | |
| <i>diltiazem hcl er beads</i> | \$0* | |
| <i>diltiazem hcl er coated beads oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg, 300 mg</i> | \$0* | |
| <i>diltiazem hcl er oral capsule extended release 24 hour 120 mg, 180 mg, 240 mg</i> | \$0* | |
| <i>diltiazem hcl oral</i> | \$0* | |
| <i>dilt-xr</i> | \$0* | |
| <i>felodipine er</i> | \$0* | |
| <i>isradipine</i> | \$0* | |
| <i>nicardipine hcl oral</i> | \$0* | |
| <i>nifedipine er</i> | \$0* | |
| <i>nifedipine er osmotic release</i> | \$0* | |
| <i>nifedipine oral</i> | \$0* | |
| <i>nimodipine oral</i> | \$0* | QPD |
| <i>nisoldipine er</i> | \$0* | |
| NYMALIZE ORAL SOLUTION 6 MG/ML | 2 | QPD |
| <i>taztia xt</i> | \$0* | |
| <i>tiadylt er</i> | \$0* | |
| <i>verapamil hcl er oral capsule extended release 24 hour</i> | \$0* | |
| <i>verapamil hcl er oral tablet extended release 120 mg, 180 mg, 240 mg</i> | \$0* | |
| <i>verapamil hcl oral</i> | \$0* | |
| *Cardiotonics* | | |
| *Cardiac Glycosides*** | | |
| <i>digitek</i> | 1 | |
| <i>digox</i> | 1 | |
| <i>digoxin oral</i> | 1 | |
| LANOXIN ORAL TABLET 62.5 MCG | 2 | |
| *Cardiovascular Agents - Misc.* | | |
| *Calcium Channel Blocker & Hmg Coa Reductase Inhibit Comb*** | | |
| <i>amlodipine-atorvastatin</i> | \$0* | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Neprilysin Inhib (Arni)-Angiotensin II Receptor Antagonist Comb*** | | |
| ENTRESTO | 2 | QPD |
| *Nitrate & Vasodilator Combinations*** | | |
| BIDIL | 2 | |
| *Prostaglandin Vasodilators*** | | |
| ORENITRAM | 2 | PA; LA; SP |
| TYVASO | 2 | PA; LA; SP |
| TYVASO REFILL | 2 | PA; LA; SP |
| TYVASO STARTER | 2 | PA; LA; SP |
| VENTAVIS | 2 | PA; LA; SP |
| *Pulmonary Hypertension-Soluble Guanylate Cyclase Stimulator (Sgc)*** | | |
| ADEMPAS | 2 | PA; LA; SP; QPD |
| *Pulmonary Hypertension - Endothelin Receptor Antagonists*** | | |
| ambrisentan | 1 | PA; LA; SP; QPD |
| bosentan | 1 | PA; SP |
| OPSUMIT | 2 | PA; LA; SP |
| TRACLEER ORAL TABLET SOLUBLE | 2 | PA; LA; SP |
| *Pulmonary Hypertension - Phosphodiesterase Inhibitors*** | | |
| alyq | 1 | PA; SP; QPD |
| sildenafil citrate intravenous | 1 | PA; SP; QPD |
| sildenafil citrate oral suspension reconstituted | 1 | PA; SP; QPD |
| sildenafil citrate oral tablet 20 mg | 1 | PA; QPD |
| tadalafil (pah) | 1 | PA; SP; QPD |
| *Pulmonary Hypertension - Prostacyclin Receptor Agonist*** | | |
| UPTRAVI ORAL | 2 | PA; LA; SP; QPD |
| *Selective Cgmp Phosphodiesterase Type 5 Inhibitors*** | | |
| tadalafil oral tablet 5 mg | 1 | PA; QPD |
| *Sinus Node Inhibitors** | | |
| CORLANOR | 2 | QPD |
| *Cephalosporins* | | |
| *Cephalosporins - 1St Generation*** | | |
| cefadroxil | 1 | |
| cephalexin | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Cephalosporins - 2Nd Generation*** | | |
| <i>cefaclor</i> | 1 | |
| <i>cefaclor er</i> | 1 | |
| <i>cefprozil</i> | 1 | |
| <i>cefuroxime axetil oral tablet</i> | 1 | |
| *Cephalosporins - 3Rd Generation*** | | |
| <i>cefdinir</i> | 1 | |
| <i>cefixime</i> | 1 | |
| <i>cefpodoxime proxetil</i> | 1 | |
| SUPRAX ORAL SUSPENSION RECONSTITUTED 500 MG/5ML | 2 | |
| SUPRAX ORAL TABLET CHEWABLE | 2 | |
| *Contraceptives* | | |
| *Biphasic Contraceptives - Oral*** | | |
| <i>azurette</i> | \$0 | |
| <i>desogestrel-ethynodiol oral tablet 0.15-0.02/0.01 mg (21/5)</i> | \$0 | |
| <i>kariva</i> | \$0 | |
| <i>pimtrea</i> | \$0 | |
| <i>simliya</i> | \$0 | |
| <i>viorele</i> | \$0 | |
| <i>volnea</i> | \$0 | |
| *Combination Contraceptives - Oral*** | | |
| <i>afirmelle</i> | \$0 | |
| <i>altavera</i> | \$0 | |
| <i>alyacen 1/35</i> | \$0 | |
| <i>apri</i> | \$0 | |
| <i>aubra</i> | \$0 | |
| <i>aubra eq</i> | \$0 | |
| <i>aurovela 1.5/30</i> | \$0 | |
| <i>aurovela 1/20</i> | \$0 | |
| <i>aurovela 24 fe</i> | \$0 | |
| <i>aurovela fe 1.5/30</i> | \$0 | |
| <i>aurovela fe 1/20</i> | \$0 | |
| <i>aviane</i> | \$0 | |
| <i>ayuna</i> | \$0 | |
| <i>balziva</i> | \$0 | |
| <i>blisovi 24 fe</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>blisovi fe 1.5/30</i> | \$0 | |
| <i>blisovi fe 1/20</i> | \$0 | |
| <i>briellyn</i> | \$0 | |
| <i>charlotte 24 fe</i> | \$0 | |
| <i>chateal</i> | \$0 | |
| <i>chateal eq</i> | \$0 | |
| <i>cryselle-28</i> | \$0 | |
| <i>cyclafem 1/35</i> | \$0 | |
| <i>cyred</i> | \$0 | |
| <i>cyred eq</i> | \$0 | |
| <i>dasetta 1/35</i> | \$0 | |
| <i>delyla</i> | \$0 | |
| <i>desogestrel-ethinyl estradiol oral tablet 0.15-30 mg-mcg</i> | \$0 | |
| <i>drospirenen-eth estrad-levomefol</i> | \$0 | |
| <i>drospirenone-ethinyl estradiol</i> | \$0 | |
| <i>elonest</i> | \$0 | |
| <i>emoquette</i> | \$0 | |
| <i>enskyce oral tablet 0.15-30 mg-mcg</i> | \$0 | |
| <i>estarrylla</i> | \$0 | |
| <i>ethynodiol diac-eth estradiol</i> | \$0 | |
| <i>falmina</i> | \$0 | |
| <i>femynor</i> | \$0 | |
| <i>gemmily</i> | \$0 | |
| <i>hailey 1.5/30</i> | \$0 | |
| <i>hailey 24 fe</i> | \$0 | |
| <i>hailey fe 1.5/30</i> | \$0 | |
| <i>hailey fe 1/20</i> | \$0 | |
| <i>isibloom</i> | \$0 | |
| <i>jasmiel</i> | \$0 | |
| <i>juleber</i> | \$0 | |
| <i>junel 1.5/30</i> | \$0 | |
| <i>junel 1/20</i> | \$0 | |
| <i>junel fe 1.5/30</i> | \$0 | |
| <i>junel fe 1/20</i> | \$0 | |
| <i>junel fe 24</i> | \$0 | |
| <i>kaitlib fe</i> | \$0 | |
| <i>kalliga</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>kelnor 1/35</i> | \$0 | |
| <i>kelnor 1/50</i> | \$0 | |
| <i>kurvelo</i> | \$0 | |
| <i>larin 1.5/30</i> | \$0 | |
| <i>larin 1/20</i> | \$0 | |
| <i>larin 24 fe</i> | \$0 | |
| <i>larin fe 1.5/30</i> | \$0 | |
| <i>larin fe 1/20</i> | \$0 | |
| <i>larissia</i> | \$0 | |
| <i>layolis fe</i> | \$0 | |
| <i>lessina</i> | \$0 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg, 0.15-30 mg-mcg</i> | \$0 | |
| <i>levora 0.15/30 (28)</i> | \$0 | |
| <i>lillow</i> | \$0 | |
| <i>loryna</i> | \$0 | |
| <i>low-ogestrel</i> | \$0 | |
| <i>lo-zumandimine</i> | \$0 | |
| <i>lutera</i> | \$0 | |
| <i>marlissa</i> | \$0 | |
| <i>merzee</i> | \$0 | |
| <i>mibelas 24 fe</i> | \$0 | |
| <i>microgestin 1.5/30</i> | \$0 | |
| <i>microgestin 1/20</i> | \$0 | |
| <i>microgestin fe 1.5/30</i> | \$0 | |
| <i>microgestin fe 1/20</i> | \$0 | |
| <i>mili</i> | \$0 | |
| <i>mono-linyah</i> | \$0 | |
| <i>necon 0.5/35 (28)</i> | \$0 | |
| <i>necon 1/35 (28)</i> | \$0 | |
| <i>nikki</i> | \$0 | |
| <i>norethin ace-eth estrad-fe oral capsule</i> | \$0 | |
| <i>norethin ace-eth estrad-fe oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i> | \$0 | |
| <i>norethin ace-eth estrad-fe oral tablet chewable</i> | \$0 | |
| <i>norethindrone acet-ethinyl est oral tablet</i> | \$0 | |
| <i>norethin-eth estradiol-fe</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>norgestimate-eth estradiol oral tablet 0.25-35 mg-mcg</i> | \$0 | |
| <i>nortrel 0.5/35 (28)</i> | \$0 | |
| <i>nortrel 1/35 (21)</i> | \$0 | |
| <i>nortrel 1/35 (28)</i> | \$0 | |
| <i>nymyo</i> | \$0 | |
| <i>ocella</i> | \$0 | |
| <i>orsythia</i> | \$0 | |
| <i>philith</i> | \$0 | |
| <i>pirmella 1/35</i> | \$0 | |
| <i>portia-28</i> | \$0 | |
| <i>previfem</i> | \$0 | |
| <i>reclipsen</i> | \$0 | |
| <i>sprintec 28</i> | \$0 | |
| <i>sronyx</i> | \$0 | |
| <i>syeda</i> | \$0 | |
| <i>tarina 24 fe</i> | \$0 | |
| <i>tarina fe 1/20</i> | \$0 | |
| <i>tarina fe 1/20 eq</i> | \$0 | |
| <i>tydemy</i> | \$0 | |
| <i>vestura</i> | \$0 | |
| <i>vienna</i> | \$0 | |
| <i>vyfemla</i> | \$0 | |
| <i>vylibra</i> | \$0 | |
| <i>wera</i> | \$0 | |
| <i>wymzya fe</i> | \$0 | |
| <i>zarah</i> | \$0 | |
| <i>zovia 1/35 (28)</i> | \$0 | |
| <i>zovia 1/35e (28)</i> | \$0 | |
| <i>zumandimine</i> | \$0 | |
| *Combination Contraceptives - Transdermal*** | | |
| <i>xulane</i> | \$0 | |
| *Combination Contraceptives - Vaginal*** | | |
| <i>eluryng</i> | \$0 | |
| <i>etonogestrel-ethinyl estradiol</i> | \$0 | |
| *Continuous Contraceptives - Oral*** | | |
| <i>amethyst</i> | \$0 | |
| <i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Emergency Contraceptives*** | | |
| econtra ez | \$0 | QPD |
| econtra one-step | \$0 | QPD |
| ELLA | \$0 | QPD |
| levonorgestrel oral tablet 1.5 mg | \$0 | QPD |
| my choice | \$0 | QPD |
| my way | \$0 | QPD |
| new day | \$0 | QPD |
| opcicon one-step | \$0 | QPD |
| option 2 | \$0 | QPD |
| react | \$0 | QPD |
| *Extended-Cycle Contraceptives - Oral*** | | |
| amethia | \$0 | QPD |
| ashlyna | \$0 | QPD |
| camrese | \$0 | QPD |
| camrese lo | \$0 | QPD |
| daysee | \$0 | QPD |
| fayosim | \$0 | QPD |
| iclevia | \$0 | |
| introvale | \$0 | QPD |
| jaimiess | \$0 | |
| jolessa | \$0 | QPD |
| levonorgest-eth est & eth est | \$0 | QPD |
| levonorgest-eth estrad 91-day | \$0 | QPD |
| lojaimiess | \$0 | |
| rivelsa | \$0 | QPD |
| setlakin | \$0 | QPD |
| simpesse | \$0 | |
| *Progestin Contraceptives - Injectable*** | | |
| medroxyprogesterone acetate intramuscular | \$0 | QPD |
| *Progestin Contraceptives - Oral*** | | |
| camila | \$0 | |
| deblitane | \$0 | |
| errin | \$0 | |
| heather | \$0 | |
| incassia | \$0 | |
| jencycla | \$0 | |
| lyeq | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| lyza | \$0 | |
| nora-be | \$0 | |
| norethindrone oral | \$0 | |
| norlyda | \$0 | |
| norlyroc | \$0 | |
| sharobel | \$0 | |
| tulana | \$0 | |
| *Triphasic Contraceptives - Oral*** | | |
| alyacen 7/7/7 | \$0 | |
| aranelle | \$0 | |
| caziant | \$0 | |
| cyclafem 7/7/7 | \$0 | |
| dasetta 7/7/7 | \$0 | |
| enpresse-28 | \$0 | |
| leena | \$0 | |
| levonest | \$0 | |
| levonorg-eth estrad triphasic oral tablet 50-30/75-40/ 125-30 mcg | \$0 | |
| norgestim-eth estrad triphasic | \$0 | |
| nortrel 7/7/7 | \$0 | |
| nylia 7/7/7 | \$0 | |
| pirmella 7/7/7 | \$0 | |
| tilia fe | \$0 | |
| tri-femynor | \$0 | |
| tri-estarrylla | \$0 | |
| tri-legest fe | \$0 | |
| tri-linyah | \$0 | |
| tri-lo-estarrylla | \$0 | |
| tri-lo-marzia | \$0 | |
| tri-lo-mili | \$0 | |
| tri-lo-sprintec | \$0 | |
| tri-mili | \$0 | |
| trinessa (28) | \$0 | |
| tri-nymyo | \$0 | |
| tri-previfem | \$0 | |
| tri-sprintec | \$0 | |
| trivora (28) | \$0 | |
| tri-vylibra | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| tri-vylibra lo | \$0 | |
| velivet | \$0 | |
| *Corticosteroids* | | |
| *Glucocorticosteroids*** | | |
| budesonide er oral tablet extended release 24 hour | 1 | QPD |
| budesonide oral | 1 | |
| dexamethasone intensol | 1 | |
| dexamethasone oral elixir | 1 | |
| dexamethasone oral solution | 1 | |
| dexamethasone oral tablet | 1 | |
| hydrocortisone oral | 1 | |
| methylprednisolone oral | 1 | |
| millipred oral tablet | 1 | |
| prednisolone oral solution | 1 | |
| prednisolone oral syrup 15 mg/5ml | 1 | |
| prednisolone sodium phosphate oral solution 15 mg/5ml, 25 mg/5ml, 6.7 (5 base) mg/5ml | 1 | |
| prednisolone sodium phosphate oral tablet dispersible | 1 | |
| prednisone intensol | 1 | |
| prednisone oral | 1 | |
| *Mineralocorticoids*** | | |
| fludrocortisone acetate oral | 1 | |
| *Cough/Cold/Allergy* | | |
| *Antitussive - Nonnarcotic*** | | |
| benzonatate oral capsule 100 mg, 200 mg | 1 | |
| *Antitussive - Opioid*** | | |
| hydrocodone-homatropine | 1 | |
| hydromet | 1 | |
| *Antitussive-Expectorant*** | | |
| g tussin ac | 1 | |
| guaiatussin ac | 1 | |
| guaiifenesin ac | 1 | |
| guaiifenesin-codeine oral solution | 1 | |
| MAR-COF CG EXPECTORANT | 2 | |
| maxi-tuss ac | 1 | |
| m-clear wc | 1 | |
| virtussin a/c | 1 | |
| virtussin ac w/alc | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Antitussive-Expectorants-Decongestant*** | | |
| <i>tusnel c</i> | 1 | |
| <i>virtussin dac</i> | 1 | |
| *Decongestant & Antihistamine*** | | |
| <i>promethazine vc</i> | 1 | |
| <i>promethazine-phenylephrine</i> | 1 | |
| *Iodine Expectorants*** | | |
| <i>SSKI</i> | 2 | |
| *Misc. Respiratory Inhalants*** | | |
| <i>HYPERSAL</i> | 2 | |
| <i>sodium chloride inhalation nebulization solution 0.9 %, 10 %, 3 %, 7 %</i> | 1 | |
| *Mucolytics*** | | |
| <i>acetylcysteine inhalation</i> | 1 | |
| *Non-Narc Antitussive-Antihistamine*** | | |
| <i>promethazine-dm oral syrup</i> | 1 | |
| *Non-Narc Antitussive-Decongestant-Antihistamine*** | | |
| <i>pseudoeph-bromphen-dm oral syrup 30-2-10 mg/5ml</i> | 1 | |
| *Opioid Antitussive-Antihistamine*** | | |
| <i>hydrocod polst-cpm polst er oral suspension extended release</i> | 1 | |
| <i>promethazine-codeine</i> | 1 | QPD |
| *Opioid Antitussive-Decongestant-Antihistamine*** | | |
| <i>MAR-COF BP</i> | 2 | |
| <i>promethazine vc/codeine</i> | 1 | |
| <i>promethazine-phenyleph-codeine</i> | 1 | |
| <i>rydex</i> | 1 | |
| *Dermatologicals* | | |
| *Acne Antibiotics*** | | |
| <i>ACZONE EXTERNAL GEL 7.5 %</i> | 2 | ST; QPD |
| <i>clindacin-p</i> | 1 | QPD |
| <i>clindamycin phosphate external</i> | 1 | QPD |
| <i>dapsone external gel 5 %</i> | 1 | QPD |
| <i>dapsone gel 7.5 % external</i> | 1 | QPD |
| <i>ery</i> | 1 | QPD |
| <i>erygel</i> | 1 | QPD |
| <i>erythromycin external gel</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|------------------|----------------------------|
| <i>erythromycin external solution</i> | 1 | QPD |
| <i>sulfacetamide sodium (acne)</i> | 1 | QPD |
| *Acne Combinations*** | | |
| <i>benzoyl peroxide-erythromycin</i> | 1 | |
| <i>clindamycin phos-benzoyl perox external gel 1-5 %, 1.2-5 %</i> | 1 | |
| <i>clindamycin-tretinoin</i> | 1 | PA |
| <i>neuac external gel</i> | 1 | |
| *Acne Products*** | | |
| <i>ABSORICA</i> | 2 | QPD |
| <i>ABSORICA LD</i> | 2 | QPD |
| <i>accutane oral capsule 20 mg, 30 mg, 40 mg</i> | 1 | QPD |
| <i>adapalene external cream</i> | 1 | QPD |
| <i>adapalene external gel 0.3 %</i> | 1 | QPD |
| <i>ALTRENO</i> | 2 | PA; QPD |
| <i>amnesteem</i> | 1 | QPD |
| <i>avita external cream</i> | 1 | PA; QPD |
| <i>claravis</i> | 1 | QPD |
| <i>isotretinoin oral</i> | 1 | QPD |
| <i>myorisan</i> | 1 | QPD |
| <i>tretinoin external</i> | 1 | PA; QPD |
| <i>tretinoin microsphere</i> | 1 | PA; QPD |
| <i>tretinoin microsphere pump</i> | 1 | PA; QPD |
| <i>zenatane</i> | 1 | QPD |
| *Antibiotics - Topical*** | | |
| <i>gentamicin sulfate external</i> | 1 | QPD |
| <i>mupirocin calcium</i> | 1 | QPD |
| <i>mupirocin external</i> | 1 | QPD |
| <i>XEPI</i> | 2 | QPD |
| *Antifungals - Topical Combinations*** | | |
| <i>clotrimazole-betamethasone</i> | 1 | QPD |
| <i>nystatin-triamcinolone</i> | 1 | QPD |
| *Antifungals - Topical*** | | |
| <i>ciclodan external solution</i> | 1 | QPD |
| <i>ciclopirox external</i> | 1 | QPD |
| <i>ciclopirox olamine external</i> | 1 | QPD |
| <i>MENTAX</i> | 2 | PA; QPD |
| <i>naftifine hcl</i> | 1 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| NAFTIN EXTERNAL GEL 2 % | 2 | PA; QPD |
| nyamyc | 1 | QPD |
| nystatin external | 1 | QPD |
| nystop | 1 | QPD |
| *Anti-Inflammatory Agents - Topical*** | | |
| diclofenac sodium external gel 1 % | 1 | QPD |
| diclofenac sodium external solution | 1 | QPD |
| *Antineoplastic Alkylating Agents - Topical*** | | |
| VALCHLOR | 2 | LA; SP |
| *Antineoplastic Antimetabolites - Topical*** | | |
| CARAC | 2 | PA |
| fluorouracil external cream 5 % | 1 | |
| fluorouracil external solution | 1 | |
| *Antineoplastic Or Premalignant Lesions - Topical | | |
| Nsaid's*** | | |
| diclofenac sodium external gel 3 % | 1 | PA; QPD |
| *Antineoplastic Retinoids - Topical*** | | |
| PANRETIN | 2 | SP |
| *Antipruritics - Topical*** | | |
| doxepin hcl external | 1 | PA; QPD |
| prodoxin | 1 | PA; QPD |
| *Antipsoriatics - Systemic*** | | |
| acitretin | 1 | |
| COSENTYX (300 MG DOSE) | 2 | PA; LA; SP; QPD |
| COSENTYX SENSOREADY (300 MG) | 2 | PA; LA; SP; QPD |
| COSENTYX SENSOREADY PEN SUBCUTANEOUS SOLUTION AUTO-INJECTOR 150 MG/ML | 2 | PA; LA; SP; QPD |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 150 MG/ML | 2 | PA; LA; SP; QPD |
| COSENTYX SUBCUTANEOUS SOLUTION PREFILLED SYRINGE 75 MG/0.5ML | 2 | PA; SP; QPD |
| methoxsalen rapid | 1 | SP |
| SILIQ | 2 | PA; SP; QPD |
| SKYRIZI | 2 | PA; SP; QPD |
| SKYRIZI (150 MG DOSE) | 2 | PA; SP; QPD |
| SKYRIZI PEN | 2 | PA; SP; QPD |
| STELARA SUBCUTANEOUS SOLUTION 45 MG/0.5ML | 2 | PA; SP; QPD |
| STELARA SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | PA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|------------------|----------------------------|
| TALTZ | 2 | PA; LA; SP; QPD |
| TREMFYA | 2 | PA; SP; QPD |
| *Antipsoriatics*** | | |
| <i>calcipotriene external cream</i> | 1 | QPD |
| <i>calcipotriene external ointment</i> | 1 | QPD |
| <i>calcipotriene external solution</i> | 1 | QPD |
| <i>calcitrene</i> | 1 | QPD |
| <i>calcitriol external</i> | 1 | QPD |
| <i>tazarotene external cream</i> | 1 | QPD |
| TAZORAC EXTERNAL CREAM 0.05 % | 2 | QPD |
| *Antiseborrheic Products*** | | |
| <i>selenium sulfide external lotion</i> | 1 | |
| <i>sodium sulfacetamide external shampoo 10 %</i> | 1 | |
| <i>sulfacetamide sodium external gel</i> | 1 | |
| <i>sulfacetamide sodium external liquid</i> | 1 | |
| *Antivirals - Topical*** | | |
| <i>acyclovir external ointment</i> | 1 | PA |
| DENAVIR | 2 | PA |
| *Atopic Dermatitis - Monoclonal Antibodies*** | | |
| DUPIXENT | 2 | PA; SP; QPD |
| *Burn Products*** | | |
| <i>mafenide acetate external</i> | 1 | |
| <i>silver sulfadiazine external</i> | 1 | |
| <i>ssd</i> | 1 | |
| <i>ssd (silver sulfadiazine)</i> | 1 | |
| SULFAMYLYON EXTERNAL CREAM | 2 | |
| <i>thermazene</i> | 1 | |
| *Corticosteroids - Topical*** | | |
| <i>ala-cort external cream</i> | 1 | QPD |
| <i>alclometasone dipropionate</i> | 1 | QPD |
| <i>amcinonide</i> | 1 | QPD |
| <i>apexicon e</i> | 1 | QPD |
| <i>betamethasone dipropionate aug</i> | 1 | QPD |
| <i>betamethasone dipropionate external</i> | 1 | QPD |
| <i>betamethasone valerate external</i> | 1 | QPD |
| <i>clobetasol prop emollient base</i> | 1 | QPD |
| <i>clobetasol propionate e</i> | 1 | QPD |
| <i>clobetasol propionate emulsion</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>clobetasol propionate external</i> | 1 | QPD |
| <i>clodan external shampoo</i> | 1 | QPD |
| <i>CORDRAN EXTERNAL TAPE</i> | 2 | ST; QPD |
| <i>desonide external cream</i> | 1 | QPD |
| <i>desonide external lotion</i> | 1 | QPD |
| <i>desonide external ointment</i> | 1 | QPD |
| <i>desoximetasone external cream</i> | 1 | QPD |
| <i>desoximetasone external gel</i> | 1 | QPD |
| <i>desoximetasone external ointment</i> | 1 | QPD |
| <i>diflorasone diacetate external</i> | 1 | QPD |
| <i>fluocinolone acetonide body</i> | 1 | QPD |
| <i>fluocinolone acetonide external</i> | 1 | QPD |
| <i>fluocinolone acetonide scalp</i> | 1 | QPD |
| <i>fluocinonide emulsified base</i> | 1 | QPD |
| <i>fluocinonide external</i> | 1 | QPD |
| <i>fluticasone propionate external</i> | 1 | QPD |
| <i>halobetasol propionate external cream</i> | 1 | QPD |
| <i>halobetasol propionate external ointment</i> | 1 | QPD |
| <i>HALOG EXTERNAL OINTMENT</i> | 2 | ST; QPD |
| <i>hydrocortisone butyr lipo base</i> | 1 | QPD |
| <i>hydrocortisone butyrate external cream</i> | 1 | QPD |
| <i>hydrocortisone butyrate external ointment</i> | 1 | QPD |
| <i>hydrocortisone butyrate external solution</i> | 1 | QPD |
| <i>hydrocortisone external cream 1 %, 2.5 %</i> | 1 | QPD |
| <i>hydrocortisone external lotion 2.5 %</i> | 1 | QPD |
| <i>hydrocortisone external ointment 1 %, 2.5 %</i> | 1 | QPD |
| <i>hydrocortisone valerate</i> | 1 | QPD |
| <i>mometasone furoate external</i> | 1 | QPD |
| <i>prednicarbate external ointment</i> | 1 | QPD |
| <i>tovet external foam</i> | 1 | ST; QPD |
| <i>triamcinolone acetonide aerosol solution</i> | 1 | QPD |
| <i>triamcinolone acetonide external cream</i> | 1 | QPD |
| <i>triamcinolone acetonide external lotion</i> | 1 | QPD |
| <i>triamcinolone acetonide external ointment 0.025 %, 0.1 %, 0.5 %</i> | 1 | QPD |
| <i>triderm external cream</i> | 1 | QPD |
| *Enzymes - Topical*** | | |
| SANTYL | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Imidazole-Related Antifungals - Topical*** | | |
| <i>clotrimazole external cream</i> | 1 | QPD |
| <i>clotrimazole external solution</i> | 1 | QPD |
| <i>econazole nitrate external</i> | 1 | QPD |
| ERTACZO | 2 | PA; QPD |
| EXELDERM | 2 | PA; QPD |
| <i>ketoconazole external cream</i> | 1 | QPD |
| <i>ketoconazole external foam</i> | 1 | QPD |
| <i>ketoconazole external shampoo 2 %</i> | 1 | QPD |
| LUZU | 2 | PA; QPD |
| <i>oxiconazole nitrate</i> | 1 | PA; QPD |
| *Immunomodulators Imidazoquinolinamines - Topical*** | | |
| <i>imiquimod external cream 3.75 %</i> | 1 | PA; QPD |
| <i>imiquimod external cream 5 %</i> | 1 | QPD |
| *Keratolytic/Antimitotic Agents*** | | |
| <i>podofilox external</i> | 1 | |
| *Local Anesthetics - Topical*** | | |
| <i>glydo external prefilled syringe</i> | 1 | QPD |
| <i>lidocaine external ointment 5 %</i> | 1 | PA; QPD |
| <i>lidocaine external patch 5 %</i> | 1 | PA |
| <i>lidocaine hcl external solution</i> | 1 | QPD |
| <i>lidocaine hcl urethral/mucosal</i> | 1 | QPD |
| ZTLIDO | 2 | PA; QPD |
| *Macrolide Immunosuppressants - Topical*** | | |
| <i>pimecrolimus</i> | 1 | PA; QPD |
| <i>tacrolimus external ointment</i> | 1 | PA; QPD |
| *Misc. Topical*** | | |
| QBREXZA | 2 | PA; QPD |
| *Rosacea Agents*** | | |
| <i>azelaic acid external</i> | 1 | |
| FINACEA EXTERNAL FOAM | 2 | |
| <i>metronidazole external</i> | 1 | QPD |
| MIRVASO | 2 | QPD |
| RHOFADE | 2 | QPD |
| <i>rosadan external cream</i> | 1 | QPD |
| <i>rosadan external gel</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Scabicides & Pediculicides*** | | |
| <i>crotan</i> | 1 | QPD |
| <i>ivermectin external lotion</i> | 1 | |
| <i>lindane external shampoo</i> | 1 | |
| <i>malathion external</i> | 1 | |
| <i>permethrin external cream</i> | 1 | |
| <i>spinosad</i> | 1 | QPD |
| *Steroid-Local Anesthetic Combinations*** | | |
| <i>hydrocortisone ace-pramoxine external cream 2.5-1 %</i> | 1 | QPD |
| *Topical Anesthetic Combinations*** | | |
| <i>lidocaine-prilocaine external cream</i> | 1 | PA; QPD |
| *Topical Selective Retinoid X Receptor Agonists*** | | |
| TARGRETIN EXTERNAL | 2 | SP |
| *Topical Steroid Combinations*** | | |
| <i>calcipotriene-betameth diprop external ointment</i> | 1 | QPD |
| ENSTILAR | 2 | QPD |
| *Wound Care - Growth Factor Agents*** | | |
| REGRANEX | 2 | QPD |
| *Diagnostic Products* | | |
| *Diagnostic Drugs*** | | |
| METOPIRONE | 2 | LA; QPD |
| *Diagnostic Tests*** | | |
| CONTOUR NEXT TEST | 2 | |
| CONTOUR TEST | 2 | |
| GHT TEST | 2 | |
| TRUE METRIX BLOOD GLUCOSE TEST | 2 | |
| TRUETEST TEST | 2 | |
| TRUETRACK TEST | 2 | |
| *Digestive Aids* | | |
| *Digestive Enzymes*** | | |
| CREON | 2 | |
| SUCRAID | 2 | LA; SP |
| ZENPEP ORAL CAPSULE DELAYED RELEASE PARTICLES 10000-32000 UNIT, 15000-47000 UNIT, 20000-63000 UNIT, 25000-79000 UNIT, 3000-10000 UNIT, 40000- 126000 UNIT, 5000-24000 UNIT | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Diuretics* | | |
| *Carbonic Anhydrase Inhibitors*** | | |
| acetazolamide er | 1 | |
| acetazolamide oral | 1 | |
| KEVEYIS | 2 | PA; LA; SP; QPD |
| methazolamide oral | 1 | |
| *Diuretic Combinations*** | | |
| amiloride-hydrochlorothiazide | 1 | |
| spironolactone-hctz | 1 | |
| triamterene-hctz oral capsule 37.5-25 mg | 1 | QPD |
| triamterene-hctz oral tablet | 1 | QPD |
| *Loop Diuretics*** | | |
| bumetanide oral | 1 | |
| ethacrynic acid oral | 1 | PA |
| furosemide oral solution 10 mg/ml, 8 mg/ml | 1 | QPD |
| furosemide oral tablet | 1 | QPD |
| torsemide oral | 1 | |
| *Potassium Sparing Diuretics*** | | |
| amiloride hcl oral | 1 | |
| spironolactone oral | 1 | |
| triamterene oral | 1 | |
| *Thiazides And Thiazide-Like Diuretics*** | | |
| chlorthalidone oral tablet 25 mg, 50 mg | \$0* | |
| DIURIL | 2 | |
| hydrochlorothiazide oral | \$0* | QPD |
| indapamide oral | \$0* | |
| metolazone | \$0* | |
| *Endocrine And Metabolic Agents - Misc.* | | |
| *Bisphosphonates*** | | |
| alendronate sodium oral solution | \$0* | QPD |
| alendronate sodium oral tablet 10 mg, 35 mg, 5 mg, 70 mg | \$0* | QPD |
| ibandronate sodium oral | \$0* | QPD |
| risedronate sodium oral tablet 150 mg, 30 mg, 35 mg, 5 mg | \$0* | QPD |
| risedronate sodium oral tablet delayed release | \$0* | QPD |
| *Calcimimetic Agents*** | | |
| cinacalcet hcl | 1 | PA |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Calcitonins*** | | |
| calcitonin (salmon) injection | 1 | |
| calcitonin (salmon) nasal | 1 | QPD |
| MIACALCIN INJECTION | 2 | |
| *Carnitine Replenisher - Agents*** | | |
| levocarnitine oral solution | 1 | |
| levocarnitine oral tablet | 1 | |
| *Corticotropin*** | | |
| ACTHAR | 2 | PA; LA; SP; QPD |
| *Dopamine Receptor Agonists*** | | |
| cabergoline | 1 | |
| *Fabry Disease - Agents*** | | |
| GALAFOLD | 2 | PA; LA; SP; QPD |
| *Gnrh/Lhrh Antagonists*** | | |
| ORILISSA | 2 | PA; QPD |
| *Growth Hormone Receptor Antagonists*** | | |
| SOMAVERT | 2 | LA; SP; QPD |
| *Growth Hormone Releasing Hormones (Ghrh)*** | | |
| EGRIFTA SV | 2 | PA; LA; SP |
| *Growth Hormones*** | | |
| HUMATROPE INJECTION SOLUTION RECONSTITUTED 12 MG, 24 MG, 6 MG | 2 | PA; SP |
| NORDITROPIN FLEXPRO SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; SP |
| NUTROPIN AQ NUSPIN 10 SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; SP |
| NUTROPIN AQ NUSPIN 20 SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; SP |
| NUTROPIN AQ NUSPIN 5 SUBCUTANEOUS SOLUTION PEN-INJECTOR | 2 | PA; SP |
| *Hereditary Orotic Aciduria Treatment - Agents** | | |
| XURIDEN | 2 | PA; LA; SP; QPD |
| *Hereditary Tyrosinemia Type 1 (Ht-1) Treatment - Agents*** | | |
| nitisinone | 1 | PA; LA; SP |
| NITYR | 2 | PA; LA; SP |
| ORFADIN ORAL CAPSULE 20 MG | 2 | PA; LA; SP |
| ORFADIN ORAL SUSPENSION | 2 | PA; LA; SP |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Homocystinuria Treatment - Agents*** | | |
| CYSTADANE | 2 | LA; SP; QPD |
| *Hyperparathyroid Treatment - Vitamin D Analogs*** | | |
| <i>calcitriol oral</i> | 1 | |
| <i>doxercalciferol oral</i> | 1 | |
| <i>paricalcitol oral</i> | 1 | |
| *Hypophosphatasia (Hpp) Agents*** | | |
| STRENSIQ | 2 | PA; LA; SP |
| *Insulin-Like Growth Factors (Somatomedins)*** | | |
| INCRELEX | 2 | PA; LA; SP |
| *Leptin Analogues*** | | |
| MYALEPT | 2 | PA; LA; SP |
| *Lhrh/Gnrh Agonist Pituitary Suppressants*** | | |
| SYNAREL | 2 | SP |
| *Parathyroid Hormone And Derivatives*** | | |
| NATPARA | 2 | PA; LA; SP; QPD |
| TYMLOS | 2 | PA; SP; QPD |
| *Phenylketonuria Treatment - Agents*** | | |
| KUVAN ORAL PACKET | 2 | PA; LA; SP |
| KUVAN ORAL TABLET | 2 | PA; LA; SP |
| <i>sapropterin dihydrochloride oral packet</i> | 1 | PA; SP |
| <i>sapropterin dihydrochloride oral tablet</i> | 1 | PA; SP |
| *Selective Estrogen Receptor Modulators (Serms)*** | | |
| OSPHENA | 2 | QPD |
| <i>raloxifene hcl</i> | \$0* | QPD |
| *Selective Vasopressin V2-Receptor Antagonists*** | | |
| JYNARQUE | 2 | PA; LA; SP; QPD |
| SAMSCA ORAL TABLET 15 MG | 2 | LA; SP |
| <i>tolvaptan oral tablet 30 mg</i> | 1 | SP |
| *Somatostatic Agents*** | | |
| <i>octreotide acetate injection solution 100 mcg/ml, 1000 mcg/ml, 200 mcg/ml, 50 mcg/ml, 500 mcg/ml</i> | 1 | SP |
| <i>octreotide acetate subcutaneous</i> | 1 | SP |
| SIGNIFOR | 2 | PA; LA; SP; QPD |
| *Urea Cycle Disorder - Agents*** | | |
| RAVICTI | 2 | PA; LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| sodium phenylbutyrate oral powder 3 gm/tsp | 1 | PA; SP; QPD |
| sodium phenylbutyrate oral tablet | 1 | PA; SP; QPD |
| *Vasopressin*** | | |
| desmopressin ace spray refrig | 1 | |
| desmopressin acetate oral | 1 | |
| desmopressin acetate spray | 1 | |
| STIMATE | 2 | SP |
| *Estrogens* | | |
| *Estrogen & Androgen*** | | |
| covaryx | 1 | |
| covaryx hs | 1 | |
| eemt | 1 | |
| eemt hs | 1 | |
| est estrogens-methyltest ds | 1 | |
| est estrogens-methyltest hs | 1 | |
| est estrogens-methyltest oral tablet 1.25-2.5 mg | 1 | |
| *Estrogen & Progestin*** | | |
| amabelz | 1 | |
| CLIMARA PRO | 2 | QPD |
| COMBIPATCH | 2 | QPD |
| estradiol-norethindrone acet | 1 | |
| fyavolv | 1 | |
| jinteli | 1 | |
| mimvey | 1 | |
| norethindrone-eth estradiol | 1 | |
| PREMPHASE | 2 | QPD |
| PREMPRO | 2 | QPD |
| *Estrogen-Progestin-GnRH Antagonist*** | | |
| ORIAHNN | 2 | PA; QPD |
| *Estrogens*** | | |
| DELESTROGEN INTRAMUSCULAR OIL 10 MG/ML | 2 | |
| DEPO-ESTRADIOL | 2 | |
| DIVIGEL | 2 | QPD |
| dotti | 1 | QPD |
| ELESTRIN | 2 | QPD |
| estradiol oral | 1 | |
| estradiol transdermal | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>estradiol valerate intramuscular oil 20 mg/ml, 40 mg/ml</i> | 1 | |
| EVAMIST | 2 | QPD |
| <i>lyllana</i> | 1 | QPD |
| MENEST ORAL TABLET 0.3 MG, 0.625 MG, 1.25 MG | 2 | |
| PREMARIN ORAL | 2 | QPD |
| *Estrogen-Selective Estrogen Receptor Modulator Comb*** | | |
| DUAVEE | 2 | |
| *Fluoroquinolones* | | |
| *Fluoroquinolones*** | | |
| BAXDELA ORAL | 2 | QPD |
| <i>ciprofloxacin hcl oral</i> | 1 | |
| <i>levofloxacin oral</i> | 1 | |
| <i>moxifloxacin hcl oral</i> | 1 | |
| <i>ofloxacin oral tablet 300 mg, 400 mg</i> | 1 | |
| *Gastrointestinal Agents - Misc.* | | |
| *Bile Acid Synthesis Disorder Agents*** | | |
| CHOLBAM | 2 | PA; LA; SP |
| *Gallstone Solubilizing Agents*** | | |
| CHENODAL | 2 | LA; SP |
| <i>ursodiol oral capsule 300 mg</i> | 1 | |
| <i>ursodiol oral tablet</i> | 1 | |
| *Gastrointestinal Antiallergy Agents*** | | |
| <i>cromolyn sodium oral</i> | 1 | |
| *Gastrointestinal Chloride Channel Activators*** | | |
| AMITIZA | 2 | QPD |
| *Gastrointestinal Stimulants*** | | |
| <i>metoclopramide hcl oral solution 10 mg/10ml, 5 mg/5ml</i> | 1 | |
| <i>metoclopramide hcl oral tablet</i> | 1 | |
| *Glucagon-Like Peptide-2 (GLP-2) Analogs*** | | |
| GATTEX | 2 | PA; LA; SP |
| *Ibs Agent - Guanylate Cyclase-C (Gc-C) Agonists*** | | |
| LINZESS | 2 | QPD |
| *Ibs Agent - Mu-Opioid Receptor Agonists*** | | |
| VIBERZI | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Ibs Agent - Selective 5-HT3 Receptor Antagonists*** | | |
| <i>alosetron hcl</i> | 1 | QPD |
| *Inflammatory Bowel Agents*** | | |
| <i>balsalazide disodium</i> | 1 | |
| <i>DIPENTUM</i> | 2 | |
| <i>mesalamine er</i> | 1 | |
| <i>mesalamine oral</i> | 1 | |
| <i>mesalamine rectal enema</i> | 1 | |
| <i>mesalamine rectal suppository</i> | 1 | QPD |
| <i>PENTASA</i> | 2 | |
| <i>sulfasalazine oral</i> | 1 | |
| *Intestinal Acidifiers*** | | |
| <i>enulose</i> | 1 | |
| <i>generlac</i> | 1 | |
| <i>lactulose encephalopathy</i> | 1 | |
| *Peripheral Opioid Receptor Antagonists*** | | |
| <i>MOVANTIK</i> | 2 | QPD |
| <i>RELISTOR ORAL</i> | 2 | SP; QPD |
| <i>RELISTOR SUBCUTANEOUS SOLUTION 12 MG/0.6ML, 8 MG/0.4ML</i> | 2 | SP; QPD |
| <i>SYMPROIC</i> | 2 | QPD |
| *Phosphate Binder Agents*** | | |
| <i>calcium acetate (phos binder)</i> | 1 | |
| <i>calcium acetate oral tablet 667 mg</i> | 1 | |
| <i>PHOSLYRA</i> | 2 | PA |
| <i>sevelamer carbonate</i> | 1 | PA |
| <i>VELPHORO</i> | 2 | PA |
| *Tumor Necrosis Factor Alpha Blockers*** | | |
| <i>CIMZIA PREFILLED</i> | 2 | PA; LA; SP; QPD |
| <i>CIMZIA STARTER KIT</i> | 2 | PA; LA; SP; QPD |
| *Genitourinary Agents - Miscellaneous* | | |
| *5-Alpha Reductase Inhibitors*** | | |
| <i>dutasteride oral</i> | 1 | QPD |
| <i>finasteride oral tablet 5 mg</i> | 1 | QPD |
| *Alpha 1-Adrenoceptor Antagonists*** | | |
| <i>alfuzosin hcl er</i> | 1 | |
| <i>silodosin</i> | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| tamsulosin hcl | 1 | QPD |
| *Citrates*** | | |
| cytra k crystals | 1 | |
| potassium citrate er | 1 | |
| *Cystinosis Agents*** | | |
| CYSTAGON | 2 | LA; SP |
| PROCYSB1 | 2 | PA; LA; SP |
| *Genitourinary Irrigants*** | | |
| acetic acid irrigation | 1 | |
| glycine urologic | 1 | |
| sodium chloride irrigation solution 0.9 % | 1 | |
| *Interstitial Cystitis Agents*** | | |
| ELMIRON | 2 | |
| *Prostatic Hypertrophy Agent Combinations*** | | |
| dutasteride-tamsulosin hcl | 1 | QPD |
| *Urinary Analgesics*** | | |
| phenazopyridine hcl oral tablet 100 mg, 200 mg | 1 | |
| *Urinary Stone Agents*** | | |
| LITHOSTAT | 2 | SP |
| THIOLA | 2 | LA; SP |
| THIOLA EC | 2 | LA; SP |
| tiopronin oral | 1 | SP |
| *Gout Agents* | | |
| *Gout Agent Combinations*** | | |
| colchicine-probenecid | 1 | |
| *Gout Agents*** | | |
| allopurinol oral | 1 | |
| COLCHICINE ORAL CAPSULE | 2 | |
| colchicine oral tablet | 1 | |
| febuxostat | 1 | QPD |
| *Uricosurics*** | | |
| probenecid oral | 1 | |
| *Hematological Agents - Misc.* | | |
| *Bradykinin B2 Receptor Antagonists*** | | |
| icatibant acetate | 1 | PA; SP; QPD |
| *C1 Inhibitors*** | | |
| CINRYZE | 2 | PA; LA; SP; QPD |
| HAEGARDA | 2 | PA; LA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| RUCONEST | 2 | PA; LA; SP; QPD |
| *Direct-Acting P2y12 Inhibitors*** | | |
| BRILINTA | 2 | QPD |
| *Hematorheologic Agents*** | | |
| pentoxifylline er | 1 | |
| *Phosphodiesterase Iii Inhibitors*** | | |
| cilostazol | 1 | QPD |
| *Plasma Kallikrein Inhibitors - Monoclonal Antibodies*** | | |
| TAKHZYRO | 2 | PA; LA; SP; QPD |
| *Plasma Kallikrein Inhibitors*** | | |
| ORLADEYO | 2 | PA; SP; QPD |
| *Platelet Aggregation Inhibitor Combinations*** | | |
| aspirin-dipyridamole er | \$0* | QPD |
| *Platelet Aggregation Inhibitors*** | | |
| dipyridamole oral | \$0* | |
| *Protease-Activated Receptor-1 (Par-1) Antagonists*** | | |
| ZONTIVITY | 2 | |
| *Quinazoline Agents*** | | |
| anagrelide hcl | 1 | |
| *Thienopyridine Derivatives*** | | |
| clopidogrel bisulfate oral | \$0* | QPD |
| prasugrel hcl | \$0* | QPD |
| *Hematopoietic Agents* | | |
| *Agents For Gaucher Disease*** | | |
| CERDELGA | 2 | PA; SP |
| miglustat | 1 | PA; SP |
| *Cobalamins*** | | |
| cyanocobalamin injection solution 1000 mcg/ml | 1 | |
| hydroxocobalamin acetate | 1 | |
| NASCOBAL | 2 | QPD |
| *Cxcr4 Receptor Antagonist*** | | |
| MOZOBIL | 2 | LA; SP |
| *Cytotoxic Agents*** | | |
| DROXIA | 2 | |
| *Folic Acid/Folate Combinations*** | | |
| foltabs 800 | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Folic Acid/Folates*** | | |
| cvs folic acid oral tablet 800 mcg | \$0* | |
| folate | \$0 | |
| folic acid oral tablet 1 mg, 400 mcg, 800 mcg | \$0* | |
| gnp folic acid | \$0* | |
| hm folic acid | \$0* | |
| kp folic acid oral tablet 800 mcg | \$0* | |
| ra folic acid | \$0* | |
| sm folic acid | \$0* | |
| *Thrombopoietin (Tpo) Receptor Agonists*** | | |
| PROMACTA | 2 | PA; LA; SP |
| *Hemostatics* | | |
| *Hemostatics - Systemic*** | | |
| tranexamic acid oral | 1 | |
| *Hypnotics/Sedatives/Sleep Disorder Agents* | | |
| *Barbiturate Hypnotics*** | | |
| phenobarbital oral elixir | 1 | |
| phenobarbital oral tablet | 1 | |
| *Benzodiazepine Hypnotics*** | | |
| estazolam | 1 | QPD |
| flurazepam hcl | 1 | QPD |
| quazepam tablet 15 mg oral | 1 | QPD |
| temazepam | 1 | QPD |
| triazolam | 1 | QPD |
| *Non-Benzodiazepine - Gaba-Receptor Modulators*** | | |
| eszopiclone | 1 | QPD |
| zaleplon | 1 | QPD |
| zolpidem tartrate er | 1 | QPD |
| zolpidem tartrate oral | 1 | QPD |
| *Selective Melatonin Receptor Agonists*** | | |
| HETLIOZ | 2 | PA; LA; SP; QPD |
| HETLIOZ LQ | 2 | PA; SP |
| *Laxatives* | | |
| *Bowel Evacuant Combinations*** | | |
| gavilyte-c | \$0 | |
| gavilyte-g | \$0 | |
| gavilyte-n with flavor pack | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| peg 3350-kcl-na bicarb-nacl | \$0 | |
| peg-3350/electrolytes | \$0 | |
| peg-3350/electrolytes/ascorbat | \$0 | |
| peg-kcl-nacl-nasulf-na asc-c | \$0 | |
| peg-prep | \$0 | |
| SUPREP BOWEL PREP KIT | 2 | |
| *Laxatives - Miscellaneous*** | | |
| clearlax oral powder | \$0 | |
| constulose | 1 | |
| cvs purelax | \$0 | |
| eq clearlax | \$0 | |
| eql clearlax | \$0 | |
| gavilax oral powder | \$0 | |
| gentlelax oral powder | \$0 | |
| glycolax | \$0 | |
| gnp clearlax | \$0 | |
| goodsense clearlax | \$0 | |
| healthylax | \$0 | |
| hm clearlax oral powder | \$0 | |
| kls laxaclear | \$0 | |
| lactulose oral solution 10 gm/15ml | 1 | |
| miralax oral packet | \$0 | |
| peg 3350 | \$0 | |
| polyethylene glycol 3350 oral packet 17 gm | \$0 | |
| polyethylene glycol 3350 oral powder | \$0 | |
| qc natura-lax | \$0 | |
| ra laxative oral powder | \$0 | |
| sb polyethylene glycol 3350 | \$0 | |
| sm clearlax | \$0 | |
| smooth lax | \$0 | |
| *Saline Laxatives*** | | |
| citrate of magnesia oral solution | \$0 | |
| citroma | \$0 | |
| cvs magnesium citrate oral solution | \$0 | |
| cvs milk of magnesia | \$0 | |
| dulcolax oral suspension | \$0 | |
| eq magnesium citrate | \$0 | |
| eql magnesium citrate | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| eql milk of magnesia | \$0 | |
| gnp milk of magnesia | \$0 | |
| goodsense magnesium citrate | \$0 | |
| hm magnesium citrate | \$0 | |
| hm milk of magnesia | \$0 | |
| magnesium citrate oral solution 1.745 gm/30ml | \$0 | |
| milk of magnesia concentrate | \$0 | |
| milk of magnesia oral suspension 1200 mg/15ml, 400 mg/5ml, 7.75 % | \$0 | |
| px milk of magnesia | \$0 | |
| qc magnesium citrate | \$0 | |
| qc milk of magnesia | \$0 | |
| ra milk of magnesia oral suspension | \$0 | |
| sb milk of magnesia | \$0 | |
| sm magnesium citrate | \$0 | |
| sm milk of magnesia oral suspension 1200 mg/15ml | \$0 | |
| *Stimulant Laxatives*** | | |
| alophen | \$0 | |
| bisacodyl ec | \$0 | |
| cvs gentle laxative oral | \$0 | |
| cvs gentle laxative womens | \$0 | |
| eq gentle laxative | \$0 | |
| eql gentle laxative | \$0 | |
| eql laxative oral tablet delayed release | \$0 | |
| gentle laxative oral | \$0 | |
| gnp gentle laxative oral | \$0 | |
| gnp womens gentle laxative | \$0 | |
| goodsense bisacodyl ec | \$0 | |
| hm laxative oral | \$0 | |
| kp bisacodyl | \$0 | |
| laxative oral tablet delayed release | \$0 | |
| px laxative | \$0 | |
| qc gentle laxative oral | \$0 | |
| ra laxative oral tablet delayed release | \$0 | |
| ra womens laxative | \$0 | |
| sb bisacodyl laxative ec | \$0 | |
| sm gentle laxative | \$0 | |
| womans laxative oral tablet delayed release | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| womens laxative | \$0 | |
| *Macrolides* | | |
| *Azithromycin*** | | |
| azithromycin oral packet | 1 | |
| azithromycin oral suspension reconstituted | 1 | |
| azithromycin oral tablet 250 mg, 500 mg, 600 mg | 1 | |
| *Clarithromycin*** | | |
| clarithromycin er | 1 | |
| clarithromycin oral | 1 | |
| *Erythromycins*** | | |
| e.e.s. 400 oral tablet | 1 | |
| ery-tab oral tablet delayed release 250 mg, 333 mg | 1 | |
| erythrocin stearate oral tablet 250 mg | 1 | |
| erythromycin base oral | 1 | |
| erythromycin ethylsuccinate oral | 1 | |
| erythromycin oral | 1 | |
| *Fidaxomicin*** | | |
| DIFICID | 2 | QPD |
| *Medical Devices And Supplies* | | |
| *Cervical Caps*** | | |
| FEMCAP | \$0 | |
| *Condoms - Female*** | | |
| fc female condom | \$0 | |
| FC2 FEMALE CONDOM | \$0 | |
| *Diaphragms*** | | |
| CAYA | \$0 | |
| WIDE-SEAL DIAPHRAGM 60 | \$0 | |
| WIDE-SEAL DIAPHRAGM 65 | \$0 | |
| WIDE-SEAL DIAPHRAGM 70 | \$0 | |
| WIDE-SEAL DIAPHRAGM 75 | \$0 | |
| WIDE-SEAL DIAPHRAGM 80 | \$0 | |
| WIDE-SEAL DIAPHRAGM 85 | \$0 | |
| WIDE-SEAL DIAPHRAGM 90 | \$0 | |
| WIDE-SEAL DIAPHRAGM 95 | \$0 | |
| *Glucose Monitoring Test Supplies*** | | |
| DEXCOM G4 PLAT PED RCV/SHARE DEVICE | 2 | PA; QPD |
| DEXCOM G4 PLAT PED RECEIVER DEVICE | 2 | PA; QPD |
| DEXCOM G4 PLATINUM RCV/SHARE DEVICE | 2 | PA; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| DEXCOM G4 PLATINUM RECEIVER DEVICE | 2 | PA; QPD |
| DEXCOM G4 PLATINUM TRANSMITTER | 2 | PA; QPD |
| DEXCOM G5 MOB/G4 PLAT SENSOR | 2 | PA; QPD |
| DEXCOM G5 MOBILE RECEIVER DEVICE | 2 | PA; QPD |
| DEXCOM G5 MOBILE TRANSMITTER | 2 | PA; QPD |
| DEXCOM G5 RECEIVER KIT | 2 | PA; QPD |
| DEXCOM G6 RECEIVER | 2 | PA; QPD |
| DEXCOM G6 SENSOR | 2 | PA; QPD |
| DEXCOM G6 TRANSMITTER | 2 | PA; QPD |
| FREESTYLE LIBRE 14 DAY READER | 2 | PA; QPD |
| FREESTYLE LIBRE 14 DAY SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE 2 READER | 2 | PA; QPD |
| FREESTYLE LIBRE 2 SENSOR | 2 | PA; QPD |
| FREESTYLE LIBRE READER | 2 | PA; QPD |
| *Insulin Administration Supplies*** | | |
| OMNIPOD 5 PACK | 2 | PA; QPD |
| OMNIPOD DASH 5 PACK PODS | 2 | PA; QPD |
| OMNIPOD STARTER | 2 | PA; QPD |
| *Migraine Products* | | |
| *Calcitonin Gene-Related Peptide Receptor Antag (Cgrp)*** | | |
| NURTEC | 2 | PA; QPD |
| UBRELVY | 2 | PA; ST; QPD |
| *Cgrp Receptor Antagonists - Monocolonal Antibodies*** | | |
| AIMOVIG | 2 | PA; QPD |
| AJOVY | 2 | PA; QPD |
| EMGALITY | 2 | PA; QPD |
| EMGALITY (300 MG DOSE) | 2 | PA; QPD |
| *Ergot Combinations*** | | |
| ergotamine-caffeine | 1 | PA; QPD |
| migergot | 1 | PA; QPD |
| *Migraine Products*** | | |
| dihydroergotamine mesylate injection | 1 | PA; QPD |
| dihydroergotamine mesylate nasal | 1 | PA; QPD |
| ERGOMAR | 2 | PA; QPD |
| *Selective Serotonin Agonists 5-HT(1)*** | | |
| almotriptan malate | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>eletriptan hydrobromide</i> | 1 | QPD |
| <i>frovatriptan succinate</i> | 1 | QPD |
| <i>naratriptan hcl</i> | 1 | QPD |
| <i>rizatriptan benzoate</i> | 1 | QPD |
| <i>sumatriptan nasal</i> | 1 | QPD |
| <i>sumatriptan succinate oral</i> | 1 | QPD |
| <i>sumatriptan succinate refill subcutaneous solution cartridge</i> | 1 | QPD |
| <i>sumatriptan succinate subcutaneous solution 6 mg/0.5ml</i> | 1 | QPD |
| <i>sumatriptan succinate subcutaneous solution auto-injector 4 mg/0.5ml, 6 mg/0.5ml</i> | 1 | QPD |
| <i>zolmitriptan oral</i> | 1 | QPD |
| ZOMIG NASAL | 2 | QPD |
| *Selective Serotonin Agonists 5-HT(1F)*** | | |
| REYVOW | 2 | PA; QPD |
| *Minerals & Electrolytes* | | |
| *Fluoride*** | | |
| <i>sodium fluoride oral solution</i> | \$0 | |
| <i>sodium fluoride oral tablet 1.1 (0.5 f) mg</i> | \$0 | |
| <i>sodium fluoride oral tablet 2.2 (1 f) mg</i> | 1 | |
| <i>sodium fluoride oral tablet chewable</i> | \$0 | |
| *Phosphate*** | | |
| K-PHOS | 2 | |
| *Potassium Combinations*** | | |
| <i>EFFER-K ORAL TABLET EFFERVESCENT 10 MEQ, 20 MEQ</i> | 2 | |
| *Potassium*** | | |
| <i>effer-k oral tablet effervescent 25 meq</i> | 1 | |
| <i>klor-con 10</i> | 1 | |
| <i>klor-con m10</i> | 1 | |
| <i>klor-con m15</i> | 1 | |
| <i>klor-con m20</i> | 1 | |
| <i>klor-con oral tablet extended release</i> | 1 | |
| <i>klor-con/ef</i> | 1 | |
| <i>k-tab oral tablet extended release 8 meq</i> | 1 | |
| <i>potassium chloride crys er</i> | 1 | |
| <i>potassium chloride er</i> | 1 | |
| <i>potassium chloride oral packet</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>potassium chloride oral solution 20 meq/15ml (10%), 40 meq/15ml (20%)</i> | 1 | |
| *Zinc*** | | |
| GALZIN | 2 | |
| *Miscellaneous Therapeutic Classes* | | |
| *Antileprotics*** | | |
| THALOMID | 2 | LA; SP |
| *B-Lymphocyte Stimulator (Blys)-Specific Inhibitors*** | | |
| BENLYSTA SUBCUTANEOUS | 2 | PA; LA; SP; QPD |
| *Chelating Agents*** | | |
| <i>penicillamine oral tablet</i> | 1 | SP |
| *Cyclosporine Analogs*** | | |
| <i>cyclosporine modified</i> | 1 | |
| <i>cyclosporine oral capsule</i> | 1 | |
| <i>gengraf oral capsule 100 mg, 25 mg</i> | 1 | |
| <i>gengraf oral solution</i> | 1 | |
| SANDIMMUNE ORAL SOLUTION | 2 | |
| *Immunomodulators For Myelodysplastic Syndromes*** | | |
| REVLIMID | 2 | PA; LA; SP; QPD |
| *Inosine Monophosphate Dehydrogenase Inhibitors*** | | |
| <i>mycophenolate mofetil oral</i> | 1 | |
| <i>mycophenolate sodium</i> | 1 | |
| *Irrigation Solutions*** | | |
| <i>lactated ringers irrigation</i> | 1 | |
| <i>ringers irrigation</i> | 1 | |
| <i>sterile water for irrigation</i> | 1 | |
| <i>tis-u-sol</i> | 1 | |
| <i>water for irrigation, sterile</i> | 1 | |
| *Macrolide Immunosuppressants*** | | |
| <i>everolimus oral tablet 0.25 mg, 0.5 mg, 0.75 mg</i> | 1 | |
| <i>sirolimus oral</i> | 1 | |
| <i>tacrolimus oral</i> | 1 | |
| ZORTRESS ORAL TABLET 1 MG | 2 | |
| *Monoclonal Antibodies*** | | |
| ENSPRYNG | 2 | PA; SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Potassium Removing Agents*** | | |
| LOKELMA | 2 | QPD |
| sodium polystyrene sulfonate oral powder | 1 | |
| sps | 1 | |
| VELTASSA | 2 | QPD |
| *Purine Analogs*** | | |
| azathioprine oral tablet 50 mg | 1 | |
| *Rock Inhibitors*** | | |
| REZUROCK | 2 | SP; QPD |
| *Mouth/Throat/Dental Agents* | | |
| *Anesthetics Topical Oral*** | | |
| lidocaine viscous hcl | 1 | QPD |
| *Anti-Infectives - Throat*** | | |
| clotrimazole mouth/throat troche | 1 | |
| nystatin mouth/throat | 1 | |
| ORAVIG | 2 | PA |
| *Antiseptics - Mouth/Throat*** | | |
| chlorhexidine gluconate mouth/throat | 1 | |
| paroex | 1 | |
| periogard | 1 | |
| *Fluoride Dental Products*** | | |
| denta 5000 plus | 1 | |
| dentagel | 1 | |
| sf | 1 | |
| sf 5000 plus | 1 | |
| sodium fluoride 5000 plus | 1 | |
| sodium fluoride 5000 ppm dental cream | 1 | |
| sodium fluoride dental cream | 1 | |
| sodium fluoride dental gel 1.1 % | 1 | |
| *Saliva Stimulants*** | | |
| cevimeline hcl | 1 | |
| pilocarpine hcl oral | 1 | |
| *Steroids - Mouth/Throat/Dental*** | | |
| oralone | 1 | |
| triamcinolone acetonide mouth/throat | 1 | |
| *Multivitamins* | | |
| *B-Complex Vitamins*** | | |
| b-complex/b-12 oral | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>ra b-complex</i> | \$0 | |
| <i>ra b-complex with b-12</i> | \$0 | |
| <i>vitamin b complex oral tablet</i> | \$0 | |
| <i>vitamin b-complex</i> | \$0 | |
| <i>vitamin-b complex</i> | \$0 | |
| *B-Complex W/ C & Folic Acid*** | | |
| <i>b complex-c-folic acid</i> | \$0 | |
| <i>b-complex balanced</i> | \$0 | |
| <i>b-complex/vitamin c</i> | \$0 | |
| <i>b-plex</i> | 1 | |
| <i>dialyvite 800 oral tablet</i> | \$0 | |
| <i>eql super b complex/vitamin c</i> | \$0 | |
| <i>full spectrum b/vitamin c</i> | \$0 | |
| <i>px b complex/vitamin c</i> | \$0 | |
| <i>rena-vite</i> | \$0 | |
| <i>sm b super vitamin complex</i> | \$0 | |
| <i>sm b-complex/vitamin c</i> | \$0 | |
| <i>stress formula (folic acid)</i> | \$0 | |
| <i>super b complex/fa/vit c</i> | \$0 | |
| <i>super b-complex/vit c/fa</i> | \$0 | |
| *B-Complex W/ C*** | | |
| <i>b complex-c oral tablet</i> | \$0 | |
| <i>b-complex-c oral tablet</i> | \$0* | |
| <i>cvs b complex plus c</i> | \$0 | |
| <i>cvs super b complex/c</i> | \$0 | |
| <i>sm super b complex/c</i> | \$0 | |
| <i>vitamin b complex-c</i> | \$0 | |
| *B-Complex W/ C-Biotin-E & Folic Acid*** | | |
| <i>b complex-c-biotin-e-fa</i> | \$0 | |
| *B-Complex W/ Folic Acid*** | | |
| <i>b complex formula 1 (w/fa)</i> | \$0 | |
| <i>kobee</i> | \$0 | |
| <i>sm balanced b-100</i> | \$0 | |
| <i>sm balanced b-50</i> | \$0 | |
| <i>super b complex maxi</i> | \$0 | |
| *B-Complex W/Biotin & Folic Acid*** | | |
| <i>b-100 tr</i> | \$0 | |
| <i>b-50 complex oral tablet extended release</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| balance b-50 tablet oral | \$0 | |
| balanced b-100 oral tablet extended release | \$0 | |
| b-complex oral tablet | \$0 | |
| complex b-100 | \$0 | |
| eql b complex 50 oral tablet | \$0 | |
| eql b-100 complex | \$0 | |
| gnp b-100 complex | \$0 | |
| ra balanced b-100 | \$0 | |
| ra balanced b-50 | \$0 | |
| sm b100 complex | \$0 | |
| sm b-complex | \$0 | |
| super quints b-50 | \$0 | |
| *Multiple Vitamins W/ Iron*** | | |
| stress formula/iron | \$0 | |
| *Multivitamins*** | | |
| stress formula | \$0 | |
| *Ped Mv W/ Fluoride*** | | |
| multivitamin/fluoride oral solution | \$0 | |
| multi-vitamin/fluoride oral solution | \$0 | |
| multivitamin/fluoride oral tablet chewable 0.25 mg, 0.5 mg, 1 mg | \$0 | |
| polyvitamin/fluoride oral solution 0.25 mg/ml | \$0 | |
| *Ped Vitamins Acd W/ Fluoride*** | | |
| adc/f (0.5mg/ml) | \$0 | |
| tri-vitamin/fluoride oral solution 0.25 mg/ml | \$0 | |
| tri-vite/fluoride | \$0 | |
| vitamins acd-fluoride | \$0 | |
| *Prenatal Mv & Min W/Fe-Fa*** | | |
| classic prenatal | \$0* | |
| c-nate dha | \$0* | |
| cvs prenatal oral tablet 27-0.8 mg | \$0* | |
| eql prenatal formula | \$0 | |
| folivane-ob oral capsule 85-1 mg | \$0* | |
| gnp prenatal | \$0* | |
| inatal gt | \$0* | |
| kp prenatal multivitamins | \$0* | |
| m-natal plus | \$0* | |
| obstetrix dha | \$0* | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| perry prenatal | \$0* | |
| pnv prenatal plus multivitamin | \$0* | |
| pnv tabs 29-1 | \$0* | |
| pnv-omega | \$0* | |
| pnv-select | \$0* | |
| prena1 pearl | \$0* | |
| prenatabs fa oral tablet 29-1 mg | \$0* | |
| prenatabs rx | \$0* | |
| prenatal (w/iron & fa) | \$0* | |
| prenatal complete | \$0* | |
| prenatal one daily | \$0* | |
| prenatal oral tablet 27-0.8 mg, 27-1 mg, 28-0.8 mg | \$0* | |
| prenatal plus | \$0* | |
| prenatal plus iron | \$0* | |
| prenatal vitamin and mineral | \$0 | |
| prenatal vitamin plus low iron | \$0* | |
| prenatal vitamins oral tablet 28-0.8 mg | \$0* | |
| prenatal/iron oral tablet | \$0* | |
| prenatal-u | \$0* | |
| preplus | \$0* | |
| pretab | \$0* | |
| qc prenatal | \$0* | |
| ra prenatal | \$0* | |
| relnate dha | \$0* | |
| se-natal 19 | \$0* | |
| sm prenatal vitamins | \$0* | |
| taron-c dha oral capsule 35-1 mg | \$0* | |
| trinatal rx 1 | \$0* | |
| trinate | \$0* | |
| vinate ii | \$0* | |
| virt-c dha | \$0* | |
| virt-nate dha | \$0* | |
| virt-pn plus | \$0* | |
| zatean-pn plus | \$0* | |
| *Prenatal Mv & Min W/Fe-Fa-Ca-Omega 3 Fish Oil*** | | |
| complete natal dha oral 29-1-200 & 200 mg | \$0* | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Prenatal Mv & Min W/Fe-Fa-Dha*** | | |
| cvs prenatal multi+dha | \$0 | |
| pnv-dha | \$0* | |
| pnv-dha+docusate | \$0* | |
| prena 1 true | \$0* | |
| prenaissance | \$0* | |
| prenaissance plus | \$0* | |
| prenatal multi +dha oral capsule 27-0.8-250 mg | \$0 | |
| taron-prex | \$0* | |
| virt-pn dha | \$0* | |
| zatean-pn dha | \$0* | |
| *Prenatal Vitamins*** | | |
| prena1 | \$0* | |
| *Vitamins W/ Lipotropics*** | | |
| b-100 complex oral tablet | \$0 | |
| balance b-100 | \$0 | |
| balanced b-50 complex oral tablet | \$0 | |
| ultra b-100 complex | \$0 | |
| *Musculoskeletal Therapy Agents* | | |
| *Central Muscle Relaxants*** | | |
| baclofen oral tablet 10 mg, 20 mg | 1 | |
| carisoprodol oral tablet 350 mg | 1 | QPD |
| chlorzoxazone oral tablet 500 mg | 1 | |
| cyclobenzaprine hcl oral tablet 10 mg, 5 mg | 1 | |
| metaxalone | 1 | |
| methocarbamol oral | 1 | |
| orphenadrine citrate er | 1 | |
| tizanidine hcl oral | 1 | |
| vanadom | 1 | QPD |
| *Direct Muscle Relaxants*** | | |
| dantrolene sodium oral | 1 | |
| *Muscle Relaxant Combinations*** | | |
| carisoprodol-aspirin-codeine | 1 | PA; QPD |
| *Nasal Agents - Systemic And Topical* | | |
| *Nasal Anticholinergics*** | | |
| ipratropium bromide nasal | 1 | |
| *Nasal Antihistamines*** | | |
| azelastine hcl nasal | 1 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>olopatadine hcl nasal</i> | 1 | QPD |
| *Nasal Steroids*** | | |
| <i>budesonide nasal</i> | 1 | QPD |
| <i>flunisolide nasal solution 25 mcg/act (0.025%)</i> | 1 | QPD |
| <i>fluticasone propionate nasal</i> | 1 | QPD |
| <i>mometasone furoate nasal</i> | 1 | QPD |
| <i>triamcinolone acetonide nasal aerosol</i> | 1 | QPD |
| *Neuromuscular Agents* | | |
| *Benzathiazoles*** | | |
| <i>riluzole</i> | 1 | |
| *Ophthalmic Agents* | | |
| *Alpha Adrenergic Agonist & Carbonic Anhydrase Inhib Comb*** | | |
| <i>SIMBRINZA</i> | 2 | |
| *Artificial Tear Inserts*** | | |
| <i>LACRISERT</i> | 2 | QPD |
| *Beta-Blockers - Ophthalmic Combinations*** | | |
| <i>COMBIGAN</i> | 2 | |
| <i>dorzolamide hcl-timolol mal</i> | 1 | |
| <i>dorzolamide hcl-timolol mal pf</i> | 1 | |
| *Beta-Blockers - Ophthalmic*** | | |
| <i>betaxolol hcl ophthalmic</i> | 1 | |
| <i>BETIMOL</i> | 2 | |
| <i>BETOPTIC-S</i> | 2 | |
| <i>carteolol hcl</i> | 1 | |
| <i>levobunolol hcl ophthalmic solution 0.5 %</i> | 1 | |
| <i>timolol maleate ocudose</i> | 1 | |
| <i>timolol maleate ophthalmic</i> | 1 | |
| <i>timolol maleate pf</i> | 1 | |
| <i>TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.25 %</i> | 2 | |
| <i>TIMOPTIC OCUDOSE OPHTHALMIC SOLUTION 0.5 %</i> | 2+ | |
| *Cycloplegic Mydriatics*** | | |
| <i>atropine sulfate ophthalmic solution 1 %</i> | 1 | |
| <i>cyclopentolate hcl ophthalmic</i> | 1 | |
| <i>homatropaire</i> | 1 | |
| <i>phenylephrine hcl ophthalmic solution 10 %, 2.5 %</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Lymphocyte Function-Associated Antigen-1 (Lfa-1) Antag*** | | |
| XIIDRA | 2 | QPD |
| *Miotics - Direct Acting*** | | |
| pilocarpine hcl ophthalmic solution 1 %, 2 %, 4 % | 1 | |
| *Ophthalmic Antiallergic*** | | |
| ALOCRIL | 2 | |
| ALOMIDE | 2 | |
| azelastine hcl ophthalmic | 1 | |
| bepotastine besilate | 1 | |
| BEPREVE | 2 | |
| cromolyn sodium ophthalmic | 1 | |
| epinastine hcl | 1 | |
| LASTACAFT | 2 | |
| olopatadine hcl ophthalmic | 1 | |
| *Ophthalmic Antibiotics*** | | |
| AZASITE | 2 | |
| bacitracin ophthalmic | 1 | |
| BESIVANCE | 2 | |
| CILOXAN OPHTHALMIC OINTMENT | 2 | |
| ciprofloxacin hcl ophthalmic | 1 | |
| erythromycin ophthalmic | 1 | |
| gatifloxacin ophthalmic | 1 | |
| gentak ophthalmic ointment | 1 | |
| gentamicin sulfate ophthalmic solution | 1 | |
| levofloxacin ophthalmic | 1 | |
| moxifloxacin hcl (2x day) | 1 | |
| moxifloxacin hcl ophthalmic solution | 1 | |
| ofloxacin ophthalmic | 1 | |
| tobramycin ophthalmic | 1 | |
| TOBREX OPHTHALMIC OINTMENT | 2 | |
| *Ophthalmic Antifungal*** | | |
| NATACYN | 2 | |
| *Ophthalmic Anti-Infective Combinations*** | | |
| ak-poly-bac | 1 | |
| bacitracin-polymyxin b ophthalmic ointment 500-10000 unit/gm | 1 | |
| neomycin-bacitracin zn-polymyx | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>neomycin-polymyxin-gramicidin ophthalmic solution 1.75-10000-.025</i> | 1 | |
| <i>neo-polycin</i> | 1 | |
| <i>polycin</i> | 1 | |
| <i>polymyxin b-trimethoprim</i> | 1 | |
| *Ophthalmic Antivirals*** | | |
| <i>trifluridine ophthalmic</i> | 1 | |
| ZIRGAN | 2 | |
| *Ophthalmic Carbonic Anhydrase Inhibitors*** | | |
| AZOPT | 2 | |
| <i>brinzolamide</i> | 1 | |
| <i>dorzolamide hcl ophthalmic</i> | 1 | |
| *Ophthalmic Nerve Growth Factors*** | | |
| <i>OXERVATE</i> | 2 | PA; LA; SP; QPD |
| *Ophthalmic Nonsteroidal Anti-Inflammatory Agents*** | | |
| ACUVAIL | 2 | |
| <i>bromfenac sodium (once-daily)</i> | 1 | |
| <i>diclofenac sodium ophthalmic</i> | 1 | |
| <i>flurbiprofen sodium</i> | 1 | |
| ILEVRO | 2 | |
| <i>ketorolac tromethamine ophthalmic</i> | 1 | |
| NEVANAC | 2 | |
| PROLENSA | 2 | |
| *Ophthalmic Selective Alpha Adrenergic Agonists*** | | |
| ALPHAGAN P OPHTHALMIC SOLUTION 0.1 % | 2 | |
| <i>apraclonidine hcl</i> | 1 | |
| <i>brimonidine tartrate ophthalmic</i> | 1 | |
| IOPIDINE OPHTHALMIC SOLUTION 1 % | 2 | |
| *Ophthalmic Steroid Combinations*** | | |
| <i>bacitra-neomycin-polymyxin-hc</i> | 1 | |
| BLEPHAMIDE | 2 | |
| BLEPHAMIDE S.O.P. | 2 | |
| <i>neomycin-polymyxin-dexameth ophthalmic ointment</i> | 1 | |
| <i>neomycin-polymyxin-dexameth ophthalmic suspension 3.5-10000-0.1</i> | 1 | |
| <i>neomycin-polymyxin-hc ophthalmic suspension 3.5-10000-1</i> | 1 | |
| <i>neo-polycin hc</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| PRED-G | 2 | |
| PRED-G S.O.P. | 2 | |
| <i>sulacetamide-prednisolone ophthalmic solution</i> | 1 | |
| TOBRADEX OPHTHALMIC OINTMENT | 2 | |
| TOBRADEX ST | 2 | |
| <i>tobramycin-dexamethasone</i> | 1 | |
| ZYLET | 2 | |
| *Ophthalmic Steroids*** | | |
| ALREX | 2 | |
| <i>dexamethasone sodium phosphate ophthalmic</i> | 1 | |
| <i>diluprednate</i> | 1 | |
| DUREZOL | 2 | |
| <i>fluorometholone ophthalmic</i> | 1 | |
| FML | 2 | |
| FML FORTE | 2 | |
| LOTEMAX OPHTHALMIC GEL | 2 | |
| LOTEMAX OPHTHALMIC OINTMENT | 2 | |
| LOTEMAX SM | 2 | |
| <i>loteprednol etabonate</i> | 1 | |
| PRED MILD | 2 | |
| <i>prednisolone acetate ophthalmic</i> | 1 | |
| <i>prednisolone sodium phosphate ophthalmic</i> | 1 | |
| *Ophthalmic Sulfonamides*** | | |
| <i>sulacetamide sodium ophthalmic</i> | 1 | |
| *Ophthalmics - Cystinosis Agents** | | |
| CYSTARAN | 2 | LA; SP |
| *Prostaglandins - Ophthalmic*** | | |
| <i>bimatoprost ophthalmic</i> | 1 | |
| <i>latanoprost ophthalmic</i> | 1 | |
| <i>travoprost (bak free)</i> | 1 | |
| *Otic Agents* | | |
| *Otic Agents - Miscellaneous*** | | |
| <i>acetic acid otic</i> | 1 | |
| *Otic Anti-Infectives*** | | |
| <i>ciprofloxacin hcl otic</i> | 1 | |
| <i>ofloxacin otic</i> | 1 | |
| *Otic Steroid-Anti-Infective Combinations*** | | |
| CIPRO HC | 2 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| <i>ciprofloxacin-dexamethasone</i> | 1 | |
| CORTISPORIN-TC | 2 | |
| <i>neomycin-polymyxin-hc otic</i> | 1 | |
| *Otic Steroids*** | | |
| <i>acetasol hc</i> | 1 | |
| <i>fluocinolone acetonide otic</i> | 1 | |
| <i>hydrocortisone-acetic acid</i> | 1 | |
| *Oxytocics* | | |
| *Oxytocics*** | | |
| <i>methergine oral</i> | 1 | QPD |
| <i>methylergonovine maleate oral</i> | 1 | QPD |
| *Passive Immunizing And Treatment Agents* | | |
| *Immune Serums*** | | |
| VARIZIG INTRAMUSCULAR SOLUTION | \$0 | |
| *Penicillins* | | |
| *Aminopenicillins*** | | |
| <i>amoxicillin oral capsule</i> | 1 | |
| <i>amoxicillin oral suspension reconstituted</i> | 1 | |
| <i>amoxicillin oral tablet</i> | 1 | |
| <i>amoxicillin oral tablet chewable 125 mg, 250 mg</i> | 1 | |
| <i>ampicillin oral capsule 500 mg</i> | 1 | |
| *Natural Penicillins*** | | |
| <i>penicillin v potassium</i> | 1 | |
| *Penicillin Combinations*** | | |
| <i>amoxicillin-pot clavulanate er</i> | 1 | |
| <i>amoxicillin-pot clavulanate oral</i> | 1 | |
| *Penicillinase-Resistant Penicillins*** | | |
| <i>dicloxacillin sodium</i> | 1 | |
| *Progestins* | | |
| *Progestins*** | | |
| <i>hydroxyprogesterone caproate intramuscular oil</i> | 1 | PA; SP; QPD |
| MAKENA SUBCUTANEOUS | 2 | PA; SP; QPD |
| <i>medroxyprogesterone acetate oral</i> | 1 | |
| <i>norethindrone acetate oral</i> | 1 | |
| <i>progesterone oral</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Psychotherapeutic And Neurological Agents - Misc.* | | |
| *Alcohol Deterrents*** | | |
| <i>acamprosate calcium</i> | 1 | |
| <i>disulfiram oral</i> | 1 | |
| *Anti-Cataplectic Agents*** | | |
| XYREM | 2 | PA; LA; SP; QPD |
| *Anti-Cataplectic Combinations*** | | |
| XYWAV | 2 | PA; SP; QPD |
| *Benzodiazepines & Tricyclic Agents*** | | |
| <i>chlordiazepoxide-amitriptyline</i> | 1 | |
| *Cholinomimetics - Ache Inhibitors*** | | |
| <i>donepezil hcl</i> | 1 | QPD |
| <i>galantamine hydrobromide</i> | 1 | QPD |
| <i>galantamine hydrobromide er</i> | 1 | QPD |
| <i>rivastigmine</i> | 1 | QPD |
| <i>rivastigmine tartrate</i> | 1 | QPD |
| *Fibromyalgia Agent - Snris*** | | |
| SAVELLA | 2 | QPD |
| SAVELLA TITRATION PACK | 2 | QPD |
| *Movement Disorder Drug Therapy*** | | |
| INGREZZA | 2 | PA; LA; SP; QPD |
| <i>tetrabenazine</i> | 1 | PA; SP |
| *Ms Agents - Pyrimidine Synthesis Inhibitors*** | | |
| AUBAGIO | 2 | LA; SP; QPD |
| *Multiple Sclerosis Agents - Interferons*** | | |
| AVONEX PEN INTRAMUSCULAR AUTO-INJECTOR KIT | 2 | SP; QPD |
| AVONEX PREFILLED INTRAMUSCULAR PREFILLED SYRINGE KIT | 2 | SP; QPD |
| BETASERON SUBCUTANEOUS KIT | 2 | SP; QPD |
| EXTAVIA SUBCUTANEOUS KIT | 2 | SP; QPD |
| PLEGRIDY | 2 | SP; QPD |
| PLEGRIDY STARTER PACK | 2 | SP; QPD |
| REBIF REBIDOSE SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | SP; QPD |
| REBIF REBIDOSE TITRATION PACK SUBCUTANEOUS SOLUTION AUTO-INJECTOR | 2 | SP; QPD |
| REBIF SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | SP; QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| REBIF TITRATION PACK SUBCUTANEOUS SOLUTION PREFILLED SYRINGE | 2 | SP; QPD |
| *Multiple Sclerosis Agents - Monoclonal Antibodies*** | | |
| KESIMPTA | 2 | PA; SP; QPD |
| *Multiple Sclerosis Agents - Nrf2 Pathway Activators*** | | |
| <i>dimethyl fumarate oral</i> | 1 | SP; QPD |
| <i>dimethyl fumarate starter pack</i> | 1 | SP; QPD |
| TECFIDERA | 2+ | LA; SP; QPD |
| *Multiple Sclerosis Agents - Potassium Channel Blockers*** | | |
| <i>dalfampridine er</i> | 1 | PA; SP; QPD |
| *Multiple Sclerosis Agents*** | | |
| <i>glatiramer acetate</i> | 1 | SP; QPD |
| <i>glatopa</i> | 1 | SP; QPD |
| *N-Methyl-D-Aspartate (Nmda) Receptor Antagonists*** | | |
| <i>memantine hcl er</i> | 1 | |
| <i>memantine hcl oral solution 2 mg/ml</i> | 1 | |
| <i>memantine hcl oral tablet 10 mg, 5 mg</i> | 1 | |
| *Phenothiazines & Tricyclic Agents*** | | |
| <i>perphenazine-amitriptyline</i> | 1 | |
| *Premenstrual Dysphoric Disorder (Pmdd) Agents - Ssris*** | | |
| <i>fluoxetine hcl (pmdd) oral tablet</i> | 1 | QPD |
| *Pseudobulbar Affect Agent Combinations*** | | |
| NUEDEXTA | 2 | PA; SP; QPD |
| *Psychotherapeutic And Neurological Agents - Misc.*** | | |
| <i>ergoloid mesylates oral</i> | 1 | |
| <i>pimozide</i> | 1 | |
| *Smoking Deterrents*** | | |
| <i>bupropion hcl er (smoking det)</i> | \$0 | QPD |
| <i>cvs nicotine mouth/throat lozenge</i> | \$0 | |
| <i>cvs nicotine polacrilex</i> | \$0 | |
| <i>cvs nicotine transdermal</i> | \$0 | |
| <i>eq nicotine mouth/throat lozenge</i> | \$0 | |
| <i>eq nicotine polacrilex mouth/throat gum</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| EQ NICOTINE POLACRILEX MOUTH/THROAT LOZENGE | \$0 | |
| <i>eq nicotine step 3</i> | \$0 | |
| <i>eq nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr</i> | \$0 | |
| <i>eql nicotine polacrilex mouth/throat lozenge</i> | \$0 | |
| GNP NICOTINE MINI MOUTH/THROAT LOZENGE 2 MG | \$0 | |
| <i>gnp nicotine polacrilex</i> | \$0 | |
| <i>gnp nicotine transdermal patch 24 hour 14 mg/24hr, 7 mg/24hr</i> | \$0 | |
| <i>goodsense nicotine</i> | \$0 | |
| <i>hm nicotine</i> | \$0 | |
| <i>hm nicotine polacrilex</i> | \$0 | |
| <i>kls quit2 lozenge 2 mg mouth/throat</i> | \$0 | |
| <i>kls quit2 mouth/throat gum</i> | \$0 | |
| KLS QUIT2 MOUTH/THROAT LOZENGE 2 MG | \$0 | |
| <i>kls quit4</i> | \$0 | |
| <i>nicorelief mouth/throat gum 2 mg</i> | \$0 | |
| NICORETTE MINI | \$0 | |
| NICORETTE MOUTH/THROAT LOZENGE | \$0 | |
| <i>nicotine</i> | \$0 | |
| <i>nicotine mini lozenge 2 mg mouth/throat</i> | \$0 | |
| <i>nicotine mini lozenge 4 mg mouth/throat</i> | \$0 | |
| NICOTINE MINI MOUTH/THROAT LOZENGE 2 MG, 4 MG | \$0 | |
| NICOTINE POLACRILEX LOZENGE 2 MG MOUTH/THROAT | \$0 | |
| <i>nicotine polacrilex mouth/throat gum</i> | \$0 | |
| <i>nicotine polacrilex mouth/throat lozenge 2 mg, 4 mg</i> | \$0 | |
| <i>nicotine step 1</i> | \$0 | |
| <i>nicotine step 2</i> | \$0 | |
| <i>nicotine step 3</i> | \$0 | |
| NICOTROL | \$0 | |
| NICOTROL NS | \$0 | |
| <i>px stop smoking aid</i> | \$0 | |
| <i>ra mini nicotine</i> | \$0 | |
| <i>ra nicotine gum mouth/throat gum 2 mg, 4 mg</i> | \$0 | |
| <i>ra nicotine mouth/throat</i> | \$0 | |
| <i>ra nicotine polacrilex mouth/throat lozenge</i> | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| <i>ra nicotine transdermal patch 24 hour 14 mg/24hr, 21 mg/24hr</i> | \$0 | |
| <i>sm nicotine</i> | \$0 | |
| <i>sm nicotine polacrilex mouth/throat gum</i> | \$0 | |
| <i>sm nicotine polacrilex mouth/throat lozenge 4 mg</i> | \$0 | |
| *Sphingosine 1-Phosphate (S1p) Receptor Modulators*** | | |
| GILENYA ORAL CAPSULE 0.5 MG | 2 | SP; QPD |
| MAYZENT | 2 | LA; SP; QPD |
| MAYZENT STARTER PACK ORAL TABLET THERAPY PACK 12 X 0.25 MG | 2 | SP; QPD |
| PONVORY | 2 | PA; SP; QPD |
| PONVORY STARTER PACK | 2 | PA; SP; QPD |
| ZEPOSIA | 2 | PA; SP; QPD |
| ZEPOSIA 7-DAY STARTER PACK | 2 | PA; SP; QPD |
| ZEPOSIA STARTER KIT | 2 | PA; SP; QPD |
| *Respiratory Agents - Misc.* | | |
| *Cftr Potentiators*** | | |
| KALYDECO | 2 | PA; LA; SP; QPD |
| *Cystic Fibrosis Agent - Combinations*** | | |
| ORKAMBI | 2 | PA; LA; SP; QPD |
| SYMDEKO | 2 | PA; LA; SP; QPD |
| TRIKAFTA ORAL TABLET THERAPY PACK 100-50-75 & 150 MG | 2 | PA; LA; SP; QPD |
| TRIKAFTA ORAL TABLET THERAPY PACK 50-25-37.5 & 75 MG | 2 | PA; SP; QPD |
| *Hydrolytic Enzymes*** | | |
| PULMOZYME INHALATION SOLUTION 2.5 MG/2.5ML | 2 | SP; QPD |
| *Pulmonary Fibrosis Agents - Kinase Inhibitors*** | | |
| OFEV | 2 | PA; LA; SP |
| *Pulmonary Fibrosis Agents*** | | |
| ESBRIET | 2 | PA; LA; SP |
| *Sulfonamides* | | |
| *Sulfonamides*** | | |
| <i>sulfadiazine oral</i> | 1 | |
| *Tetracyclines* | | |
| *Aminomethylcyclines*** | | |
| NUZYRA ORAL TABLET 150 MG | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Tetracyclines*** | | |
| avidoxy | 1 | |
| demeclcycline hcl oral | 1 | |
| doxycycline hyclate oral capsule | 1 | |
| doxycycline hyclate oral tablet 100 mg, 20 mg | 1 | |
| doxycycline monohydrate oral capsule 100 mg, 50 mg | 1 | QPD |
| doxycycline monohydrate oral suspension reconstituted | 1 | |
| doxycycline monohydrate oral tablet | 1 | QPD |
| minocycline hcl oral capsule | 1 | |
| monodoxine nl oral capsule 100 mg | 1 | QPD |
| tetracycline hcl oral | 1 | |
| *Thyroid Agents* | | |
| *Antithyroid Agents*** | | |
| methimazole oral | 1 | |
| propylthiouracil oral | 1 | |
| *Thyroid Hormones*** | | |
| ARMOUR THYROID | 2 | |
| CYTOMEL | 2 | |
| euthyrox | 1 | |
| levo-t | 1 | |
| levothyroxine sodium oral tablet | 1 | |
| levoxyl | 1 | |
| liothyronine sodium oral | 1 | |
| nature-throid | 1 | |
| np thyroid | 1 | |
| SYNTHROID | 2 | |
| TIROSINT | 2 | |
| unithroid | 1 | |
| westhroid oral tablet 130 mg, 195 mg, 32.5 mg, 65 mg, 97.5 mg | 1 | |
| WP THYROID | 2 | |
| *Toxoids* | | |
| *Toxoid Combinations*** | | |
| ADACEL INTRAMUSCULAR SUSPENSION 5-2-15.5 LF-MCG/0.5 | \$0 | |
| BOOSTRIX INTRAMUSCULAR SUSPENSION 5-2.5-18.5 LF-MCG/0.5 | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| BOOSTRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| DAPTACEL INTRAMUSCULAR SUSPENSION 23-15-5 | \$0 | |
| DIPHTHERIA-TETANUS TOXOIDS DT | \$0 | |
| INFANRIX | \$0 | |
| KINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| PEDIARIX | \$0 | |
| PENTACEL | \$0 | |
| QUADRACEL | \$0 | |
| TDVAX | \$0 | |
| TENIVAC | \$0 | |
| TETANUS-DIPHTHERIA TOXOIDS TD | \$0 | |
| *Ulcer Drugs/Antispasmodics/Anticholinergics* | | |
| *Anticholinergic Combinations*** | | |
| <i>belladonna alkaloids-opium</i> | 1 | PA |
| <i>chlordiazepoxide-clidinium</i> | 1 | |
| *Antispasmodics*** | | |
| <i>dicyclomine hcl oral</i> | 1 | |
| *Belladonna Alkaloids*** | | |
| <i>anaspaz</i> | 1 | |
| <i>ed-spaZ</i> | 1 | |
| <i>hyoscyamine sulfate er oral tablet extended release 12 hour</i> | 1 | |
| <i>hyoscyamine sulfate oral</i> | 1 | |
| <i>hyoscyamine sulfate sl</i> | 1 | |
| <i>hyoscyamine sulfate sublingual</i> | 1 | |
| <i>hyosyne</i> | 1 | |
| <i>oscimin oral tablet</i> | 1 | |
| <i>oscimin sr</i> | 1 | |
| <i>oscimin sublingual</i> | 1 | |
| *H-2 Antagonists*** | | |
| <i>cimetidine hcl oral solution 300 mg/5ml</i> | 1 | |
| <i>cimetidine oral</i> | 1 | |
| <i>famotidine oral suspension reconstituted</i> | 1 | |
| <i>famotidine oral tablet 20 mg, 40 mg</i> | 1 | |
| <i>nizatidine</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| *Misc. Anti-Ulcer*** | | |
| <i>sucralfate oral</i> | 1 | |
| *Proton Pump Inhibitors*** | | |
| <i>esomeprazole magnesium oral capsule delayed release</i> | 1 | QPD |
| <i>esomeprazole magnesium oral packet</i> | 1 | QPD |
| <i>lansoprazole oral capsule delayed release 30 mg</i> | 1 | QPD |
| <i>NEXIUM ORAL PACKET 2.5 MG, 5 MG</i> | 2 | QPD |
| <i>omeprazole oral capsule delayed release</i> | 1 | QPD |
| <i>pantoprazole sodium oral tablet delayed release</i> | 1 | QPD |
| <i>rabeprazole sodium oral tablet delayed release</i> | 1 | QPD |
| *Quaternary Anticholinergics*** | | |
| <i>glycopyrrolate oral tablet 1 mg, 2 mg</i> | 1 | |
| <i>methscopolamine bromide oral</i> | 1 | |
| *Ulcer Anti-Infective W/ Bismuth Combinations*** | | |
| <i>PYLERA</i> | 2 | |
| *Ulcer Anti-Infective W/ Proton Pump Inhibitors*** | | |
| <i>amoxicill-clarithro-lansopraz</i> | 1 | |
| <i>OMECLAMOX-PAK</i> | 2 | |
| <i>TALICIA</i> | 2 | QPD |
| *Ulcer Drugs - Prostaglandins*** | | |
| <i>misoprostol oral</i> | 1 | |
| *Urinary Antispasmodics* | | |
| *Urinary Antispasmodic - Antimuscarinic (Anticholinergic)*** | | |
| <i>darifenacin hydrobromide er</i> | 1 | QPD |
| <i>oxybutynin chloride er</i> | 1 | QPD |
| <i>oxybutynin chloride oral</i> | 1 | QPD |
| <i>solifenacin succinate</i> | 1 | QPD |
| <i>tolterodine tartrate</i> | 1 | QPD |
| <i>tolterodine tartrate er</i> | 1 | QPD |
| <i>TOVIAZ</i> | 2 | ST; QPD |
| <i>trospium chloride</i> | 1 | QPD |
| <i>trospium chloride er</i> | 1 | QPD |
| *Urinary Antispasmodics - Beta-3 Adrenergic Agonists*** | | |
| <i>MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HOUR</i> | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| *Urinary Antispasmodics - Cholinergic Agonists*** | | |
| <i>bethanechol chloride oral</i> | 1 | |
| *Urinary Antispasmodics - Direct Muscle Relaxants*** | | |
| <i>flavoxate hcl</i> | 1 | QPD |
| *Vaccines* | | |
| *Bacterial Vaccines*** | | |
| ACTHIB | \$0 | |
| BEXSERO | \$0 | |
| HIBERIX INJECTION | \$0 | |
| MENACTRA INTRAMUSCULAR SOLUTION | \$0 | |
| MENQUADFI INTRAMUSCULAR SOLUTION | \$0 | |
| MENVEO | \$0 | |
| PEDVAX HIB INTRAMUSCULAR SUSPENSION | \$0 | |
| PNEUMOVAX 23 | \$0 | |
| PREVNAR 13 | \$0 | |
| TRUMENBA | \$0 | |
| *Viral Vaccine Combinations*** | | |
| M-M-R II INJECTION | \$0 | |
| PROQUAD SUBCUTANEOUS SUSPENSION RECONSTITUTED | \$0 | |
| TWINRIX INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| *Viral Vaccines*** | | |
| AFLURIA QUADRIVALENT | \$0 | |
| ENGERIX-B INJECTION SUSPENSION 10 MCG/0.5ML, 20 MCG/ML | \$0 | |
| FLUAD QUADRIVALENT | \$0 | |
| FLUARIX QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| FLUBLOK QUADRIVALENT | \$0 | |
| FLUCELVAX QUADRIVALENT | \$0 | |
| FLULALVAL QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE | \$0 | |
| FLUMIST QUADRIVALENT | \$0 | |
| FLUZONE HIGH-DOSE QUADRIVALENT | \$0 | |
| FLUZONE QUADRIVALENT INTRAMUSCULAR SUSPENSION , 0.5 ML | \$0 | |
| FLUZONE QUADRIVALENT INTRAMUSCULAR SUSPENSION PREFILLED SYRINGE 0.5 ML | \$0 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|--|-----------|---------------------|
| GARDASIL 9 | \$0 | |
| HAVRIX INTRAMUSCULAR SUSPENSION 1440 EL U/ML, 720 EL U/0.5ML | \$0 | |
| HEPLISAV-B INTRAMUSCULAR SOLUTION PREFILLED SYRINGE | \$0 | |
| IPOL INJECTION INJECTABLE | \$0 | |
| RECOMBIVAX HB INJECTION SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5ML | \$0 | |
| ROTARIX | \$0 | |
| ROTATEQ ORAL SOLUTION | \$0 | |
| SHINGRIX INTRAMUSCULAR SUSPENSION RECONSTITUTED 50 MCG/0.5ML | \$0 | |
| VAQTA INTRAMUSCULAR SUSPENSION 25 UNIT/0.5ML, 50 UNIT/ML | \$0 | |
| VARIVAX | \$0 | |
| *Vaginal And Related Products* | | |
| *Imidazole-Related Antifungals*** | | |
| GYNAZOLE-1 | 2 | |
| <i>miconazole 3 vaginal suppository</i> | 1 | |
| <i>terconazole</i> | 1 | |
| *Miscellaneous Vaginal Combinations*** | | |
| <i>fem ph</i> | 1 | |
| *Miscellaneous Vaginal Products*** | | |
| INTRAROSA | 2 | QPD |
| *Spermicides*** | | |
| <i>options gynol ii contraceptive</i> | \$0 | |
| <i>TODAY SPONGE</i> | \$0 | |
| <i>vcf vaginal contraceptive vaginal foam</i> | \$0 | |
| *Vaginal Anti-Infectives*** | | |
| CLEOCIN VAGINAL SUPPOSITORY | 2 | |
| <i>clindamycin phosphate vaginal</i> | 1 | |
| CLINDESSE | 2 | |
| <i>metronidazole vaginal</i> | 1 | |
| NUVESSA | 2 | |
| <i>vandazole</i> | 1 | |
| *Vaginal Estrogens*** | | |
| <i>estradiol vaginal</i> | 1 | |
| ESTRING | 2 | QPD |
| FEMRING | 2 | QPD |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| Drug Name | Drug Tier | Requirements/Limits |
|---|-----------|---------------------|
| PREMARIN VAGINAL | 2 | |
| yuvafem | 1 | |
| *Vaginal Progestins*** | | |
| CRINONE VAGINAL GEL 4 % | 2 | |
| *Vasopressors* | | |
| *Anaphylaxis Therapy Agents*** | | |
| <i>epinephrine injection solution auto-injector 0.15 mg/0.3ml, 0.3 mg/0.3ml</i> | 1 | QPD |
| *Neurogenic Orthostatic Hypotension (Noh) - Agents*** | | |
| <i>droxidopa</i> | 1 | PA; SP |
| NORTHERA | 2+ | PA; LA; SP |
| *Vasopressors*** | | |
| <i>midodrine hcl</i> | 1 | |
| *Vitamins* | | |
| *Vitamin D*** | | |
| <i>ergocalciferol oral capsule</i> | 1 | |
| <i>vitamin d (ergocalciferol) oral capsule 1.25 mg (50000 ut)</i> | 1 | |
| *Vitamin K*** | | |
| PHYTONADIONE INJECTION SOLUTION 1 MG/0.5ML | 2 | |
| <i>phytonadione oral</i> | 1 | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

Index

| | | | | | |
|--------------------------------------|--------|--------------------------------------|----|-------------------------------------|----|
| abacavir sulfate | 39, 40 | alendronate sodium | 58 | anaspaz | 88 |
| abacavir sulfate-lamivudine | 38 | alfuzosin hcl er | 63 | anastrozole | 34 |
| abacavir-lamivudine-zidovudine | 38 | ALINIA | 28 | ANORO ELLIPTA | 12 |
| abiraterone acetate | 30 | aliskiren fumarate | 27 | anucort-hc | 10 |
| ABSORICA | 52 | allopurinol | 64 | apexicon e | 54 |
| ABSORICA LD | 52 | almotriptan malate | 70 | APIDRA | 19 |
| acamprosate calcium | 83 | ALOCRIL | 79 | APIDRA SOLOSTAR | 19 |
| acarbose | 19 | ALOGLIPTIN BENZOATE | 19 | APOKYN | 36 |
| accutane | 52 | ALOMIDE | 79 | apraclonidine hcl | 80 |
| acebutolol hcl | 41 | alophen | 68 | aprepitant | 23 |
| acetaminophen-codeine | 8 | alosetron hcl | 63 | apri | 44 |
| acetaminophen-codeine #2 | 8 | ALPHAGAN P | 80 | APTIOM | 15 |
| acetaminophen-codeine #3 | 8 | alprazolam | 11 | APTIVUS | 39 |
| acetaminophen-codeine #4 | 8 | alprazolam er | 11 | aranelle | 49 |
| acetasol hc | 82 | alprazolam intensol | 11 | ARCALYST | 4 |
| acetazolamide | 58 | alprazolam xr | 11 | arformoterol tartrate | 13 |
| acetazolamide er | 58 | ALREX | 81 | ARIKAYCE | 3 |
| acetic acid | 64, 81 | altavera | 44 | ariPIPRAZOLE | 38 |
| acetylcysteine | 51 | ALTRENO | 52 | armodafinil | 3 |
| acitretin | 53 | ALUNBRIG | 30 | ARMOUR THYROID | 87 |
| ACTEMRA | 5 | ALVESCO | 13 | ARNUITY ELLIPTA | 13 |
| ACTEMRA ACTPEN | 5 | alyacen 1/35 | 44 | ascomp-codeine | 8 |
| ACTHAR | 59 | alyacen 7/7/7 | 49 | asenapine maleate | 37 |
| ACTHIB | 90 | alyq | 43 | ashlyna | 48 |
| ACTIMMUNE | 34 | amabelz | 61 | ASMANEX (120 METERED DOSES) | 13 |
| ACUVAIL | 80 | amantadine hcl | 36 | ASMANEX (14 METERED DOSES) | 13 |
| acyclovir | 41, 54 | ambrisentan | 43 | ASMANEX (30 METERED DOSES) | 13 |
| ACZONE | 51 | amcinonide | 54 | ASMANEX (60 METERED DOSES) | 13 |
| ADACEL | 87 | amethia | 48 | ASMANEX (7 METERED DOSES) | 14 |
| adapalene | 52 | amethyst | 47 | ASMANEX HFA | 14 |
| adc/f (0.5mg/ml) | 75 | amiloride hcl | 58 | aspirin | 6 |
| adefovir dipivoxil | 40 | amiloride-hydrochlorothiazide | 58 | aspirin 81 | 6 |
| ADEMPAS | 43 | amiodarone hcl | 12 | aspirin adult low dose | 6 |
| adult aspirin regimen | 6 | AMITIZA | 62 | aspirin adult low strength | 6 |
| ADVAIR HFA | 12 | amitriptyline hcl | 18 | aspirin childrens | 6 |
| AEMCOLO | 27 | amlodipine besy-benazepril hcl | 25 | aspirin ec | 6 |
| afeditab cr | 42 | amlodipine besylate | 42 | aspirin ec adult low strength | 6 |
| AFINITOR | 32 | amlodipine besylate-valsartan | 26 | aspirin ec low dose | 6 |
| AFINITOR DISPERZ | 32 | amlodipine-atorvastatin | 42 | aspirin ec low strength | 6 |
| afirmelle | 44 | amlodipine-olmesartan | 26 | aspirin low dose | 6 |
| AFLURIA QUADRIVALENT | 90 | amlodipine-valsartan-hctz | 27 | aspirin low strength | 6 |
| AIMOVIG | 70 | amnesteem | 52 | aspirin-dipyridamole er | 65 |
| AJOVY | 70 | amoxapine | 18 | aspir-low | 6 |
| ak-poly-bac | 79 | amoxicill-clarithro-lansopraz | 89 | atazanavir sulfate | 39 |
| AKYNZEO | 23 | amoxicillin | 82 | atenolol | 41 |
| ala-cort | 54 | amoxicillin-pot clavulanate | 82 | atenolol-chlorthalidone | 27 |
| albendazole | 10 | amoxicillin-pot clavulanate er | 82 | atomoxetine hcl | 3 |
| albuterol sulfate | 13 | amphetamine-dextroamphetamine | 3 | atorvastatin calcium | 25 |
| albuterol sulfate hfa | 13 | amphetamine-dextroamphetamine | 3 | atovaquone | 28 |
| aclometasone dipropionate | 54 | ampicillin | 82 | atovaquone-proguanil hcl | 29 |
| ALECENSA | 30 | anagrelide hcl | 65 | ATRIPLA | 38 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|--------------------------------------|--------|---------------------------------------|--------|---------------------------------------|------------|
| <i>atropine sulfate</i> | 78 | <i>b-complex balanced</i> | 74 | BROVANA | 13 |
| ATROVENT HFA | 13 | <i>b-complex/b-12</i> | 73 | BRUKINSA | 31 |
| AUBAGIO | 83 | <i>b-complex/vitamin c</i> | 74 | <i>budesonide</i> | 14, 50, 78 |
| <i>aubra</i> | 44 | <i>b-complex-c</i> | 74 | <i>budesonide er</i> | 50 |
| <i>aubra eq</i> | 44 | BELBUCA | 9 | <i>bumetanide</i> | 58 |
| <i>aurovela 1.5/30</i> | 44 | <i>belladonna alkaloids-opium</i> | 88 | <i>buprenorphine</i> | 9 |
| <i>aurovela 1/20</i> | 44 | <i>benazepril hcl</i> | 26 | <i>buprenorphine hcl-naloxone hcl</i> | 9 |
| <i>aurovela 24 fe</i> | 44 | <i>benazepril-hydrochlorothiazide</i> | 25 | <i>bupropion hcl</i> | 17 |
| <i>aurovela fe 1.5/30</i> | 44 | BENLYSTA | 72 | <i>bupropion hcl er (smoking det)</i> | 84 |
| <i>aurovela fe 1/20</i> | 44 | <i>benzonatate</i> | 50 | <i>bupropion hcl er (sr)</i> | 17 |
| <i>aviane</i> | 44 | <i>benzoyl peroxide-erythromycin</i> | 52 | <i>bupropion hcl er (xl)</i> | 17 |
| <i>avidoxy</i> | 87 | <i>benztropine mesylate</i> | 36 | <i>buspirone hcl</i> | 11 |
| <i>avita</i> | 52 | <i>bepotastine besilate</i> | 79 | <i>butalbital-acetaminophen</i> | 6 |
| AVONEX PEN | 83 | BEPREVE | 79 | <i>butalbital-apap-caff-cod</i> | 8 |
| AVONEX PREFILLED | 83 | BESIVANCE | 79 | <i>butalbital-apap-caffeine</i> | 6 |
| <i>ayuna</i> | 44 | <i>betamethasone dipropionate</i> | 54 | <i>butalbital-asa-caff-codeine</i> | 8 |
| AYVAKIT | 33 | <i>betamethasone dipropionate aug</i> | 54 | <i>butalbital-asa-caffeine</i> | 6 |
| AZASITE | 79 | <i>betamethasone valerate</i> | 54 | <i>butalbital-aspirin-caffeine</i> | 6 |
| <i>azathioprine</i> | 73 | BETASERON | 83 | <i>butorphanol tartrate</i> | 9 |
| <i>azelaic acid</i> | 56 | <i>betaxolol hcl</i> | 41, 78 | BYDUREON BCISE | 21 |
| <i>azelastine hcl</i> | 77, 79 | <i>bethanechol chloride</i> | 90 | BYETTA 10 MCG PEN | 21 |
| <i>azithromycin</i> | 69 | BETHKIS | 4 | BYETTA 5 MCG PEN | 21 |
| AZOPT | 80 | BETIMOL | 78 | BYSTOLIC | 41 |
| <i>azurette</i> | 44 | BETOPTIC-S | 78 | <i>cabergoline</i> | 59 |
| <i>b complex formula 1 (w/ fa)</i> | 74 | BEVESPI AEROSPHERE | 12 | CABOMETYX | 32 |
| <i>b complex-c</i> | 74 | <i>bexarotene</i> | 35 | <i>caffeine citrate</i> | 3 |
| <i>b complex-c-biotin-e-fa</i> | 74 | BEXSERO | 90 | <i>calcipotriene</i> | 54 |
| <i>b complex-c-folic acid</i> | 74 | <i>bicalutamide</i> | 30 | <i>calcipotriene-betameth diprop</i> | 57 |
| <i>b-100 complex</i> | 77 | BIDIL | 43 | <i>calcitonin (salmon)</i> | 59 |
| <i>b-100 tr</i> | 74 | BIKTARVY | 38 | <i>calcitrene</i> | 54 |
| <i>b-50 complex</i> | 74 | <i>bimatoprost</i> | 81 | <i>calcitriol</i> | 54, 60 |
| <i>bac</i> | 6 | <i>bisacodyl ec</i> | 68 | <i>calcium acetate</i> | 63 |
| <i>bacitracin</i> | 79 | <i>bisoprolol fumarate</i> | 41 | <i>calcium acetate (phos binder)</i> | 63 |
| <i>bacitracin-polymyxin b</i> | 79 | <i>bisoprolol-hydrochlorothiazide</i> | 27 | CALQUENCE | 31 |
| <i>bacitra-neomycin-polymyxin-hc</i> | 80 | BLEPHAMIDE | 80 | <i>camila</i> | 48 |
| <i>baclofen</i> | 77 | BLEPHAMIDE S.O.P. | 80 | <i>camrese</i> | 48 |
| <i>balance b-100</i> | 77 | <i>blisovi 24 fe</i> | 44 | <i>camrese lo</i> | 48 |
| <i>balance b-50</i> | 75 | <i>blisovi fe 1.5/30</i> | 45 | <i>candesartan cilexetil</i> | 26 |
| <i>balanced b-100</i> | 75 | <i>blisovi fe 1/20</i> | 45 | <i>candesartan cilexetil-hctz</i> | 26 |
| <i>balanced b-50 complex</i> | 77 | BONJESTA | 23 | <i>capecitabine</i> | 30 |
| <i>balsalazide disodium</i> | 63 | BOOSTRIX | 87, 88 | CAPRELSA | 32 |
| BALVERSA | 31 | <i>bosentan</i> | 43 | <i>captopril</i> | 26 |
| <i>balziva</i> | 44 | BOSULIF | 31 | CARAC | 53 |
| BANZEL | 15 | <i>b-plex</i> | 74 | <i>carbamazepine</i> | 15 |
| BAQSIMI ONE PACK | 19 | BRAFTOVI | 31 | <i>carbamazepine er</i> | 15 |
| BAQSIMI TWO PACK | 19 | BREO ELLIPTA | 12 | CARBATROL | 15 |
| BARACLITUDE | 40 | <i>briellyn</i> | 45 | <i>carbidopa</i> | 36 |
| BASAGLAR KWIKPEN | 20 | BRILINTA | 65 | <i>carbidopa-levodopa</i> | 36 |
| BAXDELA | 62 | <i>brimonidine tartrate</i> | 80 | <i>carbidopa-levodopa er</i> | 36 |
| <i>bayer aspirin ec low dose</i> | 6 | <i>brinzolamide</i> | 80 | <i>carbidopa-levodopa-entacapone</i> | 36 |
| <i>bayer low dose</i> | 6 | <i>bromfenac sodium (once-daily)</i> | 80 | <i>carbinoxamine maleate</i> | 24 |
| <i>b-complex</i> | 75 | <i>bromocriptine mesylate</i> | 36 | <i>carisoprodol</i> | 77 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|---------------------------------------|------------|---------------------------------------|--------|---------------------------------------|------------|
| <i>carisoprodol-aspirin-codeine</i> | 77 | <i>ciprofloxacin-dexamethasone</i> | 82 | <i>complex b-100</i> | 75 |
| <i>carteolol hcl</i> | 78 | <i>citalopram hydrobromide</i> | 17 | <i>compro</i> | 37 |
| <i>cartia xt</i> | 42 | <i>citrate of magnesia</i> | 67 | <i>constulose</i> | 67 |
| <i>carvedilol</i> | 41 | <i>citroma</i> | 67 | <i>CONTOUR NEXT TEST</i> | 57 |
| <i>carvedilol phosphate er</i> | 41 | <i>claravis</i> | 52 | <i>CONTOUR TEST</i> | 57 |
| <i>CAYA</i> | 69 | <i>clarithromycin</i> | 69 | <i>COPIKTRA</i> | 35 |
| <i>CAYSTON</i> | 28 | <i>clarithromycin er</i> | 69 | <i>CORDRAN</i> | 55 |
| <i>caziant</i> | 49 | <i>classic prenatal</i> | 75 | <i>CORLANOR</i> | 43 |
| <i>cefaclor</i> | 44 | <i>clearlax</i> | 67 | <i>CORTIFOAM</i> | 10 |
| <i>cefaclor er</i> | 44 | <i>clemastine fumarate</i> | 24 | <i>CORTISPORIN-TC</i> | 82 |
| <i>cefadroxil</i> | 43 | <i>CLEOCIN</i> | 91 | <i>COSENTYX</i> | 53 |
| <i>cefdinir</i> | 44 | <i>CLIMARA PRO</i> | 61 | <i>COSENTYX (300 MG DOSE)</i> | 53 |
| <i>cefixime</i> | 44 | <i>clindacin-p</i> | 51 | <i>COSENTYX SENSOREADY (300 MG)</i> | 53 |
| <i>cefpodoxime proxetil</i> | 44 | <i>clindamycin hcl</i> | 28 | <i>COSENTYX SENSOREADY PEN</i> | 53 |
| <i>cefprozil</i> | 44 | <i>clindamycin palmitate hcl</i> | 28 | <i>COTELLIC</i> | 32 |
| <i>cefuroxime axetil</i> | 44 | <i>clindamycin phos-benzoyl perox</i> | 52 | <i>covaryx</i> | 61 |
| <i>celecoxib</i> | 4 | <i>clindamycin phosphate</i> | 51, 91 | <i>covaryx hs</i> | 61 |
| <i>CELONTIN</i> | 17 | <i>clindamycin-tretinooin</i> | 52 | <i>CREON</i> | 57 |
| <i>cephalexin</i> | 43 | <i>CLINDESSE</i> | 91 | <i>CRESEMBA</i> | 24 |
| <i>CERDELGA</i> | 65 | <i>clobazam</i> | 15 | <i>CRINONE</i> | 92 |
| <i>cevimeline hcl</i> | 73 | <i>clobetasol prop emollient base</i> | 54 | <i>CRIXIVAN</i> | 39 |
| <i>charlotte 24 fe</i> | 45 | <i>clobetasol propionate</i> | 55 | <i>cromolyn sodium</i> | 12, 62, 79 |
| <i>chateal</i> | 45 | <i>clobetasol propionate e</i> | 54 | <i>crotan</i> | 57 |
| <i>chateal eq</i> | 45 | <i>clobetasol propionate emulsion</i> | 54 | <i>cryselle-28</i> | 45 |
| <i>CHEMET</i> | 22 | <i>clodan</i> | 55 | <i>cvs aspirin adult low dose</i> | 7 |
| <i>CHENODAL</i> | 62 | <i>clomipramine hcl</i> | 18 | <i>cvs aspirin adult low strength</i> | 7 |
| <i>childrens aspirin</i> | 7 | <i>clonazepam</i> | 15 | <i>cvs aspirin ec</i> | 7 |
| <i>chlordiazepoxide hcl</i> | 11 | <i>clonidine</i> | 27 | <i>cvs aspirin low dose</i> | 7 |
| <i>chlordiazepoxide-amitriptyline</i> | 83 | <i>clonidine hcl</i> | 27 | <i>cvs aspirin low strength</i> | 7 |
| <i>chlordiazepoxide-clidinium</i> | 88 | <i>clonidine hcl er</i> | 3 | <i>cvs b complex plus c</i> | 74 |
| <i>chlorhexidine gluconate</i> | 73 | <i>clopidoogrel bisulfate</i> | 65 | <i>cvs folic acid</i> | 66 |
| <i>chloroquine phosphate</i> | 29 | <i>clorazepate dipotassium</i> | 11 | <i>cvs gentle laxative</i> | 68 |
| <i>chlorpromazine hcl</i> | 37 | <i>clotrimazole</i> | 56, 73 | <i>cvs gentle laxative womens</i> | 68 |
| <i>chlorthalidone</i> | 58 | <i>clotrimazole-betamethasone</i> | 52 | <i>cvs magnesium citrate</i> | 67 |
| <i>chlorzoxazone</i> | 77 | <i>clozapine</i> | 37 | <i>cvs milk of magnesia</i> | 67 |
| <i>CHOLBAM</i> | 62 | <i>CLOZAPINE</i> | 37 | <i>cvs nicotine</i> | 84 |
| <i>cholestyramine</i> | 24 | <i>c-nate dha</i> | 75 | <i>cvs nicotine polacrilex</i> | 84 |
| <i>cholestyramine light</i> | 24 | <i>COARTEM</i> | 29 | <i>cvs prenatal</i> | 75 |
| <i>ciclodan</i> | 52 | <i>codeine sulfate</i> | 8 | <i>cvs prenatal multi+dha</i> | 77 |
| <i>ciclopirox</i> | 52 | <i>COLCHICINE</i> | 64 | <i>cvs purelax</i> | 67 |
| <i>ciclopirox olamine</i> | 52 | <i>colchicine</i> | 64 | <i>cvs super b complex/c</i> | 74 |
| <i>cilstostazol</i> | 65 | <i>colchicine-probenecid</i> | 64 | <i>cyanocobalamin</i> | 65 |
| <i>CILOXAN</i> | 79 | <i>colesevelam hcl</i> | 24 | <i>cyclafem 1/35</i> | 45 |
| <i>CIMDUO</i> | 38 | <i>colestipol hcl</i> | 24 | <i>cyclafem 7/7/7</i> | 49 |
| <i>cimetidine</i> | 88 | <i>COMBIGAN</i> | 78 | <i>cyclobenzaprine hcl</i> | 77 |
| <i>cimetidine hcl</i> | 88 | <i>COMBIPATCH</i> | 61 | <i>cyclopentolate hcl</i> | 78 |
| <i>CIMZIA PREFILLED</i> | 63 | <i>COMBIVENT RESPIMAT</i> | 12 | <i>cyclophosphamide</i> | 34 |
| <i>CIMZIA STARTER KIT</i> | 63 | <i>COMETRIQ (100 MG DAILY DOSE)</i> | 32 | <i>CYCLOPHOSPHAMIDE</i> | 34 |
| <i>cinacalcet hcl</i> | 58 | <i>COMETRIQ (140 MG DAILY DOSE)</i> | 32 | <i>CYCLOSERINE</i> | 29 |
| <i>CINRYZE</i> | 64 | <i>COMETRIQ (60 MG DAILY DOSE)</i> | 32 | <i>CYCLOSET</i> | 19 |
| <i>CIPRO HC</i> | 81 | <i>COMPLERA</i> | 38 | <i>cyclosporine</i> | 72 |
| <i>ciprofloxacin hcl</i> | 62, 79, 81 | <i>complete natal dha</i> | 76 | <i>cyclosporine modified</i> | 72 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|-------------------------------------|--------|--------------------------------------|-----------|---------------------------------------|--------|
| ciproheptadine hcl..... | 24 | DEXCOM G4 PLATINUM RECEIVER.. | 70 | DIURIL..... | 58 |
| cyred..... | 45 | DEXCOM G4 PLATINUM | | divalproex sodium..... | 17 |
| cyred eq..... | 45 | TRANSMITTER..... | 70 | divalproex sodium er..... | 17 |
| CYSTADANE..... | 60 | DEXCOM G5 MOB/G4 PLAT | | DIVIGEL..... | 61 |
| CYSTAGON..... | 64 | SENSOR..... | 70 | dofetilide..... | 12 |
| CYSTARAN..... | 81 | DEXCOM G5 MOBILE RECEIVER .. | 70 | donepezil hcl..... | 83 |
| CYTOMEL..... | 87 | DEXCOM G5 MOBILE | | dorzolamide hcl..... | 80 |
| cytra k crystals | 64 | TRANSMITTER..... | 70 | dorzolamide hcl-timolol mal | 78 |
| dalfampridine er..... | 84 | DEXCOM G5 RECEIVER KIT | 70 | dorzolamide hcl-timolol mal pf..... | 78 |
| DALIRESP..... | 13 | DEXCOM G6 RECEIVER | 70 | dotti..... | 61 |
| danazol..... | 9 | DEXCOM G6 SENSOR..... | 70 | DOVATO..... | 38 |
| dantrolene sodium..... | 77 | DEXCOM G6 TRANSMITTER..... | 70 | doxazosin mesylate..... | 27 |
| dapsone | 28, 51 | dexamethylphenidate hcl..... | 3 | doxepin hcl..... | 18, 53 |
| DAPTACEL..... | 88 | dexamethylphenidate hcl er..... | 3 | doxercalciferol | 60 |
| darifenacin hydrobromide er..... | 89 | dextroamphetamine sulfate | 3 | doxycycline hyclate | 87 |
| dasetta 1/35..... | 45 | dextroamphetamine sulfate er | 3 | doxycycline monohydrate | 87 |
| dasetta 7/7/7..... | 49 | dialyvite 800..... | 74 | doxylamine-pyridoxine | 23 |
| DAURISMO..... | 31 | DIASTAT ACUDIAL..... | 15 | dronabinol..... | 23 |
| daysee | 48 | DIASSTAT PEDIATRIC..... | 15 | drospirene-eth estrad-levomefol | 45 |
| DAYTRANA..... | 3 | diazepam | 11, 15 | drospirenone-ethinyl estradiol | 45 |
| deblitane | 48 | diazepam intensol | 11 | DROXIA..... | 65 |
| deferasirox..... | 22 | diazoxide | 19 | droxidopa | 92 |
| deferasirox granules | 22 | diclofenac potassium | 5 | DUAKLIR PRESSAIR | 12 |
| defeprinone | 22 | diclofenac sodium | 5, 53, 80 | DUAVEE..... | 62 |
| DELESTROGEN..... | 61 | diclofenac sodium er | 5 | dulcolax | 67 |
| DELSTRIGO..... | 38 | diclofenac-misoprostol | 5 | DULERA..... | 12 |
| delyla | 45 | dicloxacillin sodium | 82 | duloxetine hcl | 18 |
| demeclocycline hcl | 87 | dicyclomine hcl | 88 | DUPIXENT | 54 |
| DENAVIR..... | 54 | DIFICID | 69 | DUREZOL..... | 81 |
| denta 5000 plus..... | 73 | diflorasone diacetate | 55 | dutasteride | 63 |
| dentagel..... | 73 | diflunisal | 7 | dutasteride-tamsulosin hcl | 64 |
| DEPAKOTE..... | 17 | difluprednate | 81 | e.e.s. 400 | 69 |
| DEPAKOTE ER..... | 17 | digitek | 42 | econazole nitrate | 56 |
| DEPAKOTE SPRINKLES..... | 17 | digox | 42 | econtra ez | 48 |
| DEPO-ESTRADIOL..... | 61 | digoxin | 42 | econtra one-step | 48 |
| DESCOVY..... | 38 | dihydroergotamine mesylate | 70 | ecotrin low strength | 7 |
| desipramine hcl..... | 18 | DILANTIN | 17 | ed-spaz | 88 |
| desloratadine | 24 | DILANTIN INFATABS | 17 | EDURANT | 39 |
| desmopressin ace spray refrig | 61 | diltiazem hcl | 42 | eemt | 61 |
| desmopressin acetate | 61 | diltiazem hcl er | 42 | eemt hs | 61 |
| desmopressin acetate spray..... | 61 | diltiazem hcl er beads | 42 | efavirenz | 39 |
| desogestrel-ethinyl estradiol | 44, 45 | diltiazem hcl er coated beads | 42 | efavirenz-emtricitab-tenofovir | 38 |
| desonide | 55 | dilt-xr | 42 | efavirenz-lamivudine-tenofovir | 38 |
| desoximetasone | 55 | dimethyl fumarate | 84 | EFFER-K | 71 |
| desvenlafaxine succinate er | 18 | dimethyl fumarate starter pack | 84 | effer-k | 71 |
| dexamethasone | 50 | DIPENTUM | 63 | EGRIFTA SV | 59 |
| dexamethasone intensol | 50 | diphenhydramine hcl | 24 | ELESTRIN | 61 |
| dexamethasone sodium phosphate .. | 81 | diphenoxylate-atropine | 22 | eletriptan hydrobromide | 71 |
| DEXCOM G4 PLAT PED RCV/Sshare .. | 69 | DIPHThERIA-TETANUS TOXOIDS DT | 88 | elinest | 45 |
| DEXCOM G4 PLAT PED RECEIVER .. | 69 | dipyridamole | 65 | ELIQUIS | 14 |
| DEXCOM G4 PLATINUM | | disopyramide phosphate | 11 | ELIQUIS DVT/PE STARTER PACK .. | 14 |
| RCV/Sshare | 69 | disulfiram | 83 | ELLA | 48 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|--------------------------------------|--------|--|----------------|-------------------------------------|--------|
| ELMIRON | 64 | <i>eql milk of magnesia</i> | 68 | <i>falmina</i> | 45 |
| <i>eluryng</i> | 47 | <i>eql nicotine polacrilex</i> | 85 | <i>famciclovir</i> | 41 |
| EMCYT | 34 | <i>eql prenatal formula</i> | 75 | <i>famotidine</i> | 88 |
| EMEND | 23 | <i>eql super b complex/vitamin c</i> | 74 | FANAPT | 37 |
| EMGALITY | 70 | EQUETRO | 36 | FANAPT TITRATION PACK | 37 |
| EMGALITY (300 MG DOSE) | 70 | <i>ergocalciferol</i> | 92 | FARXIGA | 21 |
| <i>emoquette</i> | 45 | <i>ergoloid mesylates</i> | 84 | FARYDAK | 32 |
| EMSAM | 17 | ERGOMAR | 70 | <i>fayosim</i> | 48 |
| <i>emtricitabine</i> | 40 | <i>ergotamine-caffeine</i> | 70 | <i>fc female condom</i> | 69 |
| <i>emtricitabine-tenofovir df</i> | 38 | ERIVEDGE | 32 | FC2 FEMALE CONDOM | 69 |
| EMTRIVA | 40 | ERLEADA | 30 | <i>febuxostat</i> | 64 |
| EMVERM | 10 | <i>erlotinib hcl</i> | 31 | <i>felbamate</i> | 16 |
| <i>enalapril maleate</i> | 26 | <i>errin</i> | 48 | FELBATOL | 16 |
| <i>enalapril-hydrochlorothiazide</i> | 25 | ERTACZO | 56 | <i>felodipine er</i> | 42 |
| ENBREL | 6 | <i>ery</i> | 51 | <i>fem ph</i> | 91 |
| ENBREL MINI | 6 | <i>erygel</i> | 51 | FEMCAP | 69 |
| ENBREL SURECLICK | 6 | <i>ery-tab</i> | 69 | FEMRING | 91 |
| <i>endocet</i> | 9 | <i>erythrocin stearate</i> | 69 | <i>femynor</i> | 45 |
| ENGERIX-B | 90 | <i>erythromycin</i> | 51, 52, 69, 79 | <i>fenofibrate</i> | 25 |
| <i>enoxaparin sodium</i> | 14 | <i>erythromycin base</i> | 69 | <i>fenofibrate micronized</i> | 24 |
| enpresse-28 | 49 | <i>erythromycin ethylsuccinate</i> | 69 | <i>fenofibric acid</i> | 25 |
| <i>enskyce</i> | 45 | ESBRIET | 86 | <i>fentanyl</i> | 8 |
| ENSPRYNG | 72 | <i>escitalopram oxalate</i> | 18 | <i>fentanyl citrate</i> | 8 |
| ENSTILAR | 57 | <i>esomeprazole magnesium</i> | 89 | FERRIPROX | 22 |
| entacapone | 36 | <i>est estrogens-methyltest</i> | 61 | FERRIPROX TWICE-A-DAY | 22 |
| entecavir | 40 | <i>est estrogens-methyltest ds</i> | 61 | FETZIMA | 18 |
| ENTRESTO | 43 | <i>est estrogens-methyltest hs</i> | 61 | FETZIMA TITRATION | 18 |
| <i>enulose</i> | 63 | <i>estarrylla</i> | 45 | FIASP | 20 |
| EPANED | 26 | <i>estazolam</i> | 66 | FIASP FLEXTOUCH | 20 |
| EPCLUSA | 40 | <i>estradiol</i> | 61, 91 | FIASP PENFILL | 20 |
| EPIDIOLEX | 15 | <i>estradiol valerate</i> | 62 | FINACEA | 56 |
| <i>epinastine hcl</i> | 79 | <i>estradiol-norethindrone acet</i> | 61 | <i>finasteride</i> | 63 |
| <i>epinephrine</i> | 92 | ESTRING | 91 | FIRVANQ | 28 |
| <i>epitol</i> | 15 | <i>eszopiclone</i> | 66 | <i>flavoxate hcl</i> | 90 |
| EPIVIR HBV | 40 | <i>ethacrynic acid</i> | 58 | <i>flecainide acetate</i> | 11 |
| eplerenone | 27 | <i>ethambutol hcl</i> | 29 | FLOVENT DISKUS | 14 |
| <i>eq aspirin adult low dose</i> | 7 | <i>ethosuximide</i> | 17 | FLOVENT HFA | 14 |
| <i>eq aspirin low dose</i> | 7 | <i>ethynodiol diac-eth estradiol</i> | 45 | FLUAD QUADRIVALENT | 90 |
| <i>eq clearlax</i> | 67 | <i>etodolac</i> | 5 | FLUARIX QUADRIVALENT | 90 |
| <i>eq gentle laxative</i> | 68 | <i>etodolac er</i> | 5 | FLUBLOK QUADRIVALENT | 90 |
| <i>eq magnesium citrate</i> | 67 | <i>etonogestrel-ethynodiol estradiol</i> | 47 | FLUCELVAX QUADRIVALENT | 90 |
| <i>eq nicotine</i> | 84, 85 | <i>etoposide</i> | 34 | <i>fluconazole</i> | 24 |
| <i>eq nicotine polacrilex</i> | 84 | <i>etravirine</i> | 39 | <i>flucytosine</i> | 23 |
| EQ NICOTINE POLACRILEX | 85 | <i>euthyrox</i> | 87 | <i>fludrocortisone acetate</i> | 50 |
| <i>eq nicotine step 3</i> | 85 | EVAMIST | 62 | FLULAVAL QUADRIVALENT | 90 |
| <i>eql aspirin low dose</i> | 7 | <i>everolimus</i> | 32, 72 | FLUMIST QUADRIVALENT | 90 |
| <i>eql b complex 50</i> | 75 | EVOTAZ | 38 | <i>flunisolide</i> | 78 |
| <i>eql b-100 complex</i> | 75 | EXELDERM | 56 | <i>fluocinolone acetonide</i> | 55, 82 |
| <i>eql clearlax</i> | 67 | <i>exemestane</i> | 34 | <i>fluocinolone acetonide body</i> | 55 |
| <i>eql gentle laxative</i> | 68 | EXTAVIA | 83 | <i>fluocinolone acetonide scalp</i> | 55 |
| <i>eql laxative</i> | 68 | <i>ezetimibe</i> | 25 | <i>fluocinonide</i> | 55 |
| <i>eql magnesium citrate</i> | 67 | <i>ezetimibe-simvastatin</i> | 25 | <i>fluocinonide emulsified base</i> | 55 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this List.

| | | | | | |
|-------------------------------------|--------|--------------------------------------|--------|--------------------------------------|----|
| fluorometholone | 81 | gatifloxacin | 79 | goodsense aspirin adult low st | 7 |
| fluorouracil..... | 53 | GATTEX..... | 62 | goodsense aspirin low dose | 7 |
| fluoxetine hcl..... | 18 | gavilax..... | 67 | goodsense bisacodyl ec | 68 |
| fluoxetine hcl (pmdd)..... | 84 | gavilyte-c..... | 66 | goodsense clearlax | 67 |
| fluphenazine hcl..... | 37 | gavilyte-g..... | 66 | goodsense magnesium citrate | 68 |
| flurazepam hcl..... | 66 | gavilyte-n with flavor pack | 66 | goodsense nicotine | 85 |
| flurbiprofen..... | 5 | GAVRETO..... | 33 | granisetron hcl..... | 23 |
| flurbiprofen sodium | 80 | gemfibrozil..... | 25 | griseofulvin microsize | 23 |
| flutamide | 30 | gemmily..... | 45 | griseofulvin ultramicrosize | 23 |
| fluticasone propionate | 55, 78 | generlac..... | 63 | guaiatussin ac | 50 |
| fluticasone-salmeterol | 12 | gengraf..... | 72 | guaiifenesin ac | 50 |
| FLUTICASONE-SALMETEROL | 12 | gentak..... | 79 | guaiifenesin-codeine | 50 |
| fluvastatin sodium | 25 | gentamicin sulfate | 52, 79 | guanfacine hcl | 27 |
| fluvastatin sodium er | 25 | gentle laxative | 68 | guanfacine hcl er | 3 |
| fluvoxamine maleate | 18 | gentlelax | 67 | GVOKE HYPOOPEN 1-PACK | 19 |
| fluvoxamine maleate er | 18 | GENVOYA..... | 38 | GVOKE HYPOOPEN 2-PACK | 19 |
| FLUZONE HIGH-DOSE | | GHT TEST | 57 | GVOKE PFS | 19 |
| QUADRIVALENT | 90 | GILENYA..... | 86 | GYNAZOLE-1 | 91 |
| FLUZONE QUADRIVALENT | 90 | GILOTRIF | 31 | HAEGARDA | 64 |
| FML..... | 81 | glatiramer acetate | 84 | hailey 1.5/30 | 45 |
| FML FORTE | 81 | glatopa | 84 | hailey 24 fe | 45 |
| folate | 66 | GLEOSTINE | 35 | hailey fe 1.5/30 | 45 |
| folic acid | 66 | glimepiride | 22 | hailey fe 1/20 | 45 |
| folivane-ob | 75 | glipizide | 22 | halobetasol propionate | 55 |
| foltabs 800 | 65 | glipizide er | 22 | HALOG | 55 |
| fondaparinux sodium | 15 | glipizide xl | 22 | haloperidol | 37 |
| formoterol fumarate | 13 | glipizide-metformin hcl | 22 | haloperidol lactate | 37 |
| fosamprenavir calcium | 39 | GLUCAGEN HYPOKIT | 19 | HARVONI | 40 |
| fosfomycin tromethamine | 28 | GLUCAGON EMERGENCY | 19 | HAVRIX | 91 |
| fosinopril sodium | 26 | glucagon emergency | 19 | healthylax | 67 |
| fosinopril sodium-hctz | 25 | glyburide | 22 | heather | 48 |
| FOTIVDA | 32 | glyburide micronized | 22 | HEMANGEOL | 41 |
| FRAGMIN | 14 | glyburide-metformin | 22 | heparin lock flush | 14 |
| FREESTYLE LIBRE 14 DAY READER | 70 | glycine urologic | 64 | heparin sodium (porcine) | 14 |
| FREESTYLE LIBRE 14 DAY SENSOR | 70 | glycolax | 67 | heparin sodium (porcine) pf | 14 |
| FREESTYLE LIBRE 2 READER | 70 | glycopyrrolate | 89 | heparin sodium lock flush | 14 |
| FREESTYLE LIBRE 2 SENSOR | 70 | glydo | 56 | HEPLISAV-B | 91 |
| FREESTYLE LIBRE READER | 70 | GLYXAMBI | 21 | HETLIOZ | 66 |
| frovatriptan succinate | 71 | gnp adult aspirin low strength | 7 | HETLIOZ LQ | 66 |
| full spectrum b/vitamin c | 74 | gnp aspirin | 7 | HIBERIX | 90 |
| furosemide | 58 | gnp aspirin low dose | 7 | hm aspirin | 7 |
| FUZEON | 39 | gnp b-100 complex | 75 | hm aspirin ec low dose | 7 |
| fyavolv | 61 | gnp clearlax | 67 | hm clearlax | 67 |
| FYCOMPA | 15 | gnp folic acid | 66 | hm folic acid | 66 |
| g tussin ac | 50 | gnp gentle laxative | 68 | hm laxative | 68 |
| gabapentin | 15 | gnp milk of magnesia | 68 | hm magnesium citrate | 68 |
| GABITRIL | 16 | gnp nicotine | 85 | hm milk of magnesia | 68 |
| GALAFOLD | 59 | GNP NICOTINE MINI | 85 | hm nicotine | 85 |
| galantamine hydrobromide | 83 | gnp nicotine polacrilex | 85 | hm nicotine polacrilex | 85 |
| galantamine hydrobromide er | 83 | gnp prenatal | 75 | homatropaire | 78 |
| GALZIN | 72 | gnp womens gentle laxative | 68 | HUMALOG | 20 |
| GARDASIL 9 | 91 | goodsense aspirin | 7 | HUMALOG JUNIOR KWIKPEN | 20 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|---|------------|---|--------|-------------------------------------|--------|
| HUMALOG KWIKPEN | 20 | <i>ibu</i> | 5 | JANUVIA | 19 |
| HUMALOG MIX 50/50 | 20 | <i>ibuprofen</i> | 5 | JARDIANCE | 21 |
| HUMALOG MIX 50/50 KWIKPEN | 20 | <i>icatibant acetate</i> | 64 | <i>jasmiel</i> | 45 |
| HUMALOG MIX 75/25 | 20 | <i>iclevia</i> | 48 | <i>jencycla</i> | 48 |
| HUMALOG MIX 75/25 KWIKPEN | 20 | <i>ICLUSIG</i> | 31 | JENTADUETO | 19 |
| HUMATROPE | 59 | <i>icosapent ethyl</i> | 24 | JENTADUETO XR | 19 |
| HUMIRA | 4 | <i>IDHIFA</i> | 34 | <i>jinteli</i> | 61 |
| HUMIRA PEDIATRIC CROHNS | | <i>ILEVRO</i> | 80 | <i>jolessa</i> | 48 |
| START | 4 | <i>imatinib mesylate</i> | 31 | <i>juleber</i> | 45 |
| HUMIRA PEN | 4 | <i>IMBRUVICA</i> | 31 | JULUCA | 38 |
| HUMIRA PEN-CD/UC/HS STARTER | 4 | <i>imipramine hcl</i> | 18 | <i>junel 1.5/30</i> | 45 |
| HUMIRA PEN-PEDIATRIC UC START | 4 | <i>imipramine pamoate</i> | 18 | <i>junel 1/20</i> | 45 |
| HUMIRA PEN-PS/UV/ADOL HS | | <i>imiquimod</i> | 56 | <i>junel fe 1.5/30</i> | 45 |
| START | 4 | <i>inatal gt</i> | 75 | <i>junel fe 1/20</i> | 45 |
| HUMIRA PEN-PSOR/UVEIT | | <i>incassia</i> | 48 | <i>junel fe 24</i> | 45 |
| STARTER | 4 | <i>INCRELEX</i> | 60 | JYNARQUE | 60 |
| HUMULIN R U-500 | | <i>INCRUSE ELLIPTA</i> | 13 | <i>kaitlib fe</i> | 45 |
| (CONCENTRATED) | 20 | <i>indapamide</i> | 58 | KALETRA | 38 |
| HUMULIN R U-500 KWIKPEN | 20 | <i>indomethacin</i> | 5 | <i>kalliga</i> | 45 |
| HYCAMTIN | 35 | <i>indomethacin er</i> | 5 | KALYDECO | 86 |
| <i>hydralazine hcl</i> | 27 | INFANRIX | 88 | <i>kariva</i> | 44 |
| <i>hydrochlorothiazide</i> | 58 | INGREZZA | 83 | <i>kelnor 1/35</i> | 46 |
| <i>hydrocod polst-cpm polst er</i> | 51 | INLYTA | 35 | <i>kelnor 1/50</i> | 46 |
| <i>hydrocodone bitartrate er</i> | 8 | INQOVI | 33 | KEPPRA | 15 |
| <i>hydrocodone-acetaminophen</i> | 8 | INREBIC | 34 | KEPPRA XR | 15 |
| <i>hydrocodone-homatropine</i> | 50 | INTELENCE | 39 | KESIMPTA | 84 |
| <i>hydrocodone-ibuprofen</i> | 8 | INTRAROSA | 91 | <i>ketoconazole</i> | 23, 56 |
| <i>hydrocortisone</i> | 10, 50, 55 | <i>introvale</i> | 48 | <i>ketoprofen</i> | 5 |
| <i>hydrocortisone (perianal)</i> | 10 | INVIRASE | 39 | <i>ketorolac tromethamine</i> | 5, 80 |
| <i>hydrocortisone ace-pramoxine</i> | 10, 57 | IOPIDINE | 80 | KEVEYIS | 58 |
| <i>hydrocortisone acetate</i> | 10 | IPOL | 91 | KINERET | 4 |
| <i>hydrocortisone butyr lipo base</i> | 55 | <i>ipratropium bromide</i> | 13, 77 | KINRIX | 88 |
| <i>hydrocortisone butyrate</i> | 55 | <i>ipratropium-albuterol</i> | 12 | KISQALI (200 MG DOSE) | 34 |
| <i>hydrocortisone valerate</i> | 55 | <i>irbesartan</i> | 26 | KISQALI (400 MG DOSE) | 34 |
| <i>hydrocortisone-acetic acid</i> | 82 | <i>irbesartan-hydrochlorothiazide</i> | 26 | KISQALI (600 MG DOSE) | 34 |
| hydromet | 50 | IRESSA | 31 | KISQALI FEMARA (400 MG DOSE) | 33 |
| <i>hydromorphone hcl</i> | 8 | ISENTRESS | 39 | KISQALI FEMARA (600 MG DOSE) | 33 |
| <i>hydromorphone hcl er</i> | 8 | ISENTRESS HD | 39 | KISQALI FEMARA(200 MG DOSE) | 33 |
| <i>hydroxocobalamin acetate</i> | 65 | <i>isibloom</i> | 45 | KLONOPIN | 15 |
| <i>hydroxychloroquine sulfate</i> | 29 | <i>isoniazid</i> | 29 | <i>klor-con</i> | 71 |
| <i>hydroxyprogesterone caproate</i> | 82 | <i>isosorbide dinitrate</i> | 10 | <i>klor-con 10</i> | 71 |
| <i>hydroxyurea</i> | 34 | <i>isosorbide mononitrate</i> | 10 | <i>klor-con m10</i> | 71 |
| <i>hydroxyzine hcl</i> | 11 | <i>isosorbide mononitrate er</i> | 11 | <i>klor-con m15</i> | 71 |
| <i>hydroxyzine pamoate</i> | 11 | <i>isotretinoin</i> | 52 | <i>klor-con m20</i> | 71 |
| <i>hyoscyamine sulfate</i> | 88 | <i>isradipine</i> | 42 | <i>klor-con/ef</i> | 71 |
| <i>hyoscyamine sulfate er</i> | 88 | <i>itraconazole</i> | 24 | KLOXXADO | 23 |
| <i>hyoscyamine sulfate sl</i> | 88 | <i>ivermectin</i> | 10, 57 | <i>kls aspirin low dose</i> | 7 |
| <i>hyosyne</i> | 88 | <i>jaimiess</i> | 48 | <i>kls laxaclear</i> | 67 |
| HYPERSAL | 51 | JAKAFI | 34 | <i>kls quit2</i> | 85 |
| HYSINGLA ER | 8 | <i>jantoven</i> | 14 | KLS QUIT2 | 85 |
| <i>ibandronate sodium</i> | 58 | JANUMET | 19 | <i>kls quit4</i> | 85 |
| IBRANCE | 34 | JANUMET XR | 19 | <i>kobee</i> | 74 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this List.

| | | | | | |
|----------------------------------|----|----------------------------------|--------|------------------------------------|--------|
| KORLYM | 21 | levalbuterol hcl | 13 | lovastatin | 25 |
| <i>kp aspirin</i> | 7 | LEVALBUTEROL TARTRATE | 13 | <i>low-ogestrel</i> | 46 |
| <i>kp bisacodyl</i> | 68 | LEVEMIR | 20 | <i>loxapine succinate</i> | 37 |
| <i>kp folic acid</i> | 66 | LEVEMIR FLEXTOUCH | 20 | <i>lo-zumandimine</i> | 46 |
| <i>kp prenatal multivitamins</i> | 75 | levetiracetam | 16 | LUMAKRAS | 32 |
| K-PHOS | 71 | levetiracetam er | 16 | <i>lutera</i> | 46 |
| KRINTAFEL | 29 | levobunolol hcl | 78 | LUZU | 56 |
| <i>k-tab</i> | 71 | levocarnitine | 59 | <i>lyleq</i> | 48 |
| <i>kurvelo</i> | 46 | levofloxacin | 62, 79 | <i>lyllana</i> | 62 |
| KUVAN | 60 | levonest | 49 | LYNPARZA | 35 |
| <i>labetalol hcl</i> | 41 | levonorgest-eth est & eth est | 48 | LYSODREN | 30 |
| LACRISERT | 78 | levonorgest-eth estrad 91-day | 48 | <i>lyza</i> | 49 |
| <i>lactated ringers</i> | 72 | levonorgestrel | 48 | <i>mafenide acetate</i> | 54 |
| <i>lactulose</i> | 67 | levonorgestrel-ethynodiol estrad | 46, 47 | <i>magnesium citrate</i> | 68 |
| <i>lactulose encephalopathy</i> | 63 | levonorg-eth estrad triphasic | 49 | MAKENA | 82 |
| LAMICTAL | 15 | levora 0.15/30 (28) | 46 | <i>malathion</i> | 57 |
| LAMICTAL ODT | 15 | levorphanol tartrate | 8 | MAR-COF BP | 51 |
| LAMICTAL XR | 16 | levo-t | 87 | MAR-COF CG EXPECTORANT | 50 |
| <i>lamivudine</i> | 40 | levothyroxine sodium | 87 | <i>marlissa</i> | 46 |
| <i>lamivudine-zidovudine</i> | 38 | levoxyl | 87 | MARPLAN | 17 |
| <i>lamotrigine</i> | 16 | LEXIVA | 39 | MATULANE | 34 |
| <i>lamotrigine er</i> | 16 | lidocaine | 56 | MAVYRET | 40 |
| LANOXIN | 42 | lidocaine hcl | 56 | <i>maxi-tuss ac</i> | 50 |
| <i>lansoprazole</i> | 89 | lidocaine hcl urethral/mucosal | 56 | MAYZENT | 86 |
| LANTUS | 20 | lidocaine viscous hcl | 73 | MAYZENT STARTER PACK | 86 |
| LANTUS SOLOSTAR | 20 | lidocaine-hydrocort (perianal) | 10 | <i>m-clear wc</i> | 50 |
| <i>lapatinib ditosylate</i> | 32 | lidocaine-prilocaine | 57 | <i>me/naphos(mb)/hyo1</i> | 28 |
| <i>larin 1.5/30</i> | 46 | lillow | 46 | <i>meclizine hcl</i> | 23 |
| <i>larin 1/20</i> | 46 | lindane | 57 | <i>meclofenamate sodium</i> | 5 |
| <i>larin 24 fe</i> | 46 | linezolid | 28 | <i>medroxyprogesterone acetate</i> | 48, 82 |
| <i>larin fe 1.5/30</i> | 46 | LINZESS | 62 | <i>mefenamic acid</i> | 5 |
| <i>larin fe 1/20</i> | 46 | liothyronine sodium | 87 | <i>mefloquine hcl</i> | 29 |
| <i>larissia</i> | 46 | lisinopril | 26 | <i>megestrol acetate</i> | 35 |
| LASTACRAFT | 79 | lisinopril-hydrochlorothiazide | 25 | MEKINIST | 32 |
| <i>latanoprost</i> | 81 | lithium carbonate | 36 | MEKTOVI | 32 |
| LATUDA | 36 | lithium carbonate er | 36 | <i>meloxicam</i> | 5 |
| <i>laxative</i> | 68 | LITHOSTAT | 64 | <i>melphalan</i> | 35 |
| <i>layolis fe</i> | 46 | LIVALO | 25 | <i>memantine hcl</i> | 84 |
| <i>leena</i> | 49 | lojaimies | 48 | <i>memantine hcl er</i> | 84 |
| <i>leflunomide</i> | 5 | LOKELMA | 73 | MENACTRA | 90 |
| LENVIMA (10 MG DAILY DOSE) | 35 | LONSURF | 33 | MENEST | 62 |
| LENVIMA (12 MG DAILY DOSE) | 35 | loperamide hcl | 22 | MENQUADFI | 90 |
| LENVIMA (14 MG DAILY DOSE) | 35 | lopinavir-ritonavir | 38 | MENTAX | 52 |
| LENVIMA (18 MG DAILY DOSE) | 35 | lorazepam | 11 | MENVEO | 90 |
| LENVIMA (20 MG DAILY DOSE) | 35 | lorazepam intensol | 11 | <i>meperidine hcl</i> | 8 |
| LENVIMA (24 MG DAILY DOSE) | 35 | LORBRENA | 31 | <i>meprobamate</i> | 11 |
| LENVIMA (4 MG DAILY DOSE) | 35 | loryna | 46 | <i>mercaptopurine</i> | 30 |
| LENVIMA (8 MG DAILY DOSE) | 35 | losartan potassium | 26 | <i>merzee</i> | 46 |
| <i>lessina</i> | 46 | losartan potassium-hctz | 26 | <i>mesalamine</i> | 63 |
| <i>letrozole</i> | 34 | LOTEMAX | 81 | <i>mesalamine er</i> | 63 |
| <i>leucovorin calcium</i> | 34 | LOTEMAX SM | 81 | MESNEX | 35 |
| LEUKERAN | 35 | loteprednol etabonate | 81 | <i>metaxalone</i> | 77 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|--------------------------------|------------|--------------------------------|--------|--------------------------------|--------|
| metformin hcl | 19 | minoxidil | 27 | NATPARA | 60 |
| metformin hcl er | 19 | miralax | 67 | nature-throid | 87 |
| methadone hcl | 8 | mirtazapine | 17 | NAYZILAM | 15 |
| methadone hcl intensol | 8 | MIRVASO | 56 | nebivolol hcl | 41 |
| methadose | 8 | misoprostol | 89 | necon 0.5/35 (28) | 46 |
| methadose sugar-free | 8 | M-M-R II | 90 | necon 1/35 (28) | 46 |
| methamphetamine hcl | 3 | m-natal plus | 75 | nefazodone hcl | 18 |
| methazolamide | 58 | modafinil | 3 | neomycin sulfate | 4 |
| methenamine hippurate | 28 | moexipril hcl | 26 | neomycin-bacitracin zn-polymyx | 79 |
| methenamine mandelate | 28 | molindone hcl | 37 | neomycin-polymyxin-dexameth | 80 |
| methergine | 82 | mometasone furoate | 55, 78 | neomycin-polymyxin-gramicidin | 80 |
| methimazole | 87 | monodoxe nl | 87 | neomycin-polymyxin-hc | 80, 82 |
| METHITEST | 9 | mono-linyah | 46 | neo-polycin | 80 |
| methocarbamol | 77 | montelukast sodium | 13 | neo-polycin hc | 80 |
| methotrexate | 30 | MONUROL | 28 | NERLYNX | 32 |
| methotrexate sodium | 30 | morphine sulfate | 9 | neuac | 52 |
| methotrexate sodium (pf) | 30 | morphine sulfate (concentrate) | 8 | NEUPRO | 36 |
| methoxsalen rapid | 53 | morphine sulfate er | 9 | NEVANAC | 80 |
| methscopolamine bromide | 89 | morphine sulfate er beads | 8 | nevirapine | 39 |
| methyldopa | 27 | MOVANTIK | 63 | nevirapine er | 39 |
| methylergonovine maleate | 82 | moxifloxacin hcl | 62, 79 | new day | 48 |
| methylphenidate hcl | 3 | moxifloxacin hcl (2x day) | 79 | NEXAVAR | 32 |
| methylphenidate hcl er | 3 | MOZOBIL | 65 | NEXIUM | 89 |
| methylphenidate hcl er (cd) | 3 | MULTAQ | 12 | niacin er (antihyperlipidemic) | 25 |
| methylphenidate hcl er (la) | 3 | multivitamin/fluoride | 75 | NIACOR | 25 |
| methylprednisolone | 50 | multi-vitamin/fluoride | 75 | nicardipine hcl | 42 |
| metoclopramide hcl | 62 | mupirocin | 52 | nicorelief | 85 |
| metolazone | 58 | mupirocin calcium | 52 | NICORETTE | 85 |
| METOPIRONE | 57 | my choice | 48 | NICORETTE MINI | 85 |
| metoprolol succinate er | 41 | my way | 48 | nicotine | 85 |
| metoprolol tartrate | 41 | MYALEPT | 60 | nicotine mini | 85 |
| metoprolol-hydrochlorothiazide | 27 | mycophenolate mofetil | 72 | NICOTINE MINI | 85 |
| metronidazole | 27, 56, 91 | mycophenolate sodium | 72 | NICOTINE POLACRILEX | 85 |
| metyrosine | 26 | MYDAYIS | 3 | nicotine polacrilex | 85 |
| mexiletine hcl | 11 | MYLERAN | 30 | nicotine step 1 | 85 |
| MIACALCIN | 59 | myorisan | 52 | nicotine step 2 | 85 |
| mibelas 24 fe | 46 | MYRBETRIQ | 89 | nicotine step 3 | 85 |
| miconazole 3 | 91 | mysoline | 16 | NICOTROL | 85 |
| microgestin 1.5/30 | 46 | MYTESI | 22 | NICOTROL NS | 85 |
| microgestin 1/20 | 46 | nabumetone | 5 | nifedipine | 42 |
| microgestin fe 1.5/30 | 46 | nadolol | 41 | nifedipine er | 42 |
| microgestin fe 1/20 | 46 | naftifine hcl | 52 | nifedipine er osmotic release | 42 |
| midodrine hcl | 92 | NAFTIN | 53 | nikki | 46 |
| migergot | 70 | naloxone hcl | 23 | nilutamide | 30 |
| miglitol | 19 | naltrexone hcl | 23 | nimodipine | 42 |
| miglustat | 65 | naproxen | 5 | NINLARO | 33 |
| mili | 46 | naproxen sodium | 5 | nisoldipine er | 42 |
| milk of magnesia | 68 | naratriptan hcl | 71 | nitazoxanide | 28 |
| milk of magnesia concentrate | 68 | NARCAN | 23 | nitisinone | 59 |
| millipred | 50 | NASCOBAL | 65 | nitro-bid | 11 |
| mimvey | 61 | NATACYN | 79 | nitrofurantoin | 28 |
| minocycline hcl | 87 | nateglinide | 21 | nitrofurantoin macrocrystal | 28 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|---------------------------------------|----|---------------------------------------|------------|-----------------------------------|----|
| <i>nitrofurantoin monohyd macro</i> | 28 | NUTROPIN AQ NUSPIN 5 | 59 | <i>oseltamivir phosphate</i> | 41 |
| <i>nitroglycerin</i> | 11 | NUVESSA | 91 | OSPHENA | 60 |
| <i>nitroglycerin er</i> | 11 | NUZYRA | 86 | OTEZLA | 5 |
| <i>nitro-time</i> | 11 | <i>nyamyc</i> | 53 | <i>oxandrolone</i> | 9 |
| NITYR | 59 | <i>nyla 7/7/7</i> | 49 | <i>oxaprozin</i> | 5 |
| <i>nizatidine</i> | 88 | NYMALIZE | 42 | <i>oxazepam</i> | 11 |
| <i>nora-be</i> | 49 | <i>nymyo</i> | 47 | <i>oxcarbazepine</i> | 16 |
| NORDITROPIN FLEXPRO | 59 | <i>nystatin</i> | 23, 53, 73 | OXERVATE | 80 |
| <i>norethin ace-eth estrad-fe</i> | 46 | <i>nystatin-triamcinolone</i> | 52 | <i>oxiconazole nitrate</i> | 56 |
| <i>norethindrone</i> | 49 | <i>nystop</i> | 53 | OXTELLAR XR | 16 |
| <i>norethindrone acetate</i> | 82 | <i>obstetrix dha</i> | 75 | <i>oxybutynin chloride</i> | 89 |
| <i>norethindrone acet-ethinyl est</i> | 46 | <i>ocella</i> | 47 | <i>oxybutynin chloride er</i> | 89 |
| <i>norethindrone-eth estradiol</i> | 61 | <i>octreotide acetate</i> | 60 | <i>oxycodone hcl</i> | 9 |
| <i>norethrin-eth estradiol-fe</i> | 46 | ODEFSEY | 38 | <i>oxycodone-acetaminophen</i> | 9 |
| <i>norgestimate-eth estradiol</i> | 47 | ODOMZO | 32 | OXYCONTIN | 9 |
| <i>norgestim-eth estrad triphasic</i> | 49 | OFEV | 86 | <i>oxymorphone hcl</i> | 9 |
| <i>norlyda</i> | 49 | <i>ofloxacin</i> | 62, 79, 81 | <i>oxymorphone hcl er</i> | 9 |
| <i>norlyroc</i> | 49 | <i>olanzapine</i> | 38 | OZEMPIK (0.25 OR 0.5 MG/DOSE) | 21 |
| NORPACE CR | 11 | <i>olmesartan medoxomil</i> | 26 | OZEMPIK (1 MG/DOSE) | 21 |
| NORTHERA | 92 | <i>olmesartan medoxomil-hctz</i> | 26 | pacerone | 12 |
| <i>nortrel 0.5/35 (28)</i> | 47 | <i>olopatadine hcl</i> | 78, 79 | <i>paliperidone er</i> | 37 |
| <i>nortrel 1/35 (21)</i> | 47 | OMECLAMOX-PAK | 89 | PANRETIN | 53 |
| <i>nortrel 1/35 (28)</i> | 47 | <i>omega-3-acid ethyl esters</i> | 24 | <i>pantoprazole sodium</i> | 89 |
| <i>nortrel 7/7/7</i> | 49 | <i>omeprazole</i> | 89 | <i>paricalcitol</i> | 60 |
| <i>nortriptyline hcl</i> | 18 | OMNIPOD 5 PACK | 70 | <i>paroex</i> | 73 |
| NORVIR | 39 | OMNIPOD DASH 5 PACK PODS | 70 | <i>paromomycin sulfate</i> | 4 |
| NOVOLIN 70/30 | 20 | OMNIPOD STARTER | 70 | <i>paroxetine hcl</i> | 18 |
| NOVOLIN 70/30 FLEXPEN | 20 | <i>ondansetron</i> | 23 | <i>paroxetine hcl er</i> | 18 |
| NOVOLIN 70/30 FLEXPEN RELION | 20 | <i>ondansetron hcl</i> | 23 | PASER | 29 |
| NOVOLIN 70/30 RELION | 20 | ONFI | 15 | PEDIARIX | 88 |
| NOVOLIN N | 20 | ONUREG | 30 | PEDVAX HIB | 90 |
| NOVOLIN N FLEXPEN | 20 | <i>opcicon one-step</i> | 48 | peg 3350 | 67 |
| NOVOLIN N FLEXPEN RELION | 20 | <i>opium</i> | 22 | peg 3350-kcl-na bicarb-nacl | 67 |
| NOVOLIN N RELION | 20 | OPSUMIT | 43 | peg-3350/electrolytes | 67 |
| NOVOLIN R | 20 | <i>option 2</i> | 48 | peg-3350/electrolytes/ascorbate | 67 |
| NOVOLIN R FLEXPEN | 20 | <i>options gynol ii contraceptive</i> | 91 | PEGASYS | 40 |
| NOVOLIN R FLEXPEN RELION | 20 | <i>oralone</i> | 73 | peg-kcl-nacl-nasulf-na asc-c | 67 |
| NOVOLIN R RELION | 20 | ORAVIG | 73 | peg-prep | 67 |
| NOVOLOG | 20 | ORENCIA | 6 | PEMAZYRE | 31 |
| NOVOLOG FLEXPEN | 20 | ORENCIA CLICKJECT | 5 | <i>penicillamine</i> | 72 |
| NOVOLOG MIX 70/30 | 20 | ORENITRAM | 43 | <i>penicillin v potassium</i> | 82 |
| NOVOLOG MIX 70/30 FLEXPEN | 21 | ORFADIN | 59 | PENTACEL | 88 |
| NOVOLOG PENFILL | 21 | ORGOVYX | 34 | <i>pentamidine isethionate</i> | 27 |
| NOXAFILE | 24 | ORIAHNN | 61 | PENTASA | 63 |
| <i>np thyroid</i> | 87 | ORILISSA | 59 | <i>pentazocine-naloxone hcl</i> | 9 |
| NUBEQA | 30 | ORKAMBI | 86 | <i>pentoxifylline er</i> | 65 |
| NUCYNTA | 9 | ORLADEYO | 65 | PERFOROMIST | 13 |
| NUEDEXTA | 84 | <i>orphenadrine citrate er</i> | 77 | <i>periogard</i> | 73 |
| NUPLAZID | 37 | <i>orsythia</i> | 47 | <i>permethrin</i> | 57 |
| NURTEC | 70 | <i>oscimin</i> | 88 | <i>perphenazine</i> | 37 |
| NUTROPIN AQ NUSPIN 10 | 59 | <i>oscimin sr</i> | 88 | <i>perphenazine-amitriptyline</i> | 84 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this List.

| | | | | | |
|--------------------------------------|--------|--------------------------------------|--------|--------------------------------------|----|
| perry prenatal..... | 76 | potassium citrate er | 64 | PRIMAQUINE PHOSPHATE | 29 |
| phenazopyridine hcl..... | 64 | PRADAXA..... | 15 | primidone | 16 |
| phenelzine sulfate..... | 17 | PRALUENT..... | 25 | PRIMSOL..... | 27 |
| phenobarbital..... | 66 | pramipexole dihydrochloride | 36 | PROAIR RESPICLICK..... | 13 |
| phenoxybenzamine hcl..... | 26 | pramipexole dihydrochloride er..... | 36 | probenecid..... | 64 |
| phenylephrine hcl..... | 78 | prasugrel hcl..... | 65 | prochlorperazine | 37 |
| PHENYTEK..... | 17 | pravastatin sodium | 25 | prochlorperazine maleate | 37 |
| phenytoin..... | 17 | praziquantel | 10 | procto-med hc | 10 |
| phenytoin infatabs..... | 17 | prazosin hcl..... | 27 | procto-pak | 10 |
| phenytoin sodium extended..... | 17 | PRED MILD..... | 81 | proctosol hc | 10 |
| philith | 47 | PRED-G | 81 | protozone-hc | 10 |
| PHOSLYRA..... | 63 | PRED-G S.O.P..... | 81 | PROCYSB..... | 64 |
| phosphasal..... | 28 | prednicarbate | 55 | PROLENSA..... | 80 |
| PHYTONADIONE..... | 92 | prednisolone | 50 | PROMACTA..... | 66 |
| phytonadione..... | 92 | prednisolone acetate | 81 | promethazine hcl | 24 |
| PIFELTRO..... | 39 | prednisolone sodium phosphate 50, 81 | | promethazine vc | 51 |
| pilocarpine hcl..... | 73, 79 | prednisone | 50 | promethazine vc/codeine | 51 |
| pimecrolimus..... | 56 | prednisone intensol | 50 | promethazine-codeine | 51 |
| pimozide | 84 | pregabalin | 16 | promethazine-dm | 51 |
| pimtrea | 44 | PREMARIN | 62, 92 | promethazine-phenyleph-codeine | 51 |
| pindolol..... | 41 | PREMPHASE..... | 61 | promethazine-phenylephrine | 51 |
| pioglitazone hcl..... | 22 | PREMPRO..... | 61 | promethegan | 24 |
| pioglitazone hcl-glimepiride | 22 | prena 1 true | 77 | propafenone hcl | 12 |
| pioglitazone hcl-metformin hcl..... | 22 | prena1 | 77 | propafenone hcl er | 12 |
| PIQRAY (200 MG DAILY DOSE)..... | 35 | prena1 pearl | 76 | propranolol hcl | 41 |
| PIQRAY (250 MG DAILY DOSE)..... | 35 | prenaissance | 77 | propranolol hcl er | 41 |
| PIQRAY (300 MG DAILY DOSE)..... | 35 | prenaissance plus | 77 | propylthiouracil | 87 |
| pirmella 1/35..... | 47 | prenatabs fa | 76 | PROQUAD | 90 |
| pirmella 7/7/7..... | 49 | prenatabs rx | 76 | protriptyline hcl | 18 |
| piroxicam | 5 | prenatal | 76 | prodoxin | 53 |
| PLEGRIDY..... | 83 | prenatal (w/iron & fa) | 76 | pseudoeph-bromphen-dm | 51 |
| PLEGRIDY STARTER PACK..... | 83 | prenatal complete | 76 | PULMICORT FLEXHALER | 14 |
| PNEUMOVAX 23..... | 90 | prenatal multi +dha | 77 | PULMOZYME | 86 |
| pnv prenatal plus multivitamin | 76 | prenatal one daily | 76 | px aspirin | 7 |
| pnv tabs 29-1 | 76 | prenatal plus | 76 | px b complex/vitamin c | 74 |
| pnv-dha | 77 | prenatal plus iron | 76 | px enteric aspirin | 7 |
| pnv-dha+docusate | 77 | prenatal vitamin and mineral | 76 | px laxative | 68 |
| pnv-omega | 76 | prenatal vitamin plus low iron | 76 | px milk of magnesia | 68 |
| pnv-select | 76 | prenatal vitamins | 76 | px stop smoking aid | 85 |
| podofilox | 56 | prenatal/iron | 76 | PYLERA | 89 |
| polycin | 80 | prenatal-u | 76 | pyrazinamide | 29 |
| polyethylene glycol 3350 | 67 | preplus | 76 | pyridostigmine bromide | 29 |
| polymyxin b-trimethoprim | 80 | pretab | 76 | pyridostigmine bromide er | 29 |
| polyvitamin/fluoride | 75 | PRETOMANID | 29 | pyrimethamine | 29 |
| POMALYST | 32 | prevalite | 24 | QBRELIS | 26 |
| PONVORY | 86 | previfem | 47 | QBREXA | 56 |
| PONVORY STARTER PACK..... | 86 | PREVNAR 13 | 90 | qc aspirin low dose | 7 |
| portia-28 | 47 | PREVYMIS | 40 | qc childrens aspirin | 7 |
| posaconazole | 24 | PREZCOBIX | 38 | qc gentle laxative | 68 |
| potassium chloride | 71, 72 | PREZISTA | 39 | qc magnesium citrate | 68 |
| potassium chloride crys er | 71 | PRIFTIN | 29 | qc milk of magnesia | 68 |
| potassium chloride er | 71 | primaquine phosphate | 29 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|-------------------------------|--------|-----------------------------|----|-------------------------------|----|
| qc natura-lax | 67 | rena-vite | 74 | SAVELLA | 83 |
| qc prenatal | 76 | repaglinide | 21 | SAVELLA TITRATION PACK | 83 |
| QINLOCK | 32 | REPATHA | 25 | sb bisacodyl laxative ec | 68 |
| QUADRACEL | 88 | REPATHA PUSHTRONEX SYSTEM | 25 | sb childrens aspirin | 7 |
| quazepam | 66 | REPATHA SURECLICK | 25 | sb low dose asa ec | 7 |
| QUDEXY XR | 16 | RETEVMO | 33 | sb milk of magnesia | 68 |
| quetiapine fumarate | 37 | REVLIMID | 72 | sb polyethylene glycol 3350 | 67 |
| quetiapine fumarate er | 37 | REXULTI | 38 | scopolamine | 23 |
| QUILLIVANT XR | 3 | REYATAZ | 39 | SEGLUROMET | 22 |
| quinapril hcl | 26 | REYVOW | 71 | selegiline hcl | 36 |
| quinapril-hydrochlorothiazide | 25 | REZUROCK | 73 | selenium sulfide | 54 |
| quinidine gluconate er | 11 | RHOFADE | 56 | SELZENTRY | 39 |
| quinidine sulfate | 11 | ribavirin | 40 | se-natal 19 | 76 |
| quinine sulfate | 29 | RIDAURA | 4 | SEREVENT DISKUS | 13 |
| QVAR REDIHALER | 14 | rifabutin | 29 | sertraline hcl | 18 |
| ra aspirin adult low dose | 7 | rifampin | 30 | setlakin | 48 |
| ra aspirin adult low strength | 7 | riluzole | 78 | sevelamer carbonate | 63 |
| ra aspirin childrens | 7 | rimantadine hcl | 41 | sf | 73 |
| ra aspirin ec | 7 | ringers irrigation | 72 | sf 5000 plus | 73 |
| ra aspirin ec adult low st | 7 | RINVOQ | 4 | sharobel | 49 |
| ra balanced b-100 | 75 | risedronate sodium | 58 | SHINGRIX | 91 |
| ra balanced b-50 | 75 | risperidone | 37 | SIGNIFOR | 60 |
| ra b-complex | 74 | ritonavir | 39 | sildenafil citrate | 43 |
| ra b-complex with b-12 | 74 | rivastigmine | 83 | SILIQ | 53 |
| ra folic acid | 66 | rivastigmine tartrate | 83 | silodosin | 63 |
| ra laxative | 67, 68 | rivelsa | 48 | silver sulfadiazine | 54 |
| ra milk of magnesia | 68 | rizatriptan benzoate | 71 | SIMBRINZA | 78 |
| ra mini nicotine | 85 | ropinirole hcl | 36 | similiya | 44 |
| ra nicotine | 85, 86 | ropinirole hcl er | 36 | simpesse | 48 |
| ra nicotine gum | 85 | rosadan | 56 | SIMPONI | 4 |
| ra nicotine polacrilex | 85 | rosuvastatin calcium | 25 | simvastatin | 25 |
| ra prenatal | 76 | ROTARIX | 91 | sirolimus | 72 |
| ra womens laxative | 68 | ROTATEQ | 91 | SIRTURO | 30 |
| rabeprazole sodium | 89 | roweepra | 16 | SKYRIZI | 53 |
| raloxifene hcl | 60 | ROZLYTREK | 33 | SKYRIZI (150 MG DOSE) | 53 |
| ramipril | 26 | RUBRACA | 35 | SKYRIZI PEN | 53 |
| ranolazine er | 10 | RUCONEST | 65 | sm aspirin adult low strength | 7 |
| rasagiline mesylate | 36 | rufinamide | 16 | sm aspirin ec low strength | 7 |
| RASUVO | 4 | RUKOBIA | 39 | sm aspirin low dose | 7 |
| RAVICTI | 60 | RUZURGI | 29 | sm b super vitamin complex | 74 |
| react | 48 | RYBELSUS | 21 | sm b100 complex | 75 |
| REBIF | 83 | RYDAPT | 32 | sm balanced b-100 | 74 |
| REBIF REBIDOSE | 83 | rydex | 51 | sm balanced b-50 | 74 |
| REBIF REBIDOSE TITRATION PACK | 83 | RYTARY | 36 | sm b-complex | 75 |
| REBIF TITRATION PACK | 84 | SABRIL | 16 | sm b-complex/vitamin c | 74 |
| reclipsen | 47 | salsalate | 7 | sm childrens aspirin | 7 |
| RECOMBIVAX HB | 91 | SAMSCA | 60 | sm clearlax | 67 |
| RECTIV | 10 | SANDIMMUNE | 72 | sm folic acid | 66 |
| REGRANEX | 57 | SANTYL | 55 | sm gentle laxative | 68 |
| RELENZA DISKHALER | 41 | SAPHRIS | 37 | sm magnesium citrate | 68 |
| RELISTOR | 63 | sapropterin dihydrochloride | 60 | sm milk of magnesia | 68 |
| relnate dha | 76 | SAVAYSA | 14 | sm nicotine | 86 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|--------------------------------------|--------|-------------------------------------|--------|--------------------------------------|--------|
| <i>sm nicotine polacrilex</i> | 86 | <i>sulfasalazine</i> | 63 | <i>TDVAX</i> | 88 |
| <i>sm prenatal vitamins</i> | 76 | <i>sulfatrim pediatric</i> | 28 | <i>TECFIDERA</i> | 84 |
| <i>sm super b complex/c</i> | 74 | <i>sulindac</i> | 5 | <i>TEGRETOL</i> | 16 |
| <i>smooth lax</i> | 67 | <i>sumatriptan</i> | 71 | <i>TEGRETOL-XR</i> | 16 |
| <i>sodium chloride</i> | 51, 64 | <i>sumatriptan succinate</i> | 71 | <i>TEKURNA HCT</i> | 27 |
| <i>sodium fluoride</i> | 71, 73 | <i>sumatriptan succinate refill</i> | 71 | <i>telmisartan</i> | 26 |
| <i>sodium fluoride 5000 plus</i> | 73 | <i>sunitinib malate</i> | 33 | <i>telmisartan-amlodipine</i> | 26 |
| <i>sodium fluoride 5000 ppm</i> | 73 | <i>super b complex maxi</i> | 74 | <i>telmisartan-hctz</i> | 26 |
| <i>sodium phenylbutyrate</i> | 61 | <i>super b complex/fa/vit c</i> | 74 | <i>temazepam</i> | 66 |
| <i>sodium polystyrene sulfonate</i> | 73 | <i>super b-complex/vit c/fa</i> | 74 | <i>TEMIXYS</i> | 38 |
| <i>sodium sulfacetamide</i> | 54 | <i>super quints b-50</i> | 75 | <i>temozolomide</i> | 34 |
| <i>solifenacin succinate</i> | 89 | <i>SUPRAX</i> | 44 | <i>tencon</i> | 6 |
| <i>SOLIQUA</i> | 21 | <i>SUPREP BOWEL PREP KIT</i> | 67 | <i>TENIVAC</i> | 88 |
| <i>SOLTAMOX</i> | 30 | <i>SUTENT</i> | 33 | <i>tenofovir disoproxil fumarate</i> | 40 |
| <i>SOMAVERT</i> | 59 | <i>syeda</i> | 47 | <i>TEPMETKO</i> | 32 |
| <i>sotalol hcl</i> | 41 | <i>SYMBICORT</i> | 12 | <i>terazosin hcl</i> | 27 |
| <i>sotalol hcl (af)</i> | 41 | <i>SYMDEKO</i> | 86 | <i>terbinafine hcl</i> | 23 |
| <i>SOVALDI</i> | 41 | <i>SYMFI</i> | 38 | <i>terbutaline sulfate</i> | 13 |
| <i>spinosad</i> | 57 | <i>SYMFI LO</i> | 38 | <i>terconazole</i> | 91 |
| <i>SPIRIVA HANDIHALER</i> | 13 | <i>SYMLINPEN 120</i> | 19 | <i>testosterone</i> | 10 |
| <i>SPIRIVA RESPIMAT</i> | 13 | <i>SYMLINPEN 60</i> | 19 | <i>testosterone cypionate</i> | 10 |
| <i>spironolactone</i> | 58 | <i>SYMPROIC</i> | 63 | <i>testosterone enanthate</i> | 10 |
| <i>spironolactone-hctz</i> | 58 | <i>SYMTUZA</i> | 38 | <i>TETANUS-DIPHTHERIA TOXOIDS TD</i> | 88 |
| <i>sprintec 28</i> | 47 | <i>SYNAREL</i> | 60 | <i>tetrabenazine</i> | 83 |
| <i>SPRYCEL</i> | 31 | <i>SYNJARDY</i> | 22 | <i>tetracycline hcl</i> | 87 |
| <i>sps</i> | 73 | <i>SYNJARDY XR</i> | 22 | <i>THALOMID</i> | 72 |
| <i>sronyx</i> | 47 | <i>SYNRIBO</i> | 34 | <i>THEO-24</i> | 14 |
| <i>ssd</i> | 54 | <i>SYNTHROID</i> | 87 | <i>theophylline</i> | 14 |
| <i>ssd (silver sulfadiazine)</i> | 54 | <i>TABLOID</i> | 30 | <i>theophylline er</i> | 14 |
| <i>SSKI</i> | 51 | <i>TABRECTA</i> | 32 | <i>thermazene</i> | 54 |
| <i>st joseph low dose</i> | 7 | <i>tacrolimus</i> | 56, 72 | <i>THIOLA</i> | 64 |
| <i>stavudine</i> | 40 | <i>tadalafil</i> | 43 | <i>THIOLA EC</i> | 64 |
| <i>STEGLATRO</i> | 21 | <i>tadalafil (pah)</i> | 43 | <i>thioridazine hcl</i> | 37 |
| <i>STELARA</i> | 53 | <i>TAFINLAR</i> | 31 | <i>thiothixene</i> | 38 |
| <i>sterile water for irrigation</i> | 72 | <i>TAGRISSO</i> | 31 | <i>tiadylt er</i> | 42 |
| <i>STIMATE</i> | 61 | <i>TAKHZYRO</i> | 65 | <i>tiagabine hcl</i> | 16 |
| <i>STIOLTO RESPIMAT</i> | 12 | <i>TALICIA</i> | 89 | <i>TIBSOVO</i> | 34 |
| <i>STIVARGA</i> | 33 | <i>TALTZ</i> | 54 | <i>tilia fe</i> | 49 |
| <i>STRENSIQ</i> | 60 | <i>TALZENNA</i> | 35 | <i>timolol maleate</i> | 41, 78 |
| <i>stress formula</i> | 75 | <i>tamoxifen citrate</i> | 30 | <i>timolol maleate ocudoze</i> | 78 |
| <i>stress formula (folic acid)</i> | 74 | <i>tamsulosin hcl</i> | 64 | <i>timolol maleate pf</i> | 78 |
| <i>stress formula/iron</i> | 75 | <i>TARGETIN</i> | 57 | <i>TIMOPTIC OCUDOZE</i> | 78 |
| <i>STRIBILD</i> | 38 | <i>tarina 24 fe</i> | 47 | <i>tinidazole</i> | 27 |
| <i>STRIVERDI RESPIMAT</i> | 13 | <i>tarina fe 1/20</i> | 47 | <i>tiopronin</i> | 64 |
| <i>SUCRAID</i> | 57 | <i>tarina fe 1/20 eq</i> | 47 | <i>TIROSINT</i> | 87 |
| <i>sucralfate</i> | 89 | <i>taron-c dha</i> | 76 | <i>tis-u-sol</i> | 72 |
| <i>sulfacetamide sodium</i> | 54, 81 | <i>taron-prex</i> | 77 | <i>TIVICAY</i> | 39 |
| <i>sulfacetamide sodium (acne)</i> | 52 | <i>TASIGNA</i> | 31 | <i>TIVICAY PD</i> | 39 |
| <i>sulfacetamide-prednisolone</i> | 81 | <i>tazarotene</i> | 54 | <i>tizanidine hcl</i> | 77 |
| <i>sulfadiazine</i> | 86 | <i>TAZORAC</i> | 54 | <i>TOBI PODHALER</i> | 4 |
| <i>sulfamethoxazole-trimethoprim</i> | 28 | <i>taztia xt</i> | 42 | <i>TOBRADEX</i> | 81 |
| <i>SULFAMYLYON</i> | 54 | <i>TAZVERIK</i> | 32 | <i>TOBRADEX ST</i> | 81 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|-------------------------------|------------|------------------------------|----|-------------------------------|----|
| tobramycin | 4, 79 | TRILEPTAL | 16 | UKONIQ | 33 |
| tobramycin-dexamethasone | 81 | tri-linyah | 49 | ultra b-100 complex | 77 |
| TOBREX | 79 | tri-lo-estarrylla | 49 | unithroid | 87 |
| TODAY SPONGE | 91 | tri-lo-marzia | 49 | UPTRAVI | 43 |
| tolcapone | 36 | tri-lo-mili | 49 | urimar-t | 29 |
| TOLSURA | 24 | tri-lo-sprintec | 49 | urin ds | 29 |
| tolterodine tartrate | 89 | trimethobenzamide hcl | 23 | uro-458 | 29 |
| tolterodine tartrate er | 89 | trimethoprim | 27 | urogesic-blue | 29 |
| tolvaptan | 60 | tri-mili | 49 | uro-mp | 29 |
| TOPAMAX | 16 | trimipramine maleate | 19 | ursodiol | 62 |
| TOPAMAX SPRINKLE | 16 | trinalat rx 1 | 76 | utira-c | 29 |
| topiramate | 16 | trinate | 76 | valacyclovir hcl | 41 |
| topiramate er | 16 | trinessa (28) | 49 | VALCHLOR | 53 |
| toremifene citrate | 30 | TRINTELLIX | 18 | valganciclovir hcl | 40 |
| torsemide | 58 | tri-nymyo | 49 | valproic acid | 17 |
| TOUJEO MAX SOLOSTAR | 21 | tri-previfem | 49 | valsartan | 26 |
| TOUJEO SOLOSTAR | 21 | tri-sprintec | 49 | valsartan-hydrochlorothiazide | 26 |
| tovet | 55 | TRIUMEQ | 38 | VALTOCO 10 MG DOSE | 15 |
| TOVIAZ | 89 | tri-vitamin/fluoride | 75 | VALTOCO 15 MG DOSE | 15 |
| TRACLEER | 43 | tri-vite/fluoride | 75 | VALTOCO 20 MG DOSE | 15 |
| TRADJENTA | 19 | trivora (28) | 49 | VALTOCO 5 MG DOSE | 15 |
| tramadol hcl | 9 | tri-vylibra | 49 | vanadom | 77 |
| tramadol hcl er | 9 | tri-vylibra lo | 50 | vancomycin hcl | 28 |
| tramadol hcl er (biphasic) | 9 | TROKENDI XR | 16 | vandazole | 91 |
| tramadol-acetaminophen | 9 | trospium chloride | 89 | VAQTA | 91 |
| trandolapril | 26 | trospium chloride er | 89 | VARIVAX | 91 |
| trandolapril-verapamil hcl er | 25 | TRUE METRIX BLOOD GLUCOSE | | VARIZIG | 82 |
| tranexamic acid | 66 | TEST | 57 | VASCEPA | 24 |
| tranylcypromine sulfate | 17 | TRUETEST TEST | 57 | vcf vaginal contraceptive | 91 |
| travoprost (bak free) | 81 | TRUETRACK TEST | 57 | velivet | 50 |
| trazodone hcl | 18 | TRULICITY | 21 | VELPHORO | 63 |
| TRECATOR | 30 | TRUMENBA | 90 | VELTASSA | 73 |
| TRELEGY ELLIPTA | 12 | TRUSELTIQ (100MG DAILY DOSE) | 31 | VEMLIDY | 40 |
| TREMFYA | 54 | TRUSELTIQ (125MG DAILY DOSE) | 31 | VENCLEXTA | 31 |
| TRESIBA | 21 | TRUSELTIQ (50MG DAILY DOSE) | 31 | VENCLEXTA STARTING PACK | 31 |
| TRESIBA FLEXTOUCH | 21 | TRUSELTIQ (75MG DAILY DOSE) | 31 | venlafaxine hcl | 18 |
| tretinoin | 35, 52 | TRUVADA | 38 | venlafaxine hcl er | 18 |
| tretinoin microsphere | 52 | TUDORZA PRESSAIR | 13 | VENTAVIS | 43 |
| tretinoin microsphere pump | 52 | TUKYSA | 31 | VENTOLIN HFA | 13 |
| trifemynor | 49 | tulana | 49 | verapamil hcl | 42 |
| triamcinolone acetonide | 55, 73, 78 | TURALIO | 33 | verapamil hcl er | 42 |
| triamterene | 58 | tusnel c | 51 | VERZENIO | 34 |
| triamterene-hctz | 58 | TWINRIX | 90 | vestura | 47 |
| triazolam | 66 | TYBOST | 40 | VIBERZI | 62 |
| triderm | 55 | tydemy | 47 | VICTOZA | 21 |
| tri-estarrylla | 49 | TYKERB | 33 | vienna | 47 |
| trifluoperazine hcl | 37 | TYMLOS | 60 | vigabatrin | 16 |
| trifluridine | 80 | TYVASO | 43 | vigadrone | 16 |
| trihexyphenidyl hcl | 36 | TYVASO REFILL | 43 | VIIBRYD | 18 |
| TRIJARDY XR | 21 | TYVASO STARTER | 43 | VIIBRYD STARTER PACK | 18 |
| TRIKAFTA | .86 | UBRELVY | 70 | vilamit mb | 29 |
| tri-legest fe | 49 | UCERIS | 10 | vilelev mb | 29 |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.

| | | | | | |
|-------------------------------|----|-----------------------------|----|------------------|----|
| VIMPAT | 16 | XENLETA | 28 | zovia 1/35e (28) | 47 |
| vinate ii | 76 | XEPI | 52 | ZTLIDO | 56 |
| viorele | 44 | XIFAXAN | 27 | ZUBSOLV | 9 |
| VIRACEPT | 39 | XIGDUO XR | 22 | zumandimine | 47 |
| VIREAD | 40 | XIIDRA | 79 | ZYDELIG | 35 |
| virt-c dha | 76 | XOFLUZA (40 MG DOSE) | 41 | ZYFLO | 12 |
| virt-nate dha | 76 | XOFLUZA (80 MG DOSE) | 41 | ZYKADIA | 31 |
| virt-pn dha | 77 | XOPENEX HFA | 13 | ZYLET | 81 |
| virt-pn plus | 76 | XOSPATA | 33 | ZYTIGA | 30 |
| virtussin a/c | 50 | XPOVIO (100 MG ONCE WEEKLY) | 33 | | |
| virtussin ac w/alc | 50 | XPOVIO (40 MG ONCE WEEKLY) | 33 | | |
| virtussin dac | 51 | XPOVIO (40 MG TWICE WEEKLY) | 33 | | |
| VISTOGARD | 23 | XPOVIO (60 MG ONCE WEEKLY) | 33 | | |
| vitamin b complex | 74 | XPOVIO (60 MG TWICE WEEKLY) | 33 | | |
| vitamin b complex-c | 74 | XPOVIO (80 MG ONCE WEEKLY) | 33 | | |
| vitamin b-complex | 74 | XPOVIO (80 MG TWICE WEEKLY) | 33 | | |
| vitamin d (ergocalciferol) | 92 | XTANDI | 30 | | |
| vitamin-b complex | 74 | xulane | 47 | | |
| vitamins acd-fluoride | 75 | XULTOPHY | 21 | | |
| VITRAKVI | 33 | XURIDEN | 59 | | |
| VIZIMPRO | 31 | XYREM | 83 | | |
| volnea | 44 | XYWAV | 83 | | |
| voriconazole | 24 | YONSA | 30 | | |
| VOSEVI | 40 | yuvafem | 92 | | |
| VOTRIENT | 33 | zafirlukast | 13 | | |
| VRAYLAR | 37 | zaleplon | 66 | | |
| vyfemla | 47 | zarah | 47 | | |
| vylibra | 47 | ZARONTIN | 17 | | |
| VYVANSE | 3 | zatean-pn dha | 77 | | |
| warfarin sodium | 14 | zatean-pn plus | 76 | | |
| water for irrigation, sterile | 72 | zebutal | 6 | | |
| WELIREG | 32 | ZEJULA | 35 | | |
| wera | 47 | ZELBORA F | 31 | | |
| westhroid | 87 | zenatane | 52 | | |
| WIDE-SEAL DIAPHRAGM 60 | 69 | ZENPEP | 57 | | |
| WIDE-SEAL DIAPHRAGM 65 | 69 | ZEPOSIA | 86 | | |
| WIDE-SEAL DIAPHRAGM 70 | 69 | ZEPOSIA 7-DAY STARTER PACK | 86 | | |
| WIDE-SEAL DIAPHRAGM 75 | 69 | ZEPOSIA STARTER KIT | 86 | | |
| WIDE-SEAL DIAPHRAGM 80 | 69 | zidovudine | 40 | | |
| WIDE-SEAL DIAPHRAGM 85 | 69 | zileuton er | 12 | | |
| WIDE-SEAL DIAPHRAGM 90 | 69 | ziprasidone hcl | 37 | | |
| WIDE-SEAL DIAPHRAGM 95 | 69 | ZIRGAN | 80 | | |
| wixela inhub | 12 | ZOLINZA | 32 | | |
| womans laxative | 68 | zolmitriptan | 71 | | |
| womens laxative | 69 | zolpidem tartrate | 66 | | |
| WP THYROID | 87 | zolpidem tartrate er | 66 | | |
| wymzya fe | 47 | ZOMIG | 71 | | |
| XALKORI | 31 | ZONEGRAN | 16 | | |
| XARELTO | 14 | zonisamide | 16 | | |
| XARELTO STARTER PACK | 14 | ZONTIVITY | 65 | | |
| XELJANZ | 4 | ZORTRESS | 72 | | |
| XELJANZ XR | 4 | zovia 1/35 (28) | 47 | | |

You can find information on what the symbols and abbreviations on this table mean by going to the beginning of this *List*.